

Plus, Capital and Magnolia

2025 Formulary

List of Covered Drugs or “Drug List”

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 02/03/2025. For more recent information or other questions, please contact **Blue Advantage (PPO) Member Services at 1-888-950-0705** or, for TTY users, **711**, Monday - Friday, 8 a.m. – 8 p.m. CST. From October 1 to March 31, the hours of operation are Monday - Sunday, 8 a.m. – 8 p.m. CST. You may be required to leave a message for calls made after hours, weekends and holidays. Calls will be returned the next business day, or visit **www.PatriusHealth.com**.

Important Message About What You Pay for Vaccines - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information.

Important Message About What You Pay for Insulin - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.

This information is not a complete description of benefits. Contact the plan for more information.

Limitations, copayments, and restrictions may apply.

Benefits and/or co-payments/co-insurance may change on January 1 of each year.

The formulary and pharmacy network may change at any time. You will receive notice when necessary.

Notice of Nondiscrimination

Discrimination is Against the Law

Patrius Health, an independent licensee of the Blue Cross and Blue Shield Association, complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex (consistent with the scope of sex discrimination described in 45 CFR § 92.101(a)(2)). We do not exclude people or treat them less favorably because of race, color, national origin, age, disability, or sex.

Patrius Health:

- Provides reasonable modifications and free appropriate auxiliary aids and services to people with disabilities to communicate effectively with us, such as qualified sign language interpreters and written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language assistance services to people whose primary language is not English, such as qualified interpreters and information written in other languages

If you need reasonable modifications, appropriate auxiliary aids and services, or language assistance services, contact our 1557 Compliance Coordinator. If you believe that we have failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance in person or by mail, fax, or email at: Patrius Health, Compliance Office, 450 Riverchase Parkway East, Birmingham, Alabama 35244, Attn: 1557 Compliance Coordinator, 1-855-216-3144, 711 (TTY), 1-205-220-2984 (fax), 1557Grievance@patriushealth.com (email). If you need help filing a grievance, our 1557 Compliance Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 1-800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Notice of Availability of Language Assistance Services and Auxiliary Aids and Services

English: ATTENTION: Free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-855-216-3144 (TTY: 711) or call Customer Service.

Arabic: انتباه: إذا كنت تتحدث العربية، تتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر أيضًا المساعدات والخدمات الإضافية المناسبة لتوفير المعلومات بتنسيقات يسهل الوصول إليها مجانًا. اتصل بالرقم 1-855-216-3144 (الهاتف النصي: 711) أو الاتصال بخدمة العملاء.

Chinese: 请注意：如果您说普通话，我们可免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服，以易读格式向您提供信息。请拨打 1-855-216-3144 (TTY: 711) 或致电客户服务部。

French: À NOTER : Si vous parlez français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et des services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-855-216-3144 (TTY: 711) ou contactez le service client.

German: ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlose Sprachassistenzen zur Verfügung. Geeignete Hilfsmittel und Dienstleistungen zur Bereitstellung von Informationen in zugänglichen Formaten sind ebenfalls kostenlos erhältlich. Rufen Sie 1-855-216-3144 (TTY: 711) oder den Kundendienst an.

Gujarati: ધ્યાન આપો: જો તમે ગુજરાતી બોલો છો, તો તમારા માટે નિ:શુલ્ક ભાષા સહાય સેવાઓ ઉપલબ્ધ છે. સુલભ ફોર્મેટમાં માહિતી પ્રદાન કરવા માટેની યોગ્ય સહાય અને સેવાઓ પણ વિના મૂલ્યે ઉપલબ્ધ છે. 1-855-216-3144 (TTY: 711) પર અથવા ગ્રાહક સેવા પર કોલ કરો.

Hindi: ध्यान दें: अगर आप हिन्दी बोलते हैं, तो आपके लिए नि:शुल्क भाषा सहायता सेवाएँ उपलब्ध हैं। आसान प्रारूप में सूचना उपलब्ध कराने के लिए उपयुक्त सहायक साधन और सेवाएँ भी नि:शुल्क उपलब्ध हैं। 1-855-216-3144 (TTY: 711) पर कॉल करें या ग्राहक सेवा को कॉल करें।

Japanese: ご案内：日本語を話される方には、無料の言語アシスタントサービスをご用意しております。アクセシブルな形式で情報を提供するため、補助器具や支援サービスも無料で提供しております。1-855-216-3144 (TTY: 711) もしくは、カスタマーサービスにお電話でお問合せください。

Korean: 주의: 한국어(를) 하시면 무료 언어 지원 서비스를 이용하실 수 있습니다. 접근 가능한 형식으로 정보를 제공하기 위한 적절한 보조 도구와 서비스도 무료로 제공됩니다. 1-855-216-3144 (TTY: 711)로 전화하거나 고객 서비스에 문의하세요.

Lao: ໂອ້ໃຈໃສ່: ຖ້າເວົ້າລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາພຣີເມັ່ນ ມີໄວ້ທ່ານ. ການຊ່ວຍເຫຼືອ ແລະ ການ ບໍລິການ ທີ່ ແນະນຳໃນການສະໜອງຂໍ້ມູນໃນຮູບແບບທີ່ສາມາດເຂົ້າໄດ້ ຈຶ່ງໄດ້ແມ່ນຍັງສາມາດໄດ້ໂຕ້ໂດຍບໍ່ເສຍຄ່າ. ໂທ 1-855-216-3144 (TTY: 711) ຫາຝ່າຍບໍລິການລູກຄ້າ.

Portuguese: ATENÇÃO: Se você falar português, serviços gratuitos de assistência linguística estão disponíveis para você. Também estão disponíveis gratuitamente ajudas e serviços auxiliares adequados para fornecer informações em formatos acessíveis. Ligue para 1-855-216-3144 (TTY: 711) ou ligue para o Atendimento ao Cliente.

Russian: ВНИМАНИЕ: Если ваш язык русский язык, к вашим услугам бесплатная языковая помощь. Соответствующие вспомогательные средства и услуги по предоставлению информации в доступных форматах также предоставляются бесплатно. Позвоните по телефону 1-855-216-3144 (TTY: 711) или обратитесь в службу поддержки клиентов.

Spanish: ATENCIÓN: Si usted habla español, hay disponibles servicios gratuitos de asistencia lingüística. También hay disponibles, de forma gratuita, ayudas y servicios auxiliares adecuados para dar información en formatos accesibles. Llame al 1-855-216-3144 (TTY: 711) o llame a Servicio al cliente.

Tagalog: Paunawa: Kung nagsasalita ka ng Tagalog, available sa iyo ang mga libreng serbisyo sa tulong sa wika. Available rin ang naaangkop na mga pantulong na tulong at serbisyo nang walang bayad para magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-855-216-3144 (TTY: 711) o tumawag sa Serbisyo sa Customer.

Turkish: DİKKAT: Konuşmanız durumunda Türkçe, ücretsiz dil yardımı hizmetlerinden yararlanabilirsiniz. Erişilebilir formatlarda bilgi sağlamak için uygun yardımcı araçlar ve hizmetler de ücretsiz olarak sunulmaktadır. 1-855-216-3144 (TTY: 711) nolu telefonu veya Müşteri Hizmetlerini arayın.

Vietnamese: CHÚC: Nếu qu ị nói tiếng việt thì dịch vụ hỗ trợ ngôn ngữ miễn phí có sẵn cho qu ị. Chúng tôi cũng có các hỗ trợ và dịch vụ phụ trợ miễn phí phù hợp để cung cấp thông tin ở định dạng dễ tiếp cận. Vui lòng gọi số 1-855-216-3144 (TTY: 711) hoặc gọi Dịch Vụ Khách Hàng.

Note to existing members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us”, or “our,” it means **Patrius Health**. When it refers to “plan” or “our plan,” it means **Blue Advantage (PPO)**.

This document includes a Drug List (formulary) for our plan which is current as of March 1, 2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2026, and from time to time during the year.

What is the Blue Advantage formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by **Blue Advantage** in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. **Blue Advantage** will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a **Blue Advantage** network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here:

www.PatriusHealth.com.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the **Blue Advantage** Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the **Blue Advantage’s** Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of March 1, 2025. To get updated information about the drugs covered by **Blue Advantage** please contact us. Our contact information appears on the front and back cover pages. In the event that **Blue Advantage** makes a non-maintenance change to the formulary, such as removing a drug from our formulary, or adding prior authorizations, quantity limits and/or step therapy restrictions to a drug, or changing a tiered cost-sharing status, **Blue Advantage** will mail a written notice at least 60 days prior to the change becoming effective. Please keep this notice with your formulary.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 72. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Blue Advantage covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** **Blue Advantage** requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from **Blue Advantage** before you fill your prescriptions. If you don’t get approval, **Blue Advantage** may not cover the drug.
- **Quantity Limits:** For certain drugs, **Blue Advantage** limits the amount of the drug that **Blue Advantage** will cover. For example, **Blue Advantage** provides 60 tablets/30 days per prescription for *losartan 25 mg*. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, **Blue Advantage** requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, **Blue Advantage** may not cover Drug B unless you try Drug A first. If Drug A does not work for you, **Blue Advantage** will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions.

You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the **Blue Advantage’s** formulary?” on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that **Blue Advantage** does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by **Blue Advantage**. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by **Blue Advantage**.
- You can ask **Blue Advantage** to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Blue Advantage’s Formulary?

You can ask **Blue Advantage** to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You cannot ask us to change the cost-sharing tier for any drug in Cost-Sharing Tier 1 - Preferred Generic, Cost-Sharing Tier 3 - Preferred Brand, and Cost-Sharing Tier 5 - Specialty Tier.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, **Blue Advantage** limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, **Blue Advantage** will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or, formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber’s supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

In addition to circumstances impacting new members who may enter a plan with a medication list that contains non-formulary Part D drugs, other circumstances exist in which unplanned transitions for current members could arise and in which prescribed drug regimens may not be on the Plan Sponsor's formulary. These circumstances usually involve level of care changes in which a member is changing from one treatment setting to another.

For these unplanned transitions, members and prescribers must avail themselves of the Plan Sponsor's exceptions and appeals processes. Coverage determinations are processed and redeterminations are made as expeditiously as the member's health condition requires.

In order to prevent a temporary gap in care when a member is discharged to home, members are permitted to have a full outpatient supply available to continue therapy once their limited supply provided at discharge is exhausted. This outpatient supply is available in advance of discharge from a Part A stay.

When a member is admitted to or discharged from a long-term care facility, and does not have access to the remainder of the previously dispensed prescription, a one-time override of the "refill too soon" edits is processed for each medication which would be impacted due to a member being admitted to or discharged from a long-term care facility. Early refill edits are not used to limit appropriate and necessary access to a member's Part D benefit, and such members are allowed to access a refill upon admission or discharge.

For more information

For more detailed information about your **Blue Advantage** prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about **Blue Advantage**, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Blue Advantage Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by **Blue Advantage**. If you have trouble finding your drug in the list, turn to the Index that begins on page 72.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., LANTUS) and generic drugs are listed in lower-case italics (e.g., *metformin*).

The information in the Requirements/Limits column tells you if **Blue Advantage** has any special requirements for coverage of your drug.

Contact your plan for details.

| Drug Name | Drug Tier | Requirements/Limits |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

Column 1, the *Drug Name* column, provides information such as drug name and if the drug is BRAND or generic.

Column 2, the *Drug Tier* column, provides information on which of the 5 tiers the drug has been assigned. Member cost-sharing is based on drug tier assignment, day supply, and pharmacy selected.

Tier 1 = Preferred Generic

Tier 2 = Generic

Tier 3 = Preferred Brand

Tier 4 = Non-Preferred Drug

Tier 5 = Specialty

Column 3, the *Requirements/Limits* columns, indicates if a drug has any additional requirements or limits under Utilization Management including *Prior Authorization*, *Quantity Limits*, and *Step Therapy*.

BD = Drugs that may be covered under Medicare Part B or Part D depending on the circumstance. These drugs require prior authorization to determine coverage under Part B or Part D. Information may need to be provided that describes the use or the place where the drug is received to determine coverage.

PA = Prior Authorization

QL = Quantity Limits

ST = Step Therapy

* = Limited Distribution Drug. This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at **1-888-950-0705** (TTY users **711**), Monday - Friday, 8 a.m. – 8 p.m. CST. From October 1 to March 31, the hours of operation are Monday - Sunday, 8 a.m. – 8 p.m. CST. You may be required to leave a message for calls made after hours, weekends and holidays. Calls will be returned the next business day.

= High Risk Medication (HRM). Medicine that may be unsafe in patients greater than 65 years of age. Our formulary does include coverage for some of these drugs, but alternatives may be found in lower co-pay tiers. Please discuss with your doctor if there are alternatives to these medications that would be appropriate for you to use.

† = Split-Fill (partial day supply); This high-cost medication is indicated with a cross (†) for you to request a 2-week supply (partial fill) of medication versus a full month. This partial fill may allow for copay savings if the medicine causes severe side effects, and you stop taking it or have a dosage change. If there are no

side effects, you may only pay the rest of your monthly copay when you pick up the remaining 2-week supply, if applicable.

Generally, we will cover your prescriptions only if they are filled at one of our network pharmacies. Some of our network pharmacies are also preferred. You may go to either preferred cost-sharing pharmacies or standard cost-sharing pharmacies to receive your covered prescription drugs. Your costs will typically be less at preferred pharmacies.

The table below describes your share of the cost for **Blue Advantage Plus** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Preferred Cost-Sharing Pharmacy, a one-month (30-day) supply at a Preferred Mail-Order Pharmacy, a long-term (100-day) supply from a Preferred Cost-Sharing Pharmacy or a long-term (100-day) supply from a Preferred Mail-Order Pharmacy on all covered Part D Drugs.

| Drug Tiers | One-month (30-day) supply (or less) at a Preferred Cost-Sharing Pharmacy | One-month (30-day) supply (or less) at a Preferred Mail Order Pharmacy | Long-Term (100-day) supply (or less) at a Preferred Cost-Sharing Pharmacy | Long-Term (100-day) supply (or less) at a Preferred Mail Order Pharmacy |
|---------------------------|--|--|---|---|
| Tier 1 Preferred Generic | \$0 copay | \$0 copay | \$0 copay | \$0 copay |
| Tier 2 Generic | \$13 copay | \$13 copay | \$26 copay | \$26 copay |
| Tier 3 Preferred Brand | \$40 copay | \$40 copay | \$80 copay | \$80 copay |
| Tier 4 Non-Preferred Drug | \$93 copay | \$93 copay | \$186 copay | \$186 copay |
| Tier 5 Specialty* | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance |

*Note: Tier 5 has coinsurance applied and does not have a reduced copay for drugs purchased at a Mail-Order or Preferred Pharmacy.

The table below describes your share of the cost for **Blue Advantage Plus** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Standard Cost-Sharing Pharmacy, a one-month (30-day) supply at a Standard Mail-Order Pharmacy, a one-month (31-day) supply at a Long-Term Care Pharmacy, a long-term (100-day) supply from a Standard Cost-Sharing Pharmacy or a long-term (100-day) supply from a Standard Mail-Order Pharmacy on all covered Part D Drugs.

| Drug Tiers | One-month (30-day) supply (or less) at a Standard Cost-Sharing Pharmacy | One-month (30-day) supply (or less) at a Standard Mail Order Pharmacy | One-month (31-day) supply (or less) at a Long-Term Care Pharmacy | Long-Term (100-day) supply (or less) at a Standard Cost-Sharing Pharmacy | Long-Term (100-day) supply (or less) at a Standard Mail Order Pharmacy |
|---------------------------|---|---|--|--|--|
| Tier 1 Preferred Generic | \$10 copay | \$10 copay | \$10 copay | \$30 copay | \$20 copay |
| Tier 2 Generic | \$20 copay | \$20 copay | \$20 copay | \$60 copay | \$40 copay |
| Tier 3 Preferred Brand | \$47 copay | \$47 copay | \$47 copay | \$141 copay | \$94 copay |
| Tier 4 Non-Preferred Drug | \$100 copay | \$100 copay | \$100 copay | \$300 copay | \$200 copay |
| Tier 5 Specialty* | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance |

*Note: Tier 5 has coinsurance applied and does not have a reduced copay for drugs purchased at a Mail-Order or Preferred Pharmacy.

The table below describes your share of the cost for **Blue Advantage Capital** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Preferred Cost-Sharing Pharmacy, a one-month (30-day) supply at a Preferred Mail-Order Pharmacy, a long-term (100-day) supply from a Preferred Cost-Sharing Pharmacy or a long-term (100-day) supply from a Preferred Mail-Order Pharmacy on all covered Part D Drugs.

| Drug Tiers | One-month (30-day) supply (or less) at a Preferred Cost-Sharing Pharmacy | One-month (30-day) supply (or less) at a Preferred Mail Order Pharmacy | Long-Term (100-day) supply (or less) at a Preferred Cost-Sharing Pharmacy | Long-Term (100-day) supply (or less) at a Preferred Mail Order Pharmacy |
|---------------------------|--|--|---|---|
| Tier 1 Preferred Generic | \$0 copay | \$0 copay | \$0 copay | \$0 copay |
| Tier 2 Generic | \$5 copay | \$0 copay | \$10 copay | \$0 copay |
| Tier 3 Preferred Brand | \$40 copay | \$40 copay | \$80 copay | \$80 copay |
| Tier 4 Non-Preferred Drug | \$93 copay | \$93 copay | \$186 copay | \$186 copay |
| Tier 5 Specialty* | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance |

*Note: Tier 5 has coinsurance applied and does not have a reduced copay for drugs purchased at a Mail-Order or Preferred Pharmacy.

The table below describes your share of the cost for **Blue Advantage Capital** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Standard Cost-Sharing Pharmacy, a one-month (30-day) supply at a Standard Mail-Order Pharmacy, a one-month (31-day) supply at a Long-Term Care Pharmacy, a long-term (100-day) supply from a Standard Cost-Sharing Pharmacy or a long-term (100-day) supply from a Standard Mail-Order Pharmacy on all covered Part D Drugs.

| Drug Tiers | One-month (30-day) supply (or less) at a Standard Cost-Sharing Pharmacy | One-month (30-day) supply (or less) at a Standard Mail Order Pharmacy | One-month (31-day) supply (or less) at a Long-Term Care Pharmacy | Long-Term (100-day) supply (or less) at a Standard Cost-Sharing Pharmacy | Long-Term (100-day) supply (or less) at a Standard Mail Order Pharmacy |
|---------------------------|---|---|--|--|--|
| Tier 1 Preferred Generic | \$5 copay | \$5 copay | \$5 copay | \$15 copay | \$10 copay |
| Tier 2 Generic | \$15 copay | \$15 copay | \$15 copay | \$45 copay | \$30 copay |
| Tier 3 Preferred Brand | \$47 copay | \$47 copay | \$47 copay | \$141 copay | \$94 copay |
| Tier 4 Non-Preferred Drug | \$100 copay | \$100 copay | \$100 copay | \$300 copay | \$200 copay |
| Tier 5 Specialty* | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance |

*Note: Tier 5 has coinsurance applied and does not have a reduced copay for drugs purchased at a Mail-Order or Preferred Pharmacy.

The table below describes your share of the cost for **Blue Advantage Magnolia** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Preferred Cost-Sharing Pharmacy, a one-month (30-day) supply at a Preferred Mail-Order Pharmacy, a long-term (100-day) supply from a Preferred Cost-Sharing Pharmacy or a long-term (100-day) supply from a Preferred Mail-Order Pharmacy on all covered Part D Drugs.

| Drug Tiers | One-month (30-day) supply (or less) at a Preferred Cost-Sharing Pharmacy | One-month (30-day) supply (or less) at a Preferred Mail Order Pharmacy | Long-Term (100-day) supply (or less) at a Preferred Cost-Sharing Pharmacy | Long-Term (100-day) supply (or less) at a Preferred Mail Order Pharmacy |
|---------------------------|--|--|---|---|
| Tier 1 Preferred Generic | \$0 copay | \$0 copay | \$0 copay | \$0 copay |
| Tier 2 Generic | \$5 copay | \$0 copay | \$10 copay | \$0 copay |
| Tier 3 Preferred Brand | \$40 copay | \$40 copay | \$80 copay | \$80 copay |
| Tier 4 Non-Preferred Drug | \$93 copay | \$93 copay | \$186 copay | \$186 copay |
| Tier 5 Specialty* | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance |

*Note: Tier 5 has coinsurance applied and does not have a reduced copay for drugs purchased at a Mail-Order or Preferred Pharmacy.

The table below describes your share of the cost for **Blue Advantage Magnolia** when you get a covered Part D prescription drug for a one-month (30-day) supply at a Standard Cost-Sharing Pharmacy, a one-month (30-day) supply at a Standard Mail-Order Pharmacy, a one-month (31-day) supply at a Long-Term Care Pharmacy, a long-term (100-day) supply from a Standard Cost-Sharing Pharmacy or a long-term (100-day) supply from a Standard Mail-Order Pharmacy on all covered Part D Drugs.

| Drug Tiers | One-month (30-day) supply (or less) at a Standard Cost-Sharing Pharmacy | One-month (30-day) supply (or less) at a Standard Mail Order Pharmacy | One-month (31-day) supply (or less) at a Long-Term Care Pharmacy | Long-Term (100-day) supply (or less) at a Standard Cost-Sharing Pharmacy | Long-Term (100-day) supply (or less) at a Standard Mail Order Pharmacy |
|---------------------------|---|---|--|--|--|
| Tier 1 Preferred Generic | \$5 copay | \$5 copay | \$5 copay | \$15 copay | \$10 copay |
| Tier 2 Generic | \$15 copay | \$15 copay | \$15 copay | \$45 copay | \$30 copay |
| Tier 3 Preferred Brand | \$47 copay | \$47 copay | \$47 copay | \$141 copay | \$94 copay |
| Tier 4 Non-Preferred Drug | \$100 copay | \$100 copay | \$100 copay | \$300 copay | \$200 copay |
| Tier 5 Specialty* | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance | 33% coinsurance |

*Note: Tier 5 has coinsurance applied and does not have a reduced copay for drugs purchased at a Mail-Order or Preferred Pharmacy.

An Abbreviations Key for prescription drug dosages is provided below as a quick reference for our list of formulary drugs beginning on page 1.

Prescription Drug Dosage Restrictions Abbreviations Key

| KEY | |
|---|------------------------------------|
| act | actuation |
| ad | adsorbed |
| adjuv | adjuvant |
| aepb | aerosol powder blister |
| aer, aers, aero | aerosol |
| a fib/afl | atrial fibrillation/atrial flutter |
| app | applicator |
| ba, breath act, breath activ | breath activated |
| bau | bioequivalent allergy unit |
| cap, caps | capsules |
| cart | cartridge |
| cd | continuous delivery |
| chew tab | chewable tablets |
| conc | concentrate |
| conj | conjugate, conjugated |
| cpr | controlled release capsule |
| crm | cream |
| crys | crystals |
| deter | deterrent |
| disint, disintegr | disintegrating |
| dr | delayed-release |
| ec | enteric coated |
| el, elu | enzyme-linked immunosorbent assay |
| emul | emulsion |
| er, extend-release, extended, extended rel | extended-release |
| ext | extract |
| glob, ig | immunoglobulin |

| KEY | |
|-------------------|---------------------------------|
| gm | gram |
| gu | genitourinary |
| hr | hour |
| im | intramuscular |
| inh, inhal | inhalation |
| inj | injection |
| ir | index of reactivity |
| iv | intravenous |
| l | liter |
| la | long acting |
| lf, lfu | flocculation units |
| lipo | lipophilic |
| liq, liqd | liquid |
| maint | maintenance |
| mcg | microgram |
| meq | milliequivalent |
| mg | milligram |
| misc | miscellaneous |
| ml | milliliter |
| mu | million units |
| nebu | nebules |
| oc | oral contraceptive |
| oint | ointment |
| omv | outer membrane vesicles |
| op, ophth | ophthalmic |
| osm | osmotic |
| pah | pulmonary arterial hypertension |
| pak | pack |
| pf | preservative-free |
| pfu | plaque forming units |

| KEY | |
|----------------------|---------------------------------|
| pmdd | premenstrual dysphoric disorder |
| pow, powd | powder |
| pref, prefill | prefilled |
| pttw | patch twice weekly |
| ptwk | patch weekly |
| recomb | recombinant |
| refrig | refrigerate |
| sl | sublingual |
| sol, soln | solution |
| sqcm | square centimeter |
| supp, suppos | suppositories |
| sus, susp | suspension |

| KEY | |
|------------------|---------------------------|
| syr | syringe |
| tab, tabs | tablets |
| tbc | controlled release tablet |
| tbdp | dispersible tablet |
| tbec | enteric coated tablet |
| tbpk | tablet pack |
| td | transdermal |
| ther | therapy |
| tl | translingual |
| unt, ut | unit |
| va | vaginal |
| vac, vacc | vaccine |

Intentionally Left Blank

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| Analgesics | | |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 3 | QL (2700 mls/30 days) |
| <i>acetaminophen w/ codeine tab 300-15 mg, 300-30 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>bac - butalbital-acetaminophen-caffeine tab 50-325-40 mg#</i> | 3 | QL (180 tablets/30 days) |
| <i>butalbital-acetaminophen-caffeine tab 50-325-40 mg#</i> | 3 | QL (180 tablets/30 days) |
| <i>butalbital-aspirin-caffeine cap 50-325-40 mg#</i> | 3 | QL (180 capsules/30 days) |
| <i>celecoxib cap 50 mg, 100 mg, 200 mg</i> | 2 | QL (60 capsules/30 days) |
| <i>celecoxib cap 400 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>diclofenac potassium tab 50 mg</i> | 3 | QL (120 tablets/30 days) |
| <i>diclofenac sodium gel 1% (1.16% diethylamine equiv)</i> | 3 | |
| <i>diclofenac sodium soln 1.5%</i> | 3 | PA |
| <i>diclofenac sodium tab delayed release 25 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>diclofenac sodium tab delayed release 50 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>diclofenac sodium tab delayed release 75 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>diclofenac sodium tab er 24hr 100 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>ec-naproxen - naproxen tab ec 375 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>ec-naproxen - naproxen tab ec 500 mg</i> | 2 | QL (90 tablets/30 days) |
| <i>endocet - oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>endocet - oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>endocet - oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>etodolac cap 200 mg</i> | 3 | QL (150 capsules/30 days) |
| <i>etodolac cap 300 mg</i> | 3 | QL (90 capsules/30 days) |
| <i>etodolac tab er 24hr 400 mg, 500 mg</i> | 4 | QL (60 tablets/30 days) |
| <i>etodolac tab er 24hr 600 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>etodolac tab 400 mg, 500 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>fentanyl td patch 72hr 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 62.5 mcg/hr, 75 mcg/hr, 87.5 mcg/hr, 100 mcg/hr</i> | 4 | PA, QL (15 patches/30 days) |
| <i>flurbiprofen tab 100 mg</i> | 2 | QL (90 tablets/30 days) |
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 4 | QL (2700 mls/30 days) |
| <i>hydrocodone-acetaminophen tab 10-325 mg, 7.5-325 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>hydromorphone hcl liqd 1 mg/ml</i> | 4 | QL (1440 mls/30 days) |
| <i>hydromorphone hcl preservative free (pf) inj 10 mg/ml</i> | 4 | BD |
| <i>hydromorphone hcl tab 2 mg, 4 mg, 8 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>ibu - ibuprofen tab 400 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>ibu - ibuprofen tab 600 mg</i> | 1 | QL (150 tablets/30 days) |
| <i>ibu - ibuprofen tab 800 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>ibuprofen susp 100 mg/5ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>ibuprofen tab 400 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>ibuprofen tab 600 mg</i> | 1 | QL (150 tablets/30 days) |
| <i>ibuprofen tab 800 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>indomethacin cap 25 mg#</i> | 2 | QL (240 capsules/30 days) |
| <i>indomethacin cap 50 mg#</i> | 2 | QL (120 capsules/30 days) |
| <i>meloxicam tab 7.5 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>meloxicam tab 15 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>methadone hcl tab 5 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>methadone hcl tab 10 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>morphine sulfate tab er 15 mg, 30 mg, 60 mg</i> | 3 | PA, QL (90 tablets/30 days) |
| <i>morphine sulfate tab er 100 mg, 200 mg</i> | 4 | PA, QL (90 tablets/30 days) |
| <i>morphine sulfate tab 15 mg</i> | 4 | QL (360 tablets/30 days) |
| <i>morphine sulfate tab 30 mg</i> | 4 | QL (180 tablets/30 days) |
| <i>nabumetone tab 500 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>nabumetone tab 750 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>naproxen sodium tab 275 mg</i> | 3 | QL (150 tablets/30 days) |
| <i>naproxen sodium tab 550 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>naproxen susp 125 mg/5ml</i> | 4 | QL (1800 mls/30 days) |
| <i>naproxen tab ec 375 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>naproxen tab ec 500 mg</i> | 2 | QL (90 tablets/30 days) |
| <i>naproxen tab 250 mg</i> | 1 | QL (180 tablets/30 days) |
| <i>naproxen tab 375 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>naproxen tab 500 mg</i> | 1 | QL (90 tablets/30 days) |
| <i>oxycodone hcl tab 5 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>oxycodone hcl tab 10 mg, 15 mg, 20 mg, 30 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325 mg</i> | 3 | QL (360 tablets/30 days) |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>piroxicam cap 10 mg</i> | 3 | QL (60 capsules/30 days) |
| <i>piroxicam cap 20 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>sulindac tab 150 mg, 200 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>tramadol hcl tab er 24hr 100 mg, 200 mg, 300 mg</i> | 3 | PA, QL (30 tablets/30 days) |
| <i>tramadol hcl tab 50 mg</i> | 2 | QL (240 tablets/30 days) |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 3 | QL (240 tablets/30 days) |
| Anesthetics | | |
| <i>lidocaine hcl viscous soln 2%</i> | 2 | |
| <i>lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 4 | PA, QL (60 grams/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>lidocan - lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| <i>tridacaine ii - lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| <i>tridacaine iii - lidocaine patch 5%</i> | 4 | PA, QL (90 patches/30 days) |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate calcium tab delayed release 333 mg</i> | 4 | |
| <i>buprenorphine hcl sl tab 2 mg (base equiv), 8 mg (base equiv)</i> | 3 | QL (90 tablets/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 4 | QL (120 films/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv), 8-2 mg (base equiv), 12-3 mg (base equiv)</i> | 4 | QL (60 films/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 2 | QL (120 tablets/30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 2 | QL (90 tablets/30 days) |
| <i>bupropion hcl (smoking deterrent) tab er 12hr 150 mg</i> | 3 | |
| <i>disulfiram tab 250 mg</i> | 3 | |
| <i>disulfiram tab 500 mg</i> | 4 | |
| KLOXXADO - naloxone hcl nasal spray 8 mg/0.1ml | 4 | |
| <i>naloxone hcl inj 0.4 mg/ml, 4 mg/10ml</i> | 2 | |
| <i>naloxone hcl nasal spray 4 mg/0.1ml</i> | 3 | |
| <i>naloxone hcl soln cartridge 0.4 mg/ml</i> | 2 | |
| <i>naloxone hcl soln prefilled syringe 2 mg/2ml</i> | 2 | |
| <i>naltrexone hcl tab 50 mg</i> | 3 | |
| NICOTROL INHALER - nicotine inhaler system 10 mg (4 mg delivered) | 4 | |
| NICOTROL NS - nicotine nasal spray 10 mg/ml (0.5 mg/spray) | 4 | |
| OPVEE - nalmefene hcl nasal spray 2.7 mg/0.1ml (base equiv) | 4 | |
| SUBLOCADE - buprenorphine extended release soln pref syr 100 mg/0.5ml, 300 mg/1.5ml | 5 | |
| <i>varenicline tartrate tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 4 | |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 4 | |
| Antibacterials | | |
| <i>amikacin sulfate inj 500 mg/2ml (250 mg/ml), 1 gm/4ml (250 mg/ml)</i> | 4 | |
| <i>amoxicillin (trihydrate) cap 250 mg, 500 mg</i> | 2 | |
| <i>amoxicillin (trihydrate) chew tab 125 mg</i> | 2 | |
| <i>amoxicillin (trihydrate) chew tab 250 mg</i> | 2 | |
| <i>amoxicillin (trihydrate) for susp 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i> | 2 | |
| <i>amoxicillin (trihydrate) tab 500 mg, 875 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | 3 | |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| <i>amoxicillin & k clavulanate tab 250-125 mg, 500-125 mg, 875-125 mg</i> | 2 | |
| <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 4 | |
| <i>ampicillin cap 500 mg</i> | 2 | |
| <i>ampicillin sodium for inj 1 gm</i> | 4 | |
| <i>ampicillin sodium for iv soln 1 gm</i> | 4 | |
| ARIKAYCE - amikacin sulfate liposome inhal susp 590 mg/8.4ml (base eq) | 5 | PA, QL (28 vials/28 days) |
| <i>avidoxy - doxycycline monohydrate tab 100 mg</i> | 3 | |
| <i>azithromycin for susp 100 mg/5ml, 200 mg/5ml</i> | 3 | |
| <i>azithromycin iv for soln 500 mg</i> | 4 | |
| <i>azithromycin tab 250 mg, 500 mg, 600 mg</i> | 2 | |
| <i>aztreonam for inj 1 gm</i> | 4 | |
| <i>aztreonam for inj 2 gm</i> | 5 | |
| BICILLIN L-A - penicillin g benzathine im susp pref syr 600000 unit/ml, 2400000 unit/4ml, 1200000 unit/2ml | 4 | |
| <i>cefaclor cap 250 mg</i> | 3 | |
| <i>cefaclor cap 500 mg</i> | 3 | |
| <i>cefadroxil cap 500 mg</i> | 2 | |
| <i>cefadroxil for susp 250 mg/5ml, 500 mg/5ml</i> | 2 | |
| <i>cefazolin sodium for inj 500 mg, 1 gm</i> | 4 | |
| <i>cefazolin sodium for iv soln 1 gm</i> | 4 | |
| <i>cefazolin sodium for iv soln 1 gm and dextrose 4% (50 ml)</i> | 4 | |
| <i>cefazolin sodium-dextrose iv solution 1 gm/50ml-4%</i> | 4 | |
| <i>cefdinir cap 300 mg</i> | 2 | |
| <i>cefdinir for susp 125 mg/5ml, 250 mg/5ml</i> | 3 | |
| <i>cefepime hcl for inj 1 gm</i> | 4 | |
| <i>cefepime hcl for iv soln 1 gm and dextrose 5% (50 ml)</i> | 4 | |
| <i>cefepime hcl for iv soln 2 gm and dextrose 5% (50 ml)</i> | 4 | |
| <i>cefepime hcl for iv soln 2 gm</i> | 4 | |
| <i>cefepime hcl iv soln 1 gm/50ml</i> | 4 | |
| <i>cefepime hcl iv soln 2 gm/100ml</i> | 4 | |
| <i>cefixime cap 400 mg</i> | 4 | |
| <i>cefoxitin sodium for iv soln 1 gm, 2 gm</i> | 4 | |
| <i>cefoxitin sodium iv for soln 1 gm and dextrose 4% (50 ml)</i> | 4 | |
| <i>cefoxitin sodium iv for soln 2 gm and dextrose 2.2% (50 ml)</i> | 4 | |
| <i>cefpodoxime proxetil for susp 50 mg/5ml, 100 mg/5ml</i> | 4 | |
| <i>cefpodoxime proxetil tab 100 mg, 200 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>cefprozil tab 250 mg, 500 mg</i> | 3 | |
| <i>ceftazidime for inj 1 gm, 6 gm</i> | 4 | |
| <i>ceftazidime for iv soln 2 gm</i> | 4 | |
| <i>ceftriaxone sodium (bulk) for inj 100 gm</i> | 4 | |
| <i>ceftriaxone sodium for inj 250 mg, 500 mg, 1 gm, 2 gm, 10 gm</i> | 4 | |
| <i>ceftriaxone sodium for iv soln 1 gm and dextrose 3.74% 50 ml</i> | 4 | |
| <i>ceftriaxone sodium for iv soln 2 gm and dextrose 2.22% 50 ml</i> | 4 | |
| <i>ceftriaxone sodium for iv soln 1 gm, 2 gm</i> | 4 | |
| <i>ceftriaxone sodium in dextrose inj 20 mg/ml</i> | 4 | |
| <i>ceftriaxone sodium in dextrose inj 40 mg/ml</i> | 4 | |
| <i>cefuroxime axetil tab 250 mg, 500 mg</i> | 3 | |
| <i>cefuroxime sodium for inj 750 mg</i> | 4 | |
| <i>cefuroxime sodium for iv soln 1.5 gm</i> | 4 | |
| <i>cephalexin cap 250 mg, 500 mg</i> | 2 | |
| <i>cephalexin for susp 125 mg/5ml, 250 mg/5ml</i> | 2 | |
| <i>ciprofloxacin hcl tab 250 mg (base equiv), 500 mg (base equiv), 750 mg (base equiv)</i> | 2 | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 4 | |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 4 | |
| CLARITHROMYCIN - clarithromycin for susp 125 mg/5ml, 250 mg/5ml | 4 | |
| <i>clarithromycin tab 250 mg, 500 mg</i> | 3 | |
| <i>clindamycin hcl cap 75 mg, 150 mg, 300 mg</i> | 2 | |
| <i>clindamycin palmitate hcl for soln 75 mg/5ml (base equiv)</i> | 4 | |
| <i>clindamycin phosphate gel 1%</i> | 2 | |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in nacl 0.9% iv soln 300 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in nacl 0.9% iv soln 600 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in nacl 0.9% iv soln 900 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate inj 900 mg/6ml</i> | 4 | |
| <i>clindamycin phosphate soln 1%</i> | 2 | |
| <i>clindamycin phosphate vaginal cream 2%</i> | 3 | |
| <i>colistimethate sod for inj 150 mg (colistin base activity)</i> | 4 | |
| <i>daptomycin for iv soln 500 mg</i> | 4 | |
| <i>dicloxacillin sodium cap 250 mg</i> | 2 | |
| <i>dicloxacillin sodium cap 500 mg</i> | 3 | |
| DIFICID - fidaxomicin for susp 40 mg/ml | 5 | QL (1 bottle/10 days) |
| DIFICID - fidaxomicin tab 200 mg | 5 | QL (20 tablets/10 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>doxycycline hyclate cap 50 mg, 100 mg</i> | 3 | |
| <i>doxycycline hyclate for inj 100 mg</i> | 4 | |
| <i>doxycycline hyclate tab 20 mg</i> | 2 | |
| <i>doxycycline hyclate tab 100 mg</i> | 3 | |
| <i>doxycycline monohydrate cap 50 mg, 100 mg</i> | 2 | |
| <i>doxycycline monohydrate tab 50 mg, 75 mg, 100 mg</i> | 3 | |
| <i>doxycycline monohydrate tab 150 mg</i> | 4 | |
| <i>doxy 100 - doxycycline hyclate for inj 100 mg</i> | 4 | |
| <i>ertapenem sodium for inj 1 gm (base equivalent)</i> | 4 | |
| <i>ery-tab - erythromycin tab delayed release 250 mg, 333 mg, 500 mg</i> | 4 | |
| <i>erythrocin lactobionate - erythromycin lactobionate for inj 500 mg</i> | 4 | |
| <i>erythromycin lactobionate for inj 500 mg</i> | 4 | |
| <i>erythromycin soln 2%</i> | 2 | |
| <i>erythromycin tab delayed release 250 mg, 333 mg, 500 mg</i> | 4 | |
| <i>erythromycin tab 250 mg, 500 mg</i> | 4 | |
| <i>erythromycin w/ delayed release particles cap 250 mg</i> | 4 | |
| EXTENCILLINE - penicillin g benzathine for intramuscular susp 1200000 unit, 2400000 unit | 4 | |
| <i>gentamicin sulfate inj 40 mg/ml</i> | 4 | |
| HUMATIN - paromomycin sulfate cap 250 mg | 5 | |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 4 | |
| IMIPENEM/CILASTATIN - imipenem-cilastatin intravenous for soln 250 mg | 3 | |
| IMPAVIDO - miltefosine cap 50 mg | 5 | |
| LENTOCILIN - penicillin g benzathine for intramuscular susp 1200000 unit | 4 | |
| <i>levofloxacin in d5w iv soln 250 mg/50ml, 500 mg/100ml, 750 mg/150ml</i> | 4 | |
| <i>levofloxacin oral soln 25 mg/ml</i> | 4 | |
| <i>levofloxacin tab 250 mg, 500 mg, 750 mg</i> | 2 | |
| <i>linezolid for susp 100 mg/5ml</i> | 5 | PA |
| <i>linezolid in sodium chloride iv soln 600 mg/300ml-0.9%</i> | 4 | |
| <i>linezolid iv soln 600 mg/300ml (2 mg/ml)</i> | 4 | |
| <i>linezolid tab 600 mg</i> | 4 | PA |
| <i>meropenem & sodium chloride 0.9% for iv soln 1 gm/50ml</i> | 3 | |
| <i>meropenem & sodium chloride 0.9% for iv soln 500 mg/50ml</i> | 3 | |
| <i>meropenem iv for soln 500 mg, 1 gm</i> | 3 | |
| <i>methenamine hippurate tab 1 gm</i> | 3 | |
| <i>metronidazole iv soln 500 mg/100ml</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>metronidazole tab 250 mg, 500 mg</i> | 2 | |
| <i>metronidazole vaginal gel 0.75%</i> | 3 | |
| <i>minocycline hcl cap 50 mg, 75 mg, 100 mg</i> | 2 | |
| <i>minocycline hcl tab 50 mg, 75 mg</i> | 4 | |
| <i>mondoxylene nl - doxycycline monohydrate cap 100 mg</i> | 2 | |
| <i>moxifloxacin hcl tab 400 mg (base equiv)</i> | 3 | |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 4 | |
| MOXIFLOXACIN HYDROCHLORIDE - moxifloxacin hcl iv solution 400 mg/250ml (base equiv) | 4 | |
| <i>naftillin sodium for inj 1 gm, 2 gm</i> | 4 | |
| <i>naftillin sodium for iv soln 10 gm</i> | 4 | |
| <i>naftillin sodium in dextrose inj 2 gm/100ml</i> | 4 | |
| <i>neomycin sulfate tab 500 mg</i> | 2 | |
| <i>nitrofurantoin macrocrystalline cap 50 mg, 100 mg#</i> | 3 | |
| <i>nitrofurantoin monohydrate macrocrystalline cap 100 mg#</i> | 3 | |
| <i>penicillin g potassium for inj 5000000 unit, 20000000 unit</i> | 4 | |
| PENICILLIN G POTASSIUM IN ISO-OSMOTIC DEXTROSE - penicillin g potassium inj 40000 unit/ml in dextrose, 60000 unit/ml in dextrose | 4 | |
| <i>penicillin v potassium for soln 125 mg/5ml</i> | 2 | |
| <i>penicillin v potassium for soln 250 mg/5ml</i> | 2 | |
| <i>penicillin v potassium tab 250 mg, 500 mg</i> | 2 | |
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm), 4.5 gm (4-0.5 gm)</i> | 4 | |
| SIVEXTRO - tedizolid phosphate for iv soln 200 mg | 5 | |
| SIVEXTRO - tedizolid phosphate tab 200 mg | 5 | PA |
| STREPTOMYCIN SULFATE - streptomycin sulfate for inj 1 gm | 4 | |
| <i>sulfadiazine tab 500 mg</i> | 5 | |
| <i>sulfamethoxazole-trimethoprim susp 200-40 mg/5ml</i> | 4 | |
| <i>sulfamethoxazole-trimethoprim tab 400-80 mg, 800-160 mg</i> | 2 | |
| <i>tazicef - ceftazidime for inj 1 gm</i> | 4 | |
| <i>tazicef - ceftazidime for iv soln 1 gm</i> | 4 | |
| <i>tazicef - ceftazidime for iv soln 6 gm</i> | 4 | |
| <i>tazicef - ceftazidime for iv soln 2 gm</i> | 4 | |
| TEFLARO - ceftaroline fosamil for iv soln 400 mg, 600 mg | 5 | |
| <i>tetracycline hcl cap 250 mg, 500 mg</i> | 4 | |
| <i>tigecycline for iv soln 50 mg</i> | 4 | |
| <i>tinidazole tab 250 mg, 500 mg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------------|
| TOBRAMYCIN SULFATE - tobramycin sulfate inj 10 mg/ml (base equivalent) | 4 | |
| <i>tobramycin sulfate for inj 1.2 gm</i> | 4 | |
| <i>tobramycin sulfate inj 2 gm/50ml (40 mg/ml) (base equiv)</i> | 4 | |
| <i>tobramycin sulfate inj 80 mg/2ml (40 mg/ml) (base equiv), 1.2 gm/30ml (40 mg/ml) (base equiv)</i> | 4 | |
| <i>trimethoprim tab 100 mg</i> | 2 | |
| <i>vancomycin hcl cap 125 mg (base equivalent)</i> | 4 | QL (120 capsules/30 days) |
| <i>vancomycin hcl cap 250 mg (base equivalent)</i> | 4 | QL (240 capsules/30 days) |
| <i>vancomycin hcl for iv soln 100 gm (base equivalent)</i> | 4 | |
| <i>vancomycin hcl for iv soln 5 gm (base equivalent)</i> | 4 | |
| <i>vancomycin hcl for iv soln 500 mg (base equivalent), 750 mg (base equivalent), 1 gm (base equivalent), 10 gm (base equivalent)</i> | 4 | |
| VANCOMYCIN HYDROCHLORIDE - vancomycin hcl for iv soln 1.75 gm (base equivalent), 2 gm (base equivalent) | 4 | |
| Anticonvulsants | | |
| APTIOM - eslicarbazepine acetate tab 200 mg, 400 mg | 5 | QL (30 tablets/30 days) |
| APTIOM - eslicarbazepine acetate tab 600 mg, 800 mg | 5 | QL (60 tablets/30 days) |
| BRIVIACT - brivaracetam iv soln 50 mg/5ml | 4 | |
| BRIVIACT - brivaracetam oral soln 10 mg/ml | 5 | QL (2 bottles/30 days) |
| BRIVIACT - brivaracetam tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg | 5 | QL (60 tablets/30 days) |
| <i>carbamazepine cap er 12hr 100 mg, 200 mg, 300 mg</i> | 4 | |
| <i>carbamazepine chew tab 100 mg</i> | 3 | |
| <i>carbamazepine susp 100 mg/5ml</i> | 4 | |
| <i>carbamazepine tab er 12hr 100 mg, 200 mg, 400 mg</i> | 4 | |
| <i>carbamazepine tab 200 mg</i> | 3 | |
| <i>clobazam suspension 2.5 mg/ml</i> | 4 | PA (>=65 yr), QL (480 mls/30 days) |
| <i>clobazam tab 10 mg, 20 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| DIACOMIT - stiripentol cap 250 mg, 500 mg* | 5 | |
| DIACOMIT - stiripentol packet 250 mg, 500 mg* | 5 | |
| DIAZEPAM RECTAL GEL - diazepam rectal gel delivery system 2.5 mg | 4 | QL (5 twin pack(s)/30 days) |
| <i>diazepam rectal gel delivery system 10 mg, 20 mg</i> | 4 | QL (5 twin pack(s)/30 days) |
| DILANTIN - phenytoin sodium extended cap 30 mg | 4 | |
| <i>divalproex sodium cap delayed release sprinkle 125 mg</i> | 3 | |
| <i>divalproex sodium tab delayed release 125 mg, 250 mg, 500 mg</i> | 2 | |
| <i>divalproex sodium tab er 24 hr 250 mg, 500 mg</i> | 3 | |
| EPIDIOLEX - cannabidiol soln 100 mg/ml* | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| <i>epitol - carbamazepine tab 200 mg</i> | 3 | |
| EPRONTIA - topiramate oral soln 25 mg/ml | 4 | |
| <i>ethosuximide cap 250 mg</i> | 3 | |
| <i>ethosuximide soln 250 mg/5ml</i> | 4 | |
| <i>felbamate susp 600 mg/5ml</i> | 4 | |
| <i>felbamate tab 400 mg, 600 mg</i> | 4 | |
| FINTEPLA - fenfluramine hcl oral soln 2.2 mg/ml | 5 | PA, QL (360 mls/30 days) |
| FYCOMPA - perampanel susp 0.5 mg/ml | 5 | QL (2 bottles/28 days) |
| FYCOMPA - perampanel tab 2 mg | 4 | QL (30 tablets/30 days) |
| FYCOMPA - perampanel tab 4 mg, 6 mg, 8 mg, 10 mg, 12 mg | 5 | QL (30 tablets/30 days) |
| <i>gabapentin cap 100 mg</i> | 2 | QL (1080 capsules/30 days) |
| <i>gabapentin cap 300 mg</i> | 2 | QL (360 capsules/30 days) |
| <i>gabapentin cap 400 mg</i> | 2 | QL (270 capsules/30 days) |
| <i>gabapentin oral soln 250 mg/5ml</i> | 3 | QL (2160 mls/30 days) |
| <i>gabapentin tab 600 mg</i> | 2 | QL (180 tablets/30 days) |
| <i>gabapentin tab 800 mg</i> | 2 | QL (135 tablets/30 days) |
| <i>lacosamide oral solution 10 mg/ml</i> | 4 | |
| <i>lacosamide tab 50 mg, 100 mg, 150 mg, 200 mg</i> | 4 | |
| <i>lamotrigine tab chewable dispersible 5 mg, 25 mg</i> | 3 | |
| <i>lamotrigine tab 25 mg, 100 mg, 150 mg, 200 mg</i> | 2 | |
| <i>levetiracetam oral soln 100 mg/ml</i> | 3 | |
| <i>levetiracetam tab er 24hr 500 mg, 750 mg</i> | 3 | |
| <i>levetiracetam tab 250 mg, 500 mg, 750 mg, 1000 mg</i> | 2 | |
| LIBERVANT - diazepam buccal film 5 mg, 7.5 mg, 10 mg, 12.5 mg, 15 mg | 5 | QL (10 films/30 days) |
| <i>methsuximide cap 300 mg</i> | 4 | |
| NAYZILAM - midazolam nasal spray soln 5 mg/0.1 ml | 4 | QL (10 bottles/30 days) |
| <i>oxcarbazepine susp 300 mg/5ml (60 mg/ml)</i> | 4 | |
| <i>oxcarbazepine tab 150 mg, 300 mg, 600 mg</i> | 3 | |
| <i>phenobarbital elixir 20 mg/5ml#</i> | 4 | |
| <i>phenobarbital tab 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg, 100 mg#</i> | 3 | |
| <i>phenytek - phenytoin sodium extended cap 200 mg, 300 mg</i> | 3 | |
| <i>phenytoin chew tab 50 mg</i> | 3 | |
| <i>phenytoin infatabs - phenytoin chew tab 50 mg</i> | 3 | |
| <i>phenytoin sodium extended cap 100 mg</i> | 2 | |
| <i>phenytoin sodium extended cap 200 mg, 300 mg</i> | 3 | |
| <i>phenytoin susp 125 mg/5ml</i> | 3 | |
| <i>pregabalin cap 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg</i> | 3 | QL (90 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------------|
| <i>pregabalin cap 225 mg, 300 mg</i> | 3 | QL (60 capsules/30 days) |
| <i>pregabalin soln 20 mg/ml</i> | 3 | QL (900 mls/30 days) |
| PRIMIDONE - primidone tab 125 mg | 4 | |
| <i>primidone tab 50 mg, 250 mg</i> | 2 | |
| <i>roweepra - levetiracetam tab 500 mg</i> | 2 | |
| <i>rufinamide susp 40 mg/ml</i> | 5 | |
| <i>rufinamide tab 200 mg</i> | 4 | |
| <i>rufinamide tab 400 mg</i> | 5 | |
| SPRITAM - levetiracetam tab disintegrating soluble 250 mg, 500 mg, 750 mg, 1000 mg | 4 | |
| <i>subvenite - lamotrigine tab 25 mg, 100 mg, 150 mg, 200 mg</i> | 2 | |
| SYMPAZAN - clobazam oral film 5 mg | 4 | PA (>=65 yr), QL (240 films/30 days) |
| SYMPAZAN - clobazam oral film 10 mg, 20 mg | 5 | PA (>=65 yr), QL (60 films/30 days) |
| <i>tiagabine hcl tab 2 mg, 4 mg, 12 mg, 16 mg</i> | 4 | |
| <i>topiramate sprinkle cap 15 mg, 25 mg</i> | 3 | |
| <i>topiramate tab 25 mg, 50 mg, 100 mg, 200 mg</i> | 2 | |
| <i>valproate sodium oral soln 250 mg/5ml (base equiv)</i> | 2 | |
| <i>valproic acid cap 250 mg</i> | 2 | |
| VALTOCO 10 MG DOSE - diazepam nasal spray 10 mg/0.1 ml | 4 | QL (5 twin pack(s)/30 days) |
| VALTOCO 15 MG DOSE - diazepam nasal spray ther pack 2 x 7.5 mg/0.1ml (15 mg dose) | 4 | QL (5 twin pack(s)/30 days) |
| VALTOCO 20 MG DOSE - diazepam nasal spray ther pack 2 x 10 mg/0.1ml (20 mg dose) | 5 | QL (5 twin pack(s)/30 days) |
| VALTOCO 5 MG DOSE - diazepam nasal spray 5 mg/0.1 ml | 4 | QL (5 twin pack(s)/30 days) |
| <i>vigabatrin powd pack 500 mg*</i> | 5 | QL (180 packets/30 days) |
| <i>vigabatrin tab 500 mg*</i> | 5 | QL (180 tablets/30 days) |
| <i>vigadrone - vigabatrin powd pack 500 mg*</i> | 5 | QL (180 packets/30 days) |
| <i>vigadrone - vigabatrin tab 500 mg*</i> | 5 | QL (180 tablets/30 days) |
| VIGAFYDE - vigabatrin oral soln 100 mg/ml | 5 | QL (5 bottles/30 days) |
| <i>vigpoder - vigabatrin powd pack 500 mg*</i> | 5 | QL (180 packets/30 days) |
| XCOPRI - cenobamate tab pack 100 mg & 150 mg tabs (250 mg daily dose) | 5 | |
| XCOPRI - cenobamate tab pack 150 mg & 200 mg tabs (350 mg daily dose) | 5 | |
| XCOPRI - cenobamate tab titration pack 14 x 12.5 mg & 14 x 25 mg | 4 | |
| XCOPRI - cenobamate tab titration pack 14 x 50 mg & 14 x 100 mg, 14 x 150 mg & 14 x 200 mg | 5 | |
| XCOPRI - cenobamate tab 25 mg, 50 mg, 100 mg, 150 mg, 200 mg | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| ZONISADE - zonisamide oral susp 100 mg/5ml (20 mg/ml) | 4 | |
| <i>zonisamide cap 25 mg, 50 mg, 100 mg</i> | 2 | |
| ZTALMY - ganaxolone susp 50 mg/ml* | 5 | PA, QL (10 bottles/30 days) |
| Antidementia Agents | | |
| <i>donepezil hydrochloride orally disintegrating tab 5 mg, 10 mg</i> | 2 | |
| <i>donepezil hydrochloride tab 5 mg, 10 mg</i> | 1 | |
| GALANTAMINE HYDROBROMIDE - galantamine hydrobromide oral soln 4 mg/ml | 4 | |
| <i>galantamine hydrobromide cap er 24hr 8 mg, 16 mg, 24 mg</i> | 4 | |
| <i>galantamine hydrobromide tab 4 mg, 8 mg, 12 mg</i> | 4 | |
| <i>memantine hcl oral solution 2 mg/ml</i> | 4 | PA (<=29 yr) |
| <i>memantine hcl tab 5 mg, 10 mg</i> | 2 | PA (<=29 yr) |
| <i>memantine hcl tab 28 x 5 mg & 21 x 10 mg titration pack</i> | 4 | PA (<=29 yr) |
| <i>rivastigmine tartrate cap 1.5 mg (base equivalent), 3 mg (base equivalent), 4.5 mg (base equivalent), 6 mg (base equivalent)</i> | 4 | |
| <i>rivastigmine td patch 24hr 4.6 mg/24hr, 9.5 mg/24hr, 13.3 mg/24hr</i> | 4 | |
| Antidepressants | | |
| <i>amitriptyline hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg#</i> | 2 | |
| <i>amoxapine tab 25 mg, 50 mg, 100 mg, 150 mg#</i> | 4 | |
| AUVELITY - dextromethorphan hbr-bupropion hcl tab er 45-105 mg | 5 | QL (60 tablets/30 days) |
| <i>bupropion hcl tab er 12hr 100 mg</i> | 2 | QL (90 tablets/30 days) |
| <i>bupropion hcl tab er 12hr 150 mg, 200 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>bupropion hcl tab er 24hr 150 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>bupropion hcl tab er 24hr 300 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>bupropion hcl tab 75 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>bupropion hcl tab 100 mg</i> | 3 | QL (120 tablets/30 days) |
| <i>citalopram hydrobromide oral soln 10 mg/5ml</i> | 3 | QL (600 mls/30 days) |
| <i>citalopram hydrobromide tab 10 mg (base equiv), 20 mg (base equiv)</i> | 1 | QL (45 tablets/30 days) |
| <i>citalopram hydrobromide tab 40 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| <i>clomipramine hcl cap 25 mg, 50 mg, 75 mg#</i> | 4 | |
| <i>desipramine hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg#</i> | 4 | |
| <i>desvenlafaxine succinate tab er 24hr 25 mg (base equiv), 50 mg (base equiv), 100 mg (base equiv)</i> | 4 | QL (30 tablets/30 days) |
| <i>doxepin hcl cap 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg#</i> | 4 | |
| <i>doxepin hcl conc 10 mg/ml#</i> | 4 | |
| DRIZALMA SPRINKLE - duloxetine hcl cap delayed release sprinkle 20 mg (base eq), 40 mg (base eq), 60 mg (base eq) | 4 | QL (60 capsules/30 days) |
| DRIZALMA SPRINKLE - duloxetine hcl cap delayed release sprinkle 30 mg (base eq) | 4 | QL (90 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| <i>duloxetine hcl enteric coated pellets cap 20 mg (base eq), 60 mg (base eq)</i> | 2 | QL (60 capsules/30 days) |
| <i>duloxetine hcl enteric coated pellets cap 30 mg (base eq)</i> | 2 | QL (90 capsules/30 days) |
| EMSAM - selegiline td patch 24hr 6 mg/24hr, 9 mg/24hr, 12 mg/24hr | 5 | PA, QL (30 patches/30 days) |
| <i>escitalopram oxalate soln 5 mg/5ml (base equiv)</i> | 4 | QL (600 mls/30 days) |
| <i>escitalopram oxalate tab 5 mg (base equiv), 10 mg (base equiv)</i> | 1 | QL (45 tablets/30 days) |
| <i>escitalopram oxalate tab 20 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| FETZIMA - levomilnacipran hcl cap er 24hr 20 mg (base equivalent), 40 mg (base equivalent), 80 mg (base equivalent), 120 mg (base equivalent) | 4 | QL (30 capsules/30 days) |
| FETZIMA TITRATION PACK - levomilnacipran hcl cap er 24hr 20 & 40 mg therapy pack | 4 | QL (28 capsules/28 days) |
| <i>fluoxetine hcl cap 10 mg</i> | 1 | QL (90 capsules/30 days) |
| <i>fluoxetine hcl cap 20 mg</i> | 1 | QL (120 capsules/30 days) |
| <i>fluoxetine hcl cap 40 mg</i> | 1 | QL (60 capsules/30 days) |
| <i>fluoxetine hcl solution 20 mg/5ml</i> | 3 | QL (600 mls/30 days) |
| <i>fluvoxamine maleate tab 25 mg, 50 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>fluvoxamine maleate tab 100 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>imipramine hcl tab 10 mg, 25 mg, 50 mg#</i> | 4 | |
| MARPLAN - isocarboxazid tab 10 mg | 4 | |
| <i>mirtazapine orally disintegrating tab 15 mg, 30 mg, 45 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>mirtazapine tab 7.5 mg, 30 mg, 45 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>mirtazapine tab 15 mg</i> | 2 | QL (45 tablets/30 days) |
| NEFAZODONE HYDROCHLORIDE - nefazodone hcl tab 50 mg, 100 mg, 150 mg, 200 mg, 250 mg | 4 | |
| <i>nortriptyline hcl cap 10 mg, 25 mg, 50 mg, 75 mg#</i> | 2 | |
| <i>nortriptyline hcl soln 10 mg/5ml#</i> | 4 | |
| <i>paroxetine hcl oral susp 10 mg/5ml (base equiv)#</i> | 4 | QL (900 mls/30 days) |
| <i>paroxetine hcl tab 10 mg, 40 mg#</i> | 2 | QL (45 tablets/30 days) |
| <i>paroxetine hcl tab 20 mg#</i> | 2 | QL (30 tablets/30 days) |
| <i>paroxetine hcl tab 30 mg#</i> | 2 | QL (60 tablets/30 days) |
| <i>phenelzine sulfate tab 15 mg</i> | 3 | |
| <i>protriptyline hcl tab 5 mg, 10 mg#</i> | 4 | |
| <i>sertraline hcl oral concentrate for solution 20 mg/ml</i> | 4 | QL (300 mls/30 days) |
| <i>sertraline hcl tab 25 mg, 50 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>sertraline hcl tab 100 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>tranylcypromine sulfate tab 10 mg</i> | 4 | |
| <i>trazodone hcl tab 50 mg, 100 mg, 150 mg</i> | 1 | |
| <i>trazodone hcl tab 300 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------|
| <i>trimipramine maleate cap 25 mg, 50 mg, 100 mg#</i> | 4 | |
| TRINTELLIX - vortioxetine hbr tab 5 mg (base equiv), 10 mg (base equiv), 20 mg (base equiv) | 4 | QL (30 tablets/30 days) |
| VENLAFAXINE BESYLATE ER - venlafaxine besylate tab er 24hr 112.5 mg | 4 | QL (60 tablets/30 days) |
| <i>venlafaxine hcl cap er 24hr 37.5 mg (base equivalent)</i> | 2 | QL (60 capsules/30 days) |
| <i>venlafaxine hcl cap er 24hr 75 mg (base equivalent)</i> | 2 | QL (90 capsules/30 days) |
| <i>venlafaxine hcl cap er 24hr 150 mg (base equivalent)</i> | 2 | QL (30 capsules/30 days) |
| <i>venlafaxine hcl tab 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent), 75 mg (base equivalent), 100 mg (base equivalent)</i> | 2 | QL (90 tablets/30 days) |
| <i>vilazodone hcl tab 10 mg, 20 mg, 40 mg</i> | 4 | QL (30 tablets/30 days) |
| ZURZUVAE - zuranolone cap 20 mg, 25 mg | 5 | QL (28 capsules/365 days) |
| ZURZUVAE - zuranolone cap 30 mg | 5 | QL (14 capsules/365 days) |
| Antiemetics | | |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 4 | BD |
| <i>aprepitant capsule 40 mg, 80 mg, 125 mg</i> | 4 | BD |
| <i>chlorpromazine hcl conc 100 mg/ml</i> | 4 | PA (>=65 yr) |
| <i>chlorpromazine hcl conc 30 mg/ml</i> | 4 | PA (>=65 yr) |
| <i>chlorpromazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg, 200 mg</i> | 4 | PA (>=65 yr) |
| <i>compro - prochlorperazine suppos 25 mg</i> | 4 | |
| <i>dronabinol cap 2.5 mg, 5 mg, 10 mg</i> | 4 | BD |
| <i>meclizine hcl tab 12.5 mg, 25 mg#</i> | 2 | |
| <i>ondansetron hcl tab 4 mg, 8 mg</i> | 2 | |
| <i>ondansetron orally disintegrating tab 4 mg, 8 mg</i> | 3 | |
| <i>perphenazine tab 2 mg, 4 mg, 8 mg, 16 mg</i> | 4 | PA (>=65 yr) |
| <i>prochlorperazine maleate tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 2 | |
| <i>prochlorperazine suppos 25 mg</i> | 4 | |
| <i>promethazine hcl tab 12.5 mg, 25 mg, 50 mg#</i> | 3 | PA (>=65 yr) |
| <i>scopolamine td patch 72hr 1 mg/3days#</i> | 4 | PA (>=65 yr) |
| Antifungals | | |
| AMPHOTERICIN B - amphotericin b for iv soln 50 mg | 4 | BD |
| <i>amphotericin b liposome iv for susp 50 mg</i> | 5 | BD |
| <i>casposfungin acetate for iv soln 50 mg, 70 mg</i> | 4 | |
| <i>ciclofan - ciclopirox solution 8%</i> | 2 | QL (6.6 mls/30 days) |
| <i>ciclopirox gel 0.77%</i> | 3 | |
| <i>ciclopirox olamine cream 0.77% (base equiv)</i> | 3 | |
| <i>ciclopirox olamine susp 0.77% (base equiv)</i> | 3 | |
| <i>ciclopirox solution 8%</i> | 2 | QL (6.6 mls/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| <i>clotrimazole cream 1%</i> | 3 | |
| <i>clotrimazole troche 10 mg</i> | 3 | |
| CRESEMBA - isavuconazonium sulfate cap 74.5 mg, 186 mg | 5 | PA |
| CRESEMBA - isavuconazonium sulfate for iv soln 372 mg | 5 | PA |
| <i>econazole nitrate cream 1%</i> | 4 | |
| <i>fluconazole for susp 10 mg/ml, 40 mg/ml</i> | 3 | |
| <i>fluconazole in nacl 0.9% inj 200 mg/100ml, 400 mg/200ml</i> | 4 | |
| <i>fluconazole tab 50 mg, 100 mg, 150 mg, 200 mg</i> | 2 | |
| <i>flucytosine cap 250 mg, 500 mg</i> | 5 | PA |
| <i>griseofulvin microsize susp 125 mg/5ml</i> | 4 | |
| <i>griseofulvin microsize tab 500 mg</i> | 4 | |
| <i>griseofulvin ultramicrosize tab 125 mg, 250 mg</i> | 4 | |
| <i>itraconazole cap 100 mg</i> | 4 | QL (120 capsules/30 days) |
| <i>ketoconazole cream 2%</i> | 2 | |
| <i>ketoconazole shampoo 2%</i> | 2 | |
| <i>ketoconazole tab 200 mg</i> | 2 | |
| <i>klayesta - nystatin topical powder 100000 unit/gm</i> | 2 | |
| <i>micafungin sodium for iv soln 50 mg, 100 mg</i> | 4 | |
| MICAFUNGIN SODIUM/SODIUM CHLORIDE - micafungin in sodium chloride 0.9% iv solution 150 mg/150ml | 4 | |
| MICAFUNGIN/SODIUM CHLORIDE - micafungin in sodium chloride 0.9% iv solution 50 mg/50ml, 100 mg/100ml | 4 | |
| NOXAFIL - posaconazole for delayed release susp packet 300 mg | 5 | PA |
| <i>nyamyc - nystatin topical powder 100000 unit/gm</i> | 2 | |
| <i>nystatin cream 100000 unit/gm</i> | 2 | |
| <i>nystatin oint 100000 unit/gm</i> | 2 | |
| <i>nystatin susp 100000 unit/ml</i> | 2 | |
| <i>nystatin tab 500000 unit</i> | 3 | |
| <i>nystatin topical powder 100000 unit/gm</i> | 2 | |
| <i>nystop - nystatin topical powder 100000 unit/gm</i> | 2 | |
| <i>posaconazole iv soln 300 mg/16.7ml (18 mg/ml)</i> | 4 | PA |
| <i>posaconazole susp 40 mg/ml</i> | 5 | PA |
| <i>posaconazole tab delayed release 100 mg</i> | 5 | PA |
| <i>terbinafine hcl tab 250 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>terconazole vaginal cream 0.4%, 0.8%</i> | 3 | |
| <i>terconazole vaginal suppos 80 mg</i> | 3 | |
| <i>voriconazole for inj 200 mg</i> | 4 | PA |
| <i>voriconazole for susp 40 mg/ml</i> | 5 | PA |
| <i>voriconazole tab 50 mg, 200 mg</i> | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------------|
| Antigout Agents | | |
| <i>allopurinol tab 100 mg, 300 mg</i> | 1 | |
| <i>colchicine tab 0.6 mg</i> | 3 | |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 3 | |
| <i>probenecid tab 500 mg</i> | 3 | |
| Antimigraine Agents | | |
| AIMOVIG - erenumab-aooe subcutaneous soln auto-injector 70 mg/ml | 3 | PA, QL (2 pens/30 days) |
| AIMOVIG - erenumab-aooe subcutaneous soln auto-injector 140 mg/ml | 3 | PA, QL (1 pen/30 days) |
| <i>dihydroergotamine mesylate nasal spray 4 mg/ml</i> | 5 | PA, QL (8 mls/28 days) |
| EMGALITY - galcanezumab-gnlm subcutaneous soln auto-injector 120 mg/ml | 3 | PA, QL (2 pens/30 days) |
| EMGALITY - galcanezumab-gnlm subcutaneous soln prefilled syr 100 mg/ml | 3 | PA, QL (3 syringes/30 days) |
| EMGALITY - galcanezumab-gnlm subcutaneous soln prefilled syr 120 mg/ml | 3 | PA, QL (2 syringes/30 days) |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 3 | |
| <i>naratriptan hcl tab 1 mg (base equiv), 2.5 mg (base equiv)</i> | 3 | QL (18 tablets/30 days) |
| NURTEC - rimegepant sulfate tab disint 75 mg | 3 | PA, QL (16 tablets/30 days) |
| <i>rizatriptan benzoate oral disintegrating tab 5 mg (base eq), 10 mg (base eq)</i> | 4 | QL (18 tablets/30 days) |
| <i>rizatriptan benzoate tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 3 | QL (18 tablets/30 days) |
| <i>sumatriptan nasal spray 5 mg/act, 20 mg/act</i> | 4 | QL (12 units (2 packages)/30 days) |
| <i>sumatriptan succinate inj 6 mg/0.5ml</i> | 4 | QL (10 doses/30 days) |
| <i>sumatriptan succinate solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml</i> | 4 | QL (12 doses/30 days) |
| <i>sumatriptan succinate solution cartridge 4 mg/0.5ml</i> | 4 | QL (12 doses/30 days) |
| <i>sumatriptan succinate solution cartridge 6 mg/0.5ml</i> | 4 | QL (12 doses/30 days) |
| <i>sumatriptan succinate tab 25 mg, 50 mg, 100 mg</i> | 2 | QL (18 tablets/30 days) |
| Antimyasthenic Agents | | |
| <i>pyridostigmine bromide tab 60 mg</i> | 3 | |
| Antimycobacterials | | |
| <i>dapsone tab 25 mg, 100 mg</i> | 3 | |
| <i>ethambutol hcl tab 100 mg, 400 mg</i> | 3 | |
| <i>isoniazid syrup 50 mg/5ml</i> | 4 | |
| <i>isoniazid tab 100 mg</i> | 1 | |
| <i>isoniazid tab 300 mg</i> | 2 | |
| PRIFTIN - rifapentine tab 150 mg | 4 | |
| <i>pyrazinamide tab 500 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| <i>rifabutin cap 150 mg</i> | 4 | |
| <i>rifampin cap 150 mg, 300 mg</i> | 3 | |
| <i>rifampin for inj 600 mg</i> | 4 | |
| SIRTURO - bedaquiline fumarate tab 20 mg (base equiv), 100 mg (base equiv)* | 5 | |
| TRECTOR - ethionamide tab 250 mg | 4 | |
| Antineoplastics | | |
| <i>abiraterone acetate tab 250 mg</i> | 5 | PA, QL (120 tablets/30 days) |
| AKEEGA - niraparib tosylate-abiraterone acetate tab 50-500 mg, 100-500 mg† | 5 | PA, QL (60 tablets/30 days) |
| ALECENSA - alectinib hcl cap 150 mg (base equivalent)* | 5 | PA, QL (240 capsules/30 days) |
| ALUNBRIG - brigatinib tab initiation therapy pack 90 mg & 180 mg* | 5 | PA, QL (30 tablets/30 days) |
| ALUNBRIG - brigatinib tab 30 mg* | 5 | PA, QL (120 tablets/30 days) |
| ALUNBRIG - brigatinib tab 90 mg, 180 mg* | 5 | PA, QL (30 tablets/30 days) |
| <i>anastrozole tab 1 mg</i> | 1 | |
| AUGTYRO - repotrectinib cap 40 mg | 5 | PA, QL (240 capsules/30 days) |
| AUGTYRO - repotrectinib cap 160 mg | 5 | PA, QL (60 capsules/30 days) |
| AYVAKIT - avapritinib tab 25 mg, 50 mg, 100 mg, 200 mg, 300 mg† | 5 | PA, QL (30 tablets/30 days) |
| BALVERSA - erdafitinib tab 3 mg† | 5 | PA, QL (90 tablets/30 days) |
| BALVERSA - erdafitinib tab 4 mg† | 5 | PA, QL (60 tablets/30 days) |
| BALVERSA - erdafitinib tab 5 mg† | 5 | PA, QL (30 tablets/30 days) |
| <i>bexarotene cap 75 mg†</i> | 5 | PA |
| <i>bexarotene gel 1%</i> | 5 | PA |
| <i>bicalutamide tab 50 mg</i> | 3 | |
| BOSULIF - bosutinib cap 50 mg | 5 | PA, QL (330 capsules/30 days) |
| BOSULIF - bosutinib cap 100 mg | 5 | PA, QL (180 capsules/30 days) |
| BOSULIF - bosutinib tab 100 mg† | 5 | PA, QL (180 tablets/30 days) |
| BOSULIF - bosutinib tab 400 mg, 500 mg† | 5 | PA, QL (30 tablets/30 days) |
| BRAFTOVI - encorafenib cap 75 mg* | 5 | PA, QL (180 capsules/30 days) |
| BRUKINSA - zanubrutinib cap 80 mg | 5 | PA, QL (120 capsules/30 days) |
| CABOMETYX - cabozantinib s-malate tab 20 mg (base equivalent), 40 mg (base equivalent), 60 mg (base equivalent)*† | 5 | PA, QL (30 tablets/30 days) |
| CALQUENCE - acalabrutinib cap 100 mg*† | 5 | PA, QL (60 capsules/30 days) |
| CALQUENCE - acalabrutinib maleate tab 100 mg*† | 5 | PA, QL (60 tablets/30 days) |
| CAPRELSA - vandetanib tab 100 mg* | 5 | PA, QL (60 tablets/30 days) |
| CAPRELSA - vandetanib tab 300 mg* | 5 | PA, QL (30 tablets/30 days) |
| COMETRIQ - cabozantinib s-mal cap 1 x 80 mg & 1 x 20 mg (100 dose) kit* | 5 | PA, QL (56 capsules/28 days) |
| COMETRIQ - cabozantinib s-mal cap 1 x 80 mg & 3 x 20 mg (140 dose) kit* | 5 | PA, QL (112 capsules/28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| COMETRIQ - cabozantinib s-malate cap 3 x 20 mg (60 mg dose) kit* | 5 | PA, QL (84 capsules/28 days) |
| COPIKTRA - duvelisib cap 15 mg, 25 mg* | 5 | PA, QL (56 capsules/28 days) |
| COTELLIC - cobimetinib fumarate tab 20 mg (base equivalent)* | 5 | PA, QL (63 tablets/28 days) |
| CYCLOPHOSPHAMIDE - cyclophosphamide tab 25 mg, 50 mg | 3 | BD |
| <i>cyclophosphamide cap 25 mg, 50 mg</i> | 4 | BD |
| DANZITEN - nilotinib tartrate tab 71 mg (base equivalent), 95 mg (base equivalent) | 5 | PA, QL (112 tablets/28 days) |
| <i>dasatinib tab 20 mg†</i> | 5 | PA, QL (90 tablets/30 days) |
| <i>dasatinib tab 50 mg, 70 mg, 80 mg, 100 mg, 140 mg†</i> | 5 | PA, QL (30 tablets/30 days) |
| DAURISMO - glasdegib maleate tab 25 mg (base equivalent)† | 5 | PA, QL (60 tablets/30 days) |
| DAURISMO - glasdegib maleate tab 100 mg (base equivalent)† | 5 | PA, QL (30 tablets/30 days) |
| ERIVEDGE - vismodegib cap 150 mg*† | 5 | PA, QL (30 capsules/30 days) |
| ERLEADA - apalutamide tab 60 mg* | 5 | PA, QL (120 tablets/30 days) |
| ERLEADA - apalutamide tab 240 mg* | 5 | PA, QL (30 tablets/30 days) |
| <i>erlotinib hcl tab 25 mg (base equivalent)†</i> | 5 | PA, QL (60 tablets/30 days) |
| <i>erlotinib hcl tab 100 mg (base equivalent), 150 mg (base equivalent)†</i> | 5 | PA, QL (30 tablets/30 days) |
| <i>everolimus tab for oral susp 2 mg, 5 mg</i> | 5 | PA, QL (60 tablets/30 days) |
| <i>everolimus tab for oral susp 3 mg</i> | 5 | PA, QL (90 tablets/30 days) |
| <i>everolimus tab 2.5 mg, 7.5 mg, 10 mg†</i> | 5 | PA, QL (30 tablets/30 days) |
| <i>everolimus tab 5 mg†</i> | 5 | PA, QL (60 tablets/30 days) |
| <i>exemestane tab 25 mg</i> | 4 | |
| FOTIVDA - tivozanib hcl cap 0.89 mg (base equivalent), 1.34 mg (base equivalent)* | 5 | PA, QL (21 capsules/28 days) |
| FRUZAQLA - fruquintinib cap 1 mg | 5 | PA, QL (84 capsules/28 days) |
| FRUZAQLA - fruquintinib cap 5 mg | 5 | PA, QL (21 capsules/28 days) |
| GAVRETO - pralsetinib cap 100 mg† | 5 | PA, QL (120 capsules/30 days) |
| <i>gefitinib tab 250 mg†</i> | 5 | PA, QL (30 tablets/30 days) |
| GILOTRIF - afatinib dimaleate tab 20 mg (base equivalent), 30 mg (base equivalent), 40 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| GLEOSTINE - lomustine cap 10 mg, 40 mg | 4 | |
| GLEOSTINE - lomustine cap 100 mg | 5 | |
| <i>hydroxyurea cap 500 mg</i> | 2 | |
| IBRANCE - palbociclib cap 75 mg, 100 mg, 125 mg* | 5 | PA, QL (21 capsules/28 days) |
| IBRANCE - palbociclib tab 75 mg, 100 mg, 125 mg* | 5 | PA, QL (21 tablets/28 days) |
| ICLUSIG - ponatinib hcl tab 10 mg (base equiv), 15 mg (base equiv), 30 mg (base equiv), 45 mg (base equiv)*† | 5 | PA, QL (30 tablets/30 days) |
| IDHIFA - enasidenib mesylate tab 50 mg (base equivalent), 100 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| <i>imatinib mesylate tab 100 mg (base equivalent)†</i> | 5 | PA, QL (90 tablets/30 days) |
| <i>imatinib mesylate tab 400 mg (base equivalent)†</i> | 5 | PA, QL (60 tablets/30 days) |
| IMBRUVICA - ibrutinib cap 70 mg* | 5 | PA, QL (30 capsules/30 days) |
| IMBRUVICA - ibrutinib cap 140 mg* | 5 | PA, QL (120 capsules/30 days) |
| IMBRUVICA - ibrutinib oral susp 70 mg/ml* | 5 | PA, QL (3 bottles/30 days) |
| IMBRUVICA - ibrutinib tab 420 mg* | 5 | PA, QL (30 tablets/30 days) |
| IMKELDI - imatinib mesylate oral soln 80 mg/ml (base equivalent) | 5 | PA, QL (2 bottles/28 days) |
| INLYTA - axitinib tab 1 mg*† | 5 | PA, QL (180 tablets/30 days) |
| INLYTA - axitinib tab 5 mg*† | 5 | PA, QL (120 tablets/30 days) |
| INQOVI - decitabine-cedazuridine tab 35-100 mg | 5 | PA, QL (5 tablets/28 days) |
| INREBIC - fedratinib hcl cap 100 mg† | 5 | PA, QL (120 capsules/30 days) |
| ITOVEBI - inavolisib tab 3 mg | 5 | PA, QL (60 tablets/30 days) |
| ITOVEBI - inavolisib tab 9 mg | 5 | PA, QL (30 tablets/30 days) |
| IWILFIN - eflornithine hcl tab 192 mg | 5 | PA, QL (240 tablets/30 days) |
| JAKAFI - ruxolitinib phosphate tab 5 mg (base equivalent), 10 mg (base equivalent), 15 mg (base equivalent), 20 mg (base equivalent), 25 mg (base equivalent)*† | 5 | PA, QL (60 tablets/30 days) |
| JAYPIRCA - pirtobrutinib tab 50 mg† | 5 | PA, QL (30 tablets/30 days) |
| JAYPIRCA - pirtobrutinib tab 100 mg† | 5 | PA, QL (60 tablets/30 days) |
| KANJINTI - trastuzumab-anns for iv soln 150 mg, 420 mg | 5 | PA |
| KISQALI - ribociclib succinate tab pack 200 mg daily dose | 5 | PA, QL (21 tablets/28 days) |
| KISQALI - ribociclib succinate tab pack 400 mg daily dose (200 mg tab) | 5 | PA, QL (42 tablets/28 days) |
| KISQALI - ribociclib succinate tab pack 600 mg daily dose (200 mg tab) | 5 | PA, QL (63 tablets/28 days) |
| KISQALI FEMARA 400 DOSE - ribociclib 400 mg dose (200 mg tab) & letrozole 2.5 mg tbpk | 5 | PA, QL (70 tablets/28 days) |
| KISQALI FEMARA 600 DOSE - ribociclib 600 mg dose (200 mg tab) & letrozole 2.5 mg tbpk | 5 | PA, QL (91 tablets/28 days) |
| KOSELUGO - selumetinib sulfate cap 10 mg | 5 | PA, QL (240 capsules/30 days) |
| KOSELUGO - selumetinib sulfate cap 25 mg | 5 | PA, QL (120 capsules/30 days) |
| KRAZATI - adagrasib tab 200 mg*† | 5 | PA, QL (180 tablets/30 days) |
| <i>lapatinib ditosylate tab 250 mg (base equiv)</i> | 5 | PA, QL (180 tablets/30 days) |
| LAZCLUZE - lazertinib mesylate tab 80 mg† | 5 | PA, QL (60 tablets/30 days) |
| LAZCLUZE - lazertinib mesylate tab 240 mg† | 5 | PA, QL (30 tablets/30 days) |
| <i>lenalidomide caps 2.5 mg</i> | 5 | PA, QL (30 capsules/30 days) |
| <i>lenalidomide cap 5 mg, 10 mg</i> | 5 | PA, QL (30 capsules/30 days) |
| <i>lenalidomide cap 15 mg, 20 mg, 25 mg</i> | 5 | PA, QL (21 capsules/28 days) |
| LENVIMA 10 MG DAILY DOSE - lenvatinib cap therapy pack 10 mg (10 mg daily dose)* | 5 | PA, QL (30 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| LENVIMA 12MG DAILY DOSE - lenvatinib cap therapy pack 3 x 4 mg (12 mg daily dose)* | 5 | PA, QL (90 capsules/30 days) |
| LENVIMA 14 MG DAILY DOSE - lenvatinib cap therapy pack 10 & 4 mg (14 mg daily dose)* | 5 | PA, QL (60 capsules/30 days) |
| LENVIMA 18 MG DAILY DOSE - lenvatinib cap ther pack 10 mg & 2 x 4 mg (18 mg daily dose)* | 5 | PA, QL (90 capsules/30 days) |
| LENVIMA 20 MG DAILY DOSE - lenvatinib cap therapy pack 2 x 10 mg (20 mg daily dose)* | 5 | PA, QL (60 capsules/30 days) |
| LENVIMA 24 MG DAILY DOSE - lenvatinib cap ther pack 2 x 10 mg & 4 mg (24 mg daily dose)* | 5 | PA, QL (90 capsules/30 days) |
| LENVIMA 4 MG DAILY DOSE - lenvatinib cap therapy pack 4 mg (4 mg daily dose)* | 5 | PA, QL (30 capsules/30 days) |
| LENVIMA 8 MG DAILY DOSE - lenvatinib cap therapy pack 2 x 4 mg (8 mg daily dose)* | 5 | PA, QL (60 capsules/30 days) |
| <i>letrozole tab 2.5 mg</i> | 2 | |
| <i>leucovorin calcium tab 5 mg, 10 mg</i> | 3 | |
| <i>leucovorin calcium tab 15 mg, 25 mg</i> | 4 | |
| LONSURF - trifluridine-tipiracil tab 15-6.14 mg | 5 | PA, QL (100 tablets/28 days) |
| LONSURF - trifluridine-tipiracil tab 20-8.19 mg | 5 | PA, QL (80 tablets/28 days) |
| LORBRENA - lorlatinib tab 25 mg† | 5 | PA, QL (90 tablets/30 days) |
| LORBRENA - lorlatinib tab 100 mg† | 5 | PA, QL (30 tablets/30 days) |
| LUMAKRAS - sotorasib tab 120 mg*† | 5 | PA, QL (240 tablets/30 days) |
| LUMAKRAS - sotorasib tab 240 mg*† | 5 | PA, QL (120 tablets/30 days) |
| LUMAKRAS - sotorasib tab 320 mg*† | 5 | PA, QL (90 tablets/30 days) |
| LYNPARZA - olaparib tab 100 mg, 150 mg*† | 5 | PA, QL (120 tablets/30 days) |
| LYSODREN - mitotane tab 500 mg | 5 | |
| LYTGOBI - futibatinib tab therapy pack 4 mg (12 mg daily dose)* | 5 | PA, QL (84 tablets/28 days) |
| LYTGOBI - futibatinib tab therapy pack 4 mg (16 mg daily dose)* | 5 | PA, QL (112 tablets/28 days) |
| LYTGOBI - futibatinib tab therapy pack 4 mg (20 mg daily dose)* | 5 | PA, QL (140 tablets/28 days) |
| MATULANE - procarbazine hcl cap 50 mg* | 5 | PA |
| MEKINIST - trametinib dimethyl sulfoxide for soln 0.05 mg/ml (base eq) | 5 | PA, QL (13 bottles/28 days) |
| MEKINIST - trametinib dimethyl sulfoxide tab 0.5 mg (base equivalent)* | 5 | PA, QL (90 tablets/30 days) |
| MEKINIST - trametinib dimethyl sulfoxide tab 2 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| MEKTOVI - binimetinib tab 15 mg* | 5 | PA, QL (180 tablets/30 days) |
| <i>mercaptopurine tab 50 mg</i> | 3 | |
| <i>mesna tab 400 mg</i> | 5 | |
| MESNEX - mesna tab 400 mg | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| MVASI - bevacizumab-awwb iv soln 100 mg/4ml (for infusion), 400 mg/16ml (for infusion) | 5 | PA |
| NERLYNX - neratinib maleate tab 40 mg (base equivalent)*† | 5 | PA, QL (180 tablets/30 days) |
| <i>nilutamide tab 150 mg</i> | 5 | |
| NINLARO - ixazomib citrate cap 2.3 mg (base equivalent), 3 mg (base equivalent), 4 mg (base equivalent) | 5 | PA, QL (3 capsules/28 days) |
| NIPENT - pentostatin for inj 10 mg | 5 | |
| NUBEQA - darolutamide tab 300 mg† | 5 | PA, QL (120 tablets/30 days) |
| ODOMZO - sonidegib phosphate cap 200 mg (base equivalent)*† | 5 | PA, QL (30 capsules/30 days) |
| OGSIVEO - nirogacestat hydrobromide tab 50 mg† | 5 | PA, QL (180 tablets/30 days) |
| OGSIVEO - nirogacestat hydrobromide tab 100 mg, 150 mg† | 5 | PA, QL (56 tablets/28 days) |
| OJEMDA - tovorafenib for oral susp 25 mg/ml | 5 | PA, QL (8 bottles/28 days) |
| OJEMDA - tovorafenib tab 100 mg | 5 | PA, QL (24 tablets/28 days) |
| OJJAARA - momelotinib dihydrochloride tab 100 mg, 150 mg, 200 mg | 5 | PA, QL (30 tablets/30 days) |
| ONTRUZANT - trastuzumab-dttb for iv soln 150 mg, 420 mg | 5 | PA |
| ONUREG - azacitidine tab 200 mg, 300 mg | 5 | PA, QL (14 tablets/28 days) |
| ORGOVYX - relugolix tab 120 mg* | 5 | PA, QL (90 tablets/30 days) |
| ORSERDU - elacestrant hydrochloride tab 86 mg | 5 | PA, QL (90 tablets/30 days) |
| ORSERDU - elacestrant hydrochloride tab 345 mg | 5 | PA, QL (30 tablets/30 days) |
| PANRETIN - alitretinoin gel 0.1% | 5 | PA |
| <i>pazopanib hcl tab 200 mg (base equiv)†</i> | 5 | PA, QL (120 tablets/30 days) |
| PEMAZYRE - pemigatinib tab 4.5 mg, 9 mg, 13.5 mg | 5 | PA, QL (14 tablets/21 days) |
| PIQRAY 200MG DAILY DOSE - alpelisib tab therapy pack 200 mg daily dose | 5 | PA, QL (30 tablets/30 days) |
| PIQRAY 250MG DAILY DOSE - alpelisib tab pack 250 mg daily dose (200 mg & 50 mg tabs) | 5 | PA, QL (60 tablets/30 days) |
| PIQRAY 300MG DAILY DOSE - alpelisib tab pack 300 mg daily dose (2x150 mg tab) | 5 | PA, QL (60 tablets/30 days) |
| POMALYST - pomalidomide cap 1 mg, 2 mg, 3 mg, 4 mg* | 5 | PA, QL (21 capsules/28 days) |
| PURIXAN - mercaptopurine susp 2000 mg/100ml (20 mg/ml)* | 5 | |
| QINLOCK - ripretinib tab 50 mg | 5 | PA, QL (90 tablets/30 days) |
| RETEVMO - selpercatinib cap 40 mg† | 5 | PA, QL (180 capsules/30 days) |
| RETEVMO - selpercatinib cap 80 mg† | 5 | PA, QL (120 capsules/30 days) |
| RETEVMO - selpercatinib tab 40 mg† | 5 | PA, QL (90 tablets/30 days) |
| RETEVMO - selpercatinib tab 80 mg, 120 mg, 160 mg† | 5 | PA, QL (60 tablets/30 days) |
| REVUFORJ - revumenib citrate tab 110 mg | 5 | PA, QL (120 tablets/30 days) |
| REVUFORJ - revumenib citrate tab 160 mg | 5 | PA, QL (60 tablets/30 days) |
| REZLIDHIA - olutasidenib cap 150 mg*† | 5 | PA, QL (60 capsules/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| RIABNI - rituximab-arrx iv soln 100 mg/10ml (10 mg/ml), 500 mg/50ml (10 mg/ml) | 5 | PA |
| ROZLYTREK - entrectinib cap 100 mg† | 5 | PA, QL (150 capsules/30 days) |
| ROZLYTREK - entrectinib cap 200 mg† | 5 | PA, QL (90 capsules/30 days) |
| ROZLYTREK - entrectinib pellet pack 50 mg | 5 | PA, QL (336 packets/28 days) |
| RUBRACA - rucaparib camsylate tab 200 mg (base equivalent), 250 mg (base equivalent), 300 mg (base equivalent)*† | 5 | PA, QL (120 tablets/30 days) |
| RUXIENCE - rituximab-pvvr iv soln 100 mg/10ml (10 mg/ml), 500 mg/50ml (10 mg/ml) | 5 | PA |
| RYDAPT - midostaurin cap 25 mg | 5 | PA, QL (240 capsules/30 days) |
| SCSEMBLIX - asciminib hcl tab 20 mg | 5 | PA, QL (60 tablets/30 days) |
| SCSEMBLIX - asciminib hcl tab 40 mg | 5 | PA, QL (300 tablets/30 days) |
| SCSEMBLIX - asciminib hcl tab 100 mg | 5 | PA, QL (120 tablets/30 days) |
| SOLTAMOX - tamoxifen citrate oral soln 10 mg/5ml (base equivalent) | 5 | |
| <i>sorafenib tosylate tab 200 mg (base equivalent)†</i> | 5 | PA, QL (120 tablets/30 days) |
| STIVARGA - regorafenib tab 40 mg* | 5 | PA, QL (84 tablets/28 days) |
| <i>sunitinib malate cap 12.5 mg (base equivalent)†</i> | 5 | PA, QL (90 capsules/30 days) |
| <i>sunitinib malate cap 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent)†</i> | 5 | PA, QL (30 capsules/30 days) |
| TABRECTA - capmatinib hcl tab 150 mg, 200 mg | 5 | PA, QL (120 tablets/30 days) |
| TAFINLAR - dabrafenib mesylate cap 50 mg (base equivalent), 75 mg (base equivalent)* | 5 | PA, QL (120 capsules/30 days) |
| TAFINLAR - dabrafenib mesylate tab for oral susp 10 mg (base equiv) | 5 | PA, QL (4 bottles/28 days) |
| TAGRISSE - osimertinib mesylate tab 40 mg (base equivalent), 80 mg (base equivalent)*† | 5 | PA, QL (30 tablets/30 days) |
| TALZENNA - talazoparib tosylate cap 0.1 mg (base equivalent), 0.35 mg (base equivalent)† | 5 | PA, QL (30 capsules/30 days) |
| TALZENNA - talazoparib tosylate cap 0.25 mg (base equivalent), 0.5 mg (base equivalent), 0.75 mg (base equivalent), 1 mg (base equivalent)*† | 5 | PA, QL (30 capsules/30 days) |
| <i>tamoxifen citrate tab 10 mg (base equivalent), 20 mg (base equivalent)</i> | 2 | |
| TASIGNA - nilotinib hcl cap 50 mg (base equivalent)† | 5 | PA, QL (120 capsules/30 days) |
| TASIGNA - nilotinib hcl cap 150 mg (base equivalent), 200 mg (base equivalent) | 5 | PA, QL (120 capsules/30 days) |
| TAZVERIK - tazemetostat hbr tab 200 mg | 5 | PA, QL (240 tablets/30 days) |
| TEPMETKO - tepotinib hcl tab 225 mg*† | 5 | PA, QL (60 tablets/30 days) |
| THALOMID - thalidomide cap 50 mg, 100 mg | 5 | PA, QL (30 capsules/30 days) |
| TIBSOVO - ivosidenib tab 250 mg* | 5 | PA, QL (60 tablets/30 days) |
| <i>toremifene citrate tab 60 mg (base equivalent)</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------------|
| <i>torpenz - everolimus tab 5 mg†</i> | 5 | PA, QL (60 tablets/30 days) |
| <i>torpenz - everolimus tab 2.5 mg, 7.5 mg, 10 mg†</i> | 5 | PA, QL (30 tablets/30 days) |
| TRAZIMERA - trastuzumab-qyyp for iv soln 150 mg, 420 mg | 5 | PA |
| <i>tretinoin cap 10 mg</i> | 5 | PA |
| TRUQAP - capivasertib tab therapy pack 160 mg, 200 mg | 5 | PA, QL (4 boxes/28 days) |
| TRUQAP - capivasertib tab 160 mg, 200 mg | 5 | PA, QL (64 tablets/28 days) |
| TUKYSA - tucatinib tab 50 mg | 5 | PA, QL (300 tablets/30 days) |
| TUKYSA - tucatinib tab 150 mg | 5 | PA, QL (120 tablets/30 days) |
| TURALIO - pexidartinib hcl cap 125 mg (base equivalent) | 5 | PA, QL (120 capsules/30 days) |
| VALCHLOR - mechlorethamine hcl gel 0.016% (base equivalent)* | 5 | PA, QL (1 tube/30 days) |
| VANFLYTA - quizartinib dihydrochloride tab 17.7 mg, 26.5 mg* | 5 | PA, QL (60 tablets/30 days) |
| VENCLEXTA - venetoclax tab 10 mg* | 3 | PA, QL (60 tablets/30 days) |
| VENCLEXTA - venetoclax tab 50 mg* | 5 | PA, QL (30 tablets/30 days) |
| VENCLEXTA - venetoclax tab 100 mg* | 5 | PA, QL (180 tablets/30 days) |
| VENCLEXTA STARTING PACK - venetoclax tab therapy starter pack 10 & 50 & 100 mg* | 5 | PA, QL (1 pack (42 tablets)/28 days) |
| VERZENIO - abemaciclib tab 50 mg, 100 mg, 150 mg, 200 mg* | 5 | PA, QL (60 tablets/30 days) |
| VITRAKVI - larotrectinib sulfate cap 25 mg (base equivalent)*† | 5 | PA, QL (180 capsules/30 days) |
| VITRAKVI - larotrectinib sulfate cap 100 mg (base equivalent)*† | 5 | PA, QL (60 capsules/30 days) |
| VITRAKVI - larotrectinib sulfate oral soln 20 mg/ml (base equivalent)* | 5 | PA, QL (300 mls/30 days) |
| VIZIMPRO - dacomitinib tab 15 mg, 30 mg, 45 mg*† | 5 | PA, QL (30 tablets/30 days) |
| VONJO - pacritinib citrate cap 100 mg*† | 5 | PA, QL (120 capsules/30 days) |
| VORANIGO - vorasidenib tab 10 mg | 5 | PA, QL (60 tablets/30 days) |
| VORANIGO - vorasidenib tab 40 mg | 5 | PA, QL (30 tablets/30 days) |
| XALKORI - crizotinib cap sprinkle 20 mg, 50 mg*† | 5 | PA, QL (120 capsules/30 days) |
| XALKORI - crizotinib cap sprinkle 150 mg*† | 5 | PA, QL (180 capsules/30 days) |
| XALKORI - crizotinib cap 200 mg, 250 mg*† | 5 | PA, QL (120 capsules/30 days) |
| XOSPATA - gilteritinib fumarate tablet 40 mg (base equivalent)† | 5 | PA, QL (90 tablets/30 days) |
| XPOVIO - selinexor tab therapy pack 40 mg (40 mg once weekly), 40 mg (40 mg twice weekly), 40 mg (80 mg once weekly), 50 mg (100 mg once weekly), 60 mg (60 mg once weekly)* | 5 | PA, QL (1 box/28 days) |
| XPOVIO 60 MG TWICE WEEKLY - selinexor tab therapy pack 20 mg (60 mg twice weekly)* | 5 | PA, QL (1 box/28 days) |
| XPOVIO 80 MG TWICE WEEKLY - selinexor tab therapy pack 20 mg (80 mg twice weekly)* | 5 | PA, QL (1 box/28 days) |
| XTANDI - enzalutamide cap 40 mg*† | 5 | PA, QL (120 capsules/30 days) |
| XTANDI - enzalutamide tab 40 mg*† | 5 | PA, QL (120 tablets/30 days) |
| XTANDI - enzalutamide tab 80 mg*† | 5 | PA, QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| ZEJULA - niraparib tosylate tab 100 mg (base equivalent), 200 mg (base equivalent), 300 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| ZELBORAF - vemurafenib tab 240 mg* | 5 | PA, QL (240 tablets/30 days) |
| ZIRABEV - bevacizumab-bvzr iv soln 100 mg/4ml (for infusion), 400 mg/16ml (for infusion) | 5 | PA |
| ZOLINZA - vorinostat cap 100 mg† | 5 | PA, QL (120 capsules/30 days) |
| ZYDELIG - idelalisib tab 100 mg, 150 mg* | 5 | PA, QL (60 tablets/30 days) |
| ZYKADIA - ceritinib tab 150 mg*† | 5 | PA, QL (90 tablets/30 days) |
| Antiparasitics | | |
| <i>albendazole tab 200 mg</i> | 4 | |
| <i>atovaquone susp 750 mg/5ml</i> | 4 | PA, QL (600 mls/30 days) |
| <i>atovaquone-proguanil hcl tab 62.5-25 mg, 250-100 mg</i> | 3 | |
| <i>chloroquine phosphate tab 250 mg, 500 mg</i> | 4 | |
| COARTEM - artemether-lumefantrine tab 20-120 mg | 4 | |
| <i>hydroxychloroquine sulfate tab 200 mg</i> | 3 | |
| <i>ivermectin tab 3 mg</i> | 3 | PA |
| <i>mefloquine hcl tab 250 mg</i> | 3 | |
| <i>nitazoxanide tab 500 mg</i> | 5 | QL (20 tablets/30 days) |
| <i>pentamidine isethionate for inj soln 300 mg</i> | 4 | |
| <i>pentamidine isethionate for nebulization soln 300 mg</i> | 4 | BD |
| <i>praziquantel tab 600 mg</i> | 4 | |
| <i>primaquine phosphate tab 26.3 mg (15 mg base)</i> | 4 | |
| <i>pyrimethamine tab 25 mg</i> | 5 | PA |
| <i>quinine sulfate cap 324 mg</i> | 4 | PA |
| Antiparkinson Agents | | |
| <i>amantadine hcl cap 100 mg</i> | 3 | |
| <i>amantadine hcl soln 50 mg/5ml</i> | 3 | |
| APOKYN - apomorphine hcl soln cartridge 30 mg/3ml* | 5 | PA, QL (60 mls/30 days) |
| <i>benztropine mesylate tab 0.5 mg, 1 mg, 2 mg#</i> | 2 | PA (>=65 yr) |
| <i>bromocriptine mesylate cap 5 mg (base equivalent)</i> | 4 | |
| <i>bromocriptine mesylate tab 2.5 mg (base equivalent)</i> | 4 | |
| <i>carbidopa & levodopa orally disintegrating tab 10-100 mg</i> | 4 | |
| <i>carbidopa & levodopa orally disintegrating tab 25-100 mg</i> | 4 | |
| <i>carbidopa & levodopa orally disintegrating tab 25-250 mg</i> | 4 | |
| <i>carbidopa & levodopa tab er 25-100 mg, 50-200 mg</i> | 3 | |
| <i>carbidopa & levodopa tab 10-100 mg, 25-100 mg, 25-250 mg</i> | 2 | |
| <i>entacapone tab 200 mg</i> | 4 | |
| INBRIJA - levodopa inhal powder cap 42 mg | 5 | PA, QL (300 capsules/30 days) |
| <i>pramipexole dihydrochloride tab 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---|
| <i>rasagiline mesylate tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 4 | |
| <i>ropinirole hydrochloride tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 2 | |
| <i>selegiline hcl cap 5 mg</i> | 3 | |
| <i>selegiline hcl tab 5 mg</i> | 3 | |
| Antipsychotics | | |
| ABILIFY ASIMTUFII - aripiprazole im er susp prefilled syringe 720 mg/2.4ml, 960 mg/3.2ml | 5 | QL (1 syringe/56 days) |
| ABILIFY MAINTENA - aripiprazole im for er susp prefilled syringe 300 mg, 400 mg | 5 | QL (1 syringe/28 days) |
| ABILIFY MAINTENA - aripiprazole im for extended release susp 300 mg, 400 mg | 5 | QL (1 vial/28 days) |
| <i>aripiprazole oral solution 1 mg/ml</i> | 4 | PA (>=65 yr), QL (750 mls/30 days) |
| <i>aripiprazole orally disintegrating tab 10 mg, 15 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| <i>aripiprazole tab 2 mg, 5 mg</i> | 3 | PA (>=65 yr), QL (45 tablets/30 days) |
| <i>aripiprazole tab 10 mg, 15 mg, 20 mg, 30 mg</i> | 3 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>asenapine maleate sl tab 2.5 mg (base equiv), 5 mg (base equiv), 10 mg (base equiv)</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| CAPLYTA - lumateperone tosylate cap 10.5 mg, 21 mg, 42 mg | 5 | QL (30 capsules/30 days) |
| CLOZAPINE ODT - clozapine orally disintegrating tab 12.5 mg | 4 | PA (>=65 yr), QL (90 tablets/30 days) |
| <i>clozapine orally disintegrating tab 25 mg, 100 mg</i> | 4 | PA (>=65 yr), QL (270 tablets/30 days) |
| <i>clozapine orally disintegrating tab 150 mg</i> | 4 | PA (>=65 yr), QL (180 tablets/30 days) |
| <i>clozapine orally disintegrating tab 200 mg</i> | 4 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>clozapine tab 25 mg, 50 mg</i> | 3 | PA (>=65 yr), QL (90 tablets/30 days) |
| <i>clozapine tab 100 mg</i> | 4 | PA (>=65 yr), QL (270 tablets/30 days) |
| <i>clozapine tab 200 mg</i> | 4 | PA (>=65 yr), QL (120 tablets/30 days) |
| COBENFY - xanomeline tartrate-trospium chloride cap 50-20 mg, 100-20 mg, 125-30 mg | 5 | PA, QL (60 capsules/30 days) |
| COBENFY STARTER PACK - xanomeline-trospium chloride cap pack 50-20 mg & 100-20 mg | 5 | PA, QL (1 pack/28 days) |
| FANAPT - iloperidone tab 1 mg, 2 mg, 4 mg, 6 mg, 8 mg, 10 mg, 12 mg | 5 | PA (>=65 yr), QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---|
| FANAPT TITRATION PACK - iloperidone tab 1 mg & 2 mg & 4 mg & 6 mg titration pak | 4 | PA (>=65 yr), QL (7 packs (56 tablets)/28 days) |
| <i>fluphenazine decanoate inj 25 mg/ml</i> | 4 | PA (>=65 yr) |
| FLUPHENAZINE HCL - fluphenazine hcl oral conc 5 mg/ml | 4 | PA (>=65 yr) |
| <i>fluphenazine hcl tab 1 mg, 2.5 mg, 5 mg, 10 mg</i> | 4 | PA (>=65 yr) |
| FLUPHENAZINE HYDROCHLORIDE - fluphenazine hcl elixir 2.5 mg/5ml | 4 | PA (>=65 yr) |
| FLUPHENAZINE HYDROCHLORIDE - fluphenazine hcl inj 2.5 mg/ml | 4 | PA (>=65 yr) |
| <i>haloperidol decanoate im soln 50 mg/ml, 100 mg/ml</i> | 4 | PA (>=65 yr) |
| <i>haloperidol lactate inj 5 mg/ml</i> | 4 | PA (>=65 yr) |
| <i>haloperidol lactate oral conc 2 mg/ml</i> | 3 | PA (>=65 yr) |
| <i>haloperidol tab 0.5 mg, 1 mg, 2 mg, 5 mg, 10 mg</i> | 2 | PA (>=65 yr) |
| <i>haloperidol tab 20 mg</i> | 3 | PA (>=65 yr) |
| INVEGA HAFYERA - paliperidone palmitate er susp pref syr 1,092 mg/3.5ml, 1,560 mg/5ml | 5 | QL (1 kit/180 days) |
| INVEGA SUSTENNA - paliperidone palmitate er susp pref syr 39 mg/0.25ml | 4 | QL (1 kit/28 days) |
| INVEGA SUSTENNA - paliperidone palmitate er susp pref syr 78 mg/0.5ml, 117 mg/0.75ml, 156 mg/ml, 234 mg/1.5ml | 5 | QL (1 kit/28 days) |
| INVEGA TRINZA - paliperidone palmitate er susp pref syr 273 mg/0.88ml, 410 mg/1.32ml, 546 mg/1.75ml, 819 mg/2.63ml | 5 | QL (1 kit/84 days) |
| <i>loxapine succinate cap 5 mg, 10 mg, 25 mg, 50 mg</i> | 3 | PA (>=65 yr) |
| <i>lurasidone hcl tab 20 mg, 40 mg, 60 mg, 120 mg</i> | 4 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>lurasidone hcl tab 80 mg</i> | 4 | PA (>=65 yr), QL (60 tablets/30 days) |
| LYBALVI - olanzapine-samidorphane l-malate tab 5-10 mg, 10-10 mg, 15-10 mg, 20-10 mg | 5 | PA (>=65 yr), QL (30 tablets/30 days) |
| MOLINDONE HYDROCHLORIDE - molindone hcl tab 5 mg, 10 mg, 25 mg | 4 | PA (>=65 yr) |
| NUPLAZID - pimavanserin tartrate cap 34 mg (base equivalent)* | 5 | PA, QL (30 capsules/30 days) |
| NUPLAZID - pimavanserin tartrate tab 10 mg (base equivalent)* | 5 | PA, QL (30 tablets/30 days) |
| <i>olanzapine for im inj 10 mg</i> | 4 | PA (>=65 yr), QL (90 vials/30 days) |
| <i>olanzapine orally disintegrating tab 5 mg, 10 mg, 15 mg, 20 mg</i> | 4 | PA (>=65 yr), QL (30 tablets/30 days) |
| <i>olanzapine tab 2.5 mg, 5 mg, 7.5 mg, 10 mg</i> | 2 | PA (>=65 yr), QL (45 tablets/30 days) |
| <i>olanzapine tab 15 mg, 20 mg</i> | 2 | PA (>=65 yr), QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| OPIPZA - aripiprazole oral film 2 mg | 5 | PA (≥ 65 yr), QL (30 films/30 days) |
| OPIPZA - aripiprazole oral film 5 mg, 10 mg | 5 | PA (≥ 65 yr), QL (90 films/30 days) |
| <i>paliperidone tab er 24hr 1.5 mg, 3 mg, 9 mg</i> | 4 | PA (≥ 65 yr), QL (30 tablets/30 days) |
| <i>paliperidone tab er 24hr 6 mg</i> | 4 | PA (≥ 65 yr), QL (60 tablets/30 days) |
| PERSERIS - risperidone subcutaneous for er susp prefilled syr 90 mg, 120 mg | 5 | QL (1 syringe/28 days) |
| PIMOZIDE - pimozide tab 1 mg, 2 mg | 4 | PA (≥ 65 yr) |
| QUETIAPINE FUMARATE - quetiapine fumarate tab 150 mg | 4 | PA (≥ 65 yr), QL (150 tablets/30 days) |
| <i>quetiapine fumarate tab er 24hr 50 mg, 300 mg, 400 mg</i> | 4 | PA (≥ 65 yr), QL (60 tablets/30 days) |
| <i>quetiapine fumarate tab er 24hr 150 mg, 200 mg</i> | 4 | PA (≥ 65 yr), QL (30 tablets/30 days) |
| <i>quetiapine fumarate tab 25 mg, 50 mg, 100 mg, 200 mg</i> | 2 | PA (≥ 65 yr), QL (120 tablets/30 days) |
| <i>quetiapine fumarate tab 300 mg, 400 mg</i> | 2 | PA (≥ 65 yr), QL (60 tablets/30 days) |
| REXULTI - brexpiprazole tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg | 5 | PA (≥ 65 yr), QL (30 tablets/30 days) |
| <i>risperidone microspheres for im extended rel susp 12.5 mg, 25 mg, 37.5 mg</i> | 4 | QL (2 vials/28 days) |
| <i>risperidone microspheres for im extended rel susp 50 mg</i> | 5 | QL (2 vials/28 days) |
| RISPERIDONE ODT - risperidone orally disintegrating tab 0.25 mg | 4 | PA (≥ 65 yr), QL (60 tablets/30 days) |
| <i>risperidone orally disintegrating tab 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 4 | PA (≥ 65 yr), QL (60 tablets/30 days) |
| <i>risperidone orally disintegrating tab 4 mg</i> | 4 | PA (≥ 65 yr), QL (120 tablets/30 days) |
| <i>risperidone soln 1 mg/ml</i> | 3 | PA (≥ 65 yr), QL (480 mls/30 days) |
| <i>risperidone tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>risperidone tab 4 mg</i> | 2 | QL (120 tablets/30 days) |
| SECUADO - asenapine td patch 24 hr 3.8 mg/24hr, 5.7 mg/24hr, 7.6 mg/24hr | 5 | PA (≥ 65 yr), QL (30 patches/30 days) |
| <i>thioridazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg</i> | 3 | PA (≥ 65 yr) |
| <i>thiothixene cap 1 mg, 2 mg, 5 mg, 10 mg</i> | 4 | PA (≥ 65 yr) |
| <i>trifluoperazine hcl tab 1 mg (base equivalent), 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 3 | PA (≥ 65 yr) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------------|
| UZEDY - risperidone subcutaneous er susp pref syr 50 mg/0.14ml, 75 mg/0.21ml, 100 mg/0.28ml, 125 mg/0.35ml | 5 | QL (1 syringe/28 days) |
| UZEDY - risperidone subcutaneous er susp pref syr 150 mg/0.42ml, 200 mg/0.56ml, 250 mg/0.7ml | 5 | QL (1 syringe/56 days) |
| VERSACLOZ - clozapine susp 50 mg/ml | 4 | PA (>=65 yr), QL (540 mls/30 days) |
| VRAYLAR - cariprazine hcl cap 1.5 mg (base equivalent), 3 mg (base equivalent), 4.5 mg (base equivalent), 6 mg (base equivalent) | 5 | QL (30 capsules/30 days) |
| ziprasidone hcl cap 20 mg, 40 mg | 4 | QL (90 capsules/30 days) |
| ziprasidone hcl cap 60 mg, 80 mg | 4 | QL (60 capsules/30 days) |
| ziprasidone mesylate for inj 20 mg (base equivalent) | 4 | PA (>=65 yr), QL (60 vials/30 days) |
| Antispasticity Agents | | |
| baclofen tab 10 mg, 20 mg | 2 | |
| dantrolene sodium cap 25 mg, 50 mg, 100 mg | 4 | |
| tizanidine hcl tab 2 mg (base equivalent), 4 mg (base equivalent) | 2 | |
| Antivirals | | |
| abacavir sulfate soln 20 mg/ml (base equiv) | 4 | QL (960 mls/30 days) |
| abacavir sulfate tab 300 mg (base equiv) | 4 | QL (60 tablets/30 days) |
| abacavir sulfate-lamivudine tab 600-300 mg | 4 | QL (30 tablets/30 days) |
| acyclovir cap 200 mg | 2 | |
| acyclovir oint 5% | 4 | PA |
| acyclovir sodium iv soln 50 mg/ml | 4 | BD |
| acyclovir susp 200 mg/5ml | 4 | |
| acyclovir tab 400 mg, 800 mg | 2 | |
| adefovir dipivoxil tab 10 mg | 4 | |
| APTIVUS - tipranavir cap 250 mg | 5 | QL (120 capsules/30 days) |
| atazanavir sulfate cap 150 mg (base equiv), 300 mg (base equiv) | 4 | QL (30 capsules/30 days) |
| atazanavir sulfate cap 200 mg (base equiv) | 4 | QL (60 capsules/30 days) |
| BARACLUDE - entecavir oral soln 0.05 mg/ml | 4 | |
| BIKTARVY - bictegravir-emtricitabine-tenofovir af tab 30-120-15 mg, 50-200-25 mg | 5 | QL (30 tablets/30 days) |
| CIMDUO - lamivudine-tenofovir disoproxil fumarate tab 300-300 mg | 5 | QL (30 tablets/30 days) |
| COMPLERA - emtricitabine-rilpivirine-tenofovir df tab 200-25-300 mg | 5 | QL (30 tablets/30 days) |
| darunavir tab 600 mg | 5 | QL (60 tablets/30 days) |
| darunavir tab 800 mg | 5 | QL (30 tablets/30 days) |
| DELSTRIGO - doravirine-lamivudine-tenofovir df tab 100-300-300 mg | 5 | QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| DESCOVY - emtricitabine-tenofovir alafenamide fumarate tab 120-15 mg, 200-25 mg | 5 | QL (30 tablets/30 days) |
| DOVATO - dolutegravir sodium-lamivudine tab 50-300 mg (base eq) | 5 | QL (30 tablets/30 days) |
| EDURANT - rilpivirine hcl tab 25 mg (base equivalent) | 5 | QL (30 tablets/30 days) |
| efavirenz tab 600 mg | 4 | QL (30 tablets/30 days) |
| efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg | 5 | QL (30 tablets/30 days) |
| efavirenz-lamivudine-tenofovir df tab 400-300-300 mg, 600-300-300 mg | 5 | QL (30 tablets/30 days) |
| emtricitabine caps 200 mg | 4 | QL (30 capsules/30 days) |
| emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg, 133-200 mg, 167-250 mg | 5 | QL (30 tablets/30 days) |
| emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg | 4 | QL (30 tablets/30 days) |
| EMTRIVA - emtricitabine soln 10 mg/ml | 4 | QL (850 mls/30 days) |
| entecavir tab 0.5 mg, 1 mg | 4 | |
| etravirine tab 100 mg, 200 mg | 5 | QL (60 tablets/30 days) |
| EVOTAZ - atazanavir sulfate-cobicistat tab 300-150 mg (base equiv) | 5 | QL (30 tablets/30 days) |
| famciclovir tab 125 mg, 250 mg, 500 mg | 3 | |
| fosamprenavir calcium tab 700 mg (base equiv) | 5 | QL (120 tablets/30 days) |
| FUZEON - enfuvirtide for inj 90 mg | 5 | QL (60 vials/30 days) |
| GENVOYA - elvitegrav-cobic-emtricitab-tenofov af tab 150-150-200-10 mg | 5 | QL (30 tablets/30 days) |
| INTELENCE - etravirine tab 25 mg | 4 | QL (120 tablets/30 days) |
| ISENTRESS - raltegravir potassium chew tab 25 mg (base equiv), 100 mg (base equiv) | 3 | QL (180 tablets/30 days) |
| ISENTRESS - raltegravir potassium packet for susp 100 mg (base equiv) | 4 | QL (60 packets/30 days) |
| ISENTRESS - raltegravir potassium tab 400 mg (base equiv) | 5 | QL (60 tablets/30 days) |
| ISENTRESS HD - raltegravir potassium tab 600 mg (base equiv) | 5 | QL (60 tablets/30 days) |
| JULUCA - dolutegravir sodium-rilpivirine hcl tab 50-25 mg (base eq) | 5 | QL (30 tablets/30 days) |
| lamivudine oral soln 10 mg/ml | 3 | QL (960 mls/30 days) |
| lamivudine tab 100 mg (hbv) | 3 | |
| lamivudine tab 150 mg | 3 | QL (60 tablets/30 days) |
| lamivudine tab 300 mg | 3 | QL (30 tablets/30 days) |
| lamivudine-zidovudine tab 150-300 mg | 4 | QL (60 tablets/30 days) |
| LIVTENCITY - maribavir tab 200 mg* | 5 | QL (120 tablets/30 days) |
| lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml) | 4 | QL (480 mls/30 days) |
| lopinavir-ritonavir tab 100-25 mg | 4 | QL (300 tablets/30 days) |
| lopinavir-ritonavir tab 200-50 mg | 4 | QL (120 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| <i>maraviroc tab 150 mg</i> | 5 | QL (60 tablets/30 days) |
| <i>maraviroc tab 300 mg</i> | 5 | QL (120 tablets/30 days) |
| MAVYRET - glecaprevir-pibrentasvir pellet pack 50-20 mg | 5 | PA |
| MAVYRET - glecaprevir-pibrentasvir tab 100-40 mg | 5 | PA |
| <i>nevirapine susp 50 mg/5ml</i> | 4 | QL (1200 mls/30 days) |
| <i>nevirapine tab er 24hr 400 mg</i> | 4 | QL (30 tablets/30 days) |
| <i>nevirapine tab 200 mg</i> | 3 | QL (60 tablets/30 days) |
| NORVIR - ritonavir powder packet 100 mg | 4 | QL (360 packets/30 days) |
| ODEFSEY - emtricitabine- rilpivirine-tenofovir af tab 200-25-25 mg | 5 | QL (30 tablets/30 days) |
| <i>oseltamivir phosphate cap 30 mg (base equiv)</i> | 3 | QL (168 capsules/365 days) |
| <i>oseltamivir phosphate cap 45 mg (base equiv), 75 mg (base equiv)</i> | 3 | QL (84 capsules/365 days) |
| <i>oseltamivir phosphate for susp 6 mg/ml (base equiv)</i> | 3 | QL (1080 mls/365 days) |
| PAXLOVID - nirmatrelvir tab 10 x 150 mg & ritonavir tab 10 x 100 mg pak | 3 | QL (20 tablets/30 days) |
| PAXLOVID - nirmatrelvir tab 20 x 150 mg & ritonavir tab 10 x 100 mg pak | 3 | QL (30 tablets/30 days) |
| PIFELTRO - doravirine tab 100 mg | 5 | QL (30 tablets/30 days) |
| PREVYMIS - letermovir tab 240 mg, 480 mg | 5 | QL (30 tablets/30 days) |
| PREZCOBIX - darunavir-cobicistat tab 800-150 mg | 5 | QL (30 tablets/30 days) |
| PREZISTA - darunavir oral susp 100 mg/ml | 5 | QL (400 mls/30 days) |
| PREZISTA - darunavir tab 75 mg | 4 | QL (300 tablets/30 days) |
| PREZISTA - darunavir tab 150 mg | 5 | QL (180 tablets/30 days) |
| RELENZA DISKHALER - zanamivir aerosol powder breath activated 5 mg/act | 4 | QL (6 boxes/365 days) |
| REYATAZ - atazanavir sulfate oral powder packet 50 mg (base equiv) | 5 | QL (240 packets/30 days) |
| <i>ribavirin cap 200 mg</i> | 3 | |
| <i>ribavirin tab 200 mg</i> | 3 | |
| <i>ritonavir tab 100 mg</i> | 3 | QL (360 tablets/30 days) |
| RUKOBIA - fostemsavir tromethamine tab er 12hr 600 mg | 5 | QL (60 tablets/30 days) |
| SELZENTRY - maraviroc oral soln 20 mg/ml | 5 | QL (1840 mls/30 days) |
| STRIBILD - elvitegrav-cobic-emtricitab-tenofovd tab 150-150-200-300 mg | 5 | QL (30 tablets/30 days) |
| SUNLENCA - lenacapavir sodium tab therapy pack 4 x 300 mg | 5 | QL (4 tablets/28 days) |
| SUNLENCA - lenacapavir sodium tab therapy pack 5 x 300 mg | 5 | QL (5 tablets/28 days) |
| SYMTUZA - darunavir-cobic-emtricitab-tenofov af tab 800-150-200-10 mg | 5 | QL (30 tablets/30 days) |
| <i>tenofovir disoproxil fumarate tab 300 mg</i> | 4 | QL (30 tablets/30 days) |
| TIVICAY - dolutegravir sodium tab 50 mg (base equiv) | 5 | QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--|
| TIVICAY PD - dolutegravir sodium tab for oral susp 5 mg (base equiv) | 5 | QL (360 tablets/30 days) |
| TRIUMEQ - abacavir-dolutegravir-lamivudine tab 600-50-300 mg | 5 | QL (30 tablets/30 days) |
| TRIUMEQ PD - abacavir-dolutegravir-lamivudine tab for oral sus 60-5-30 mg | 5 | QL (180 tablets/30 days) |
| TYBOST - cobicistat tab 150 mg | 3 | QL (30 tablets/30 days) |
| <i>valacyclovir hcl tab 500 mg, 1 gm</i> | 2 | |
| <i>valganciclovir hcl for soln 50 mg/ml (base equiv)</i> | 5 | |
| <i>valganciclovir hcl tab 450 mg (base equivalent)</i> | 3 | |
| VIRACEPT - nelfinavir mesylate tab 250 mg | 5 | QL (270 tablets/30 days) |
| VIRACEPT - nelfinavir mesylate tab 625 mg | 5 | QL (120 tablets/30 days) |
| VIREAD - tenofovir disoproxil fumarate oral powder 40 mg/gm | 5 | QL (240 grams/30 days) |
| VIREAD - tenofovir disoproxil fumarate tab 150 mg, 200 mg, 250 mg | 5 | QL (30 tablets/30 days) |
| XOFLUZA - baloxavir marboxil tab therapy pack 1 x 40 mg (40 mg dose) | 4 | QL (4 tablets/365 days) |
| XOFLUZA - baloxavir marboxil tab therapy pack 1 x 80 mg (80 mg dose) | 4 | QL (2 tablets/365 days) |
| <i>zidovudine cap 100 mg</i> | 4 | QL (180 capsules/30 days) |
| <i>zidovudine syrup 10 mg/ml</i> | 4 | QL (1920 mls/30 days) |
| <i>zidovudine tab 300 mg</i> | 2 | QL (60 tablets/30 days) |
| Anxiolytics | | |
| <i>alprazolam tab 0.25 mg, 0.5 mg, 1 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>alprazolam tab 2 mg</i> | 2 | QL (150 tablets/30 days) |
| <i>buspirone hcl tab 5 mg, 7.5 mg, 10 mg, 15 mg, 30 mg</i> | 2 | |
| <i>clonazepam orally disintegrating tab 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 4 | QL (90 tablets/30 days) |
| <i>clonazepam orally disintegrating tab 2 mg</i> | 4 | QL (300 tablets/30 days) |
| <i>clonazepam tab 0.5 mg, 1 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>clonazepam tab 2 mg</i> | 2 | QL (300 tablets/30 days) |
| <i>clorazepate dipotassium tab 3.75 mg</i> | 4 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>clorazepate dipotassium tab 7.5 mg</i> | 4 | PA (>=65 yr), QL (360 tablets/30 days) |
| <i>clorazepate dipotassium tab 15 mg</i> | 4 | PA (>=65 yr), QL (180 tablets/30 days) |
| <i>diazepam oral soln 1 mg/ml</i> | 4 | PA (>=65 yr), QL (1200 mls/30 days) |
| <i>diazepam tab 2 mg, 5 mg, 10 mg</i> | 2 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>hydroxyzine hcl tab 10 mg, 25 mg, 50 mg#</i> | 3 | PA (>=65 yr) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| <i>lorazepam conc 2 mg/ml</i> | 2 | PA (>=65 yr), QL (150 mls/30 days) |
| <i>lorazepam intensol - lorazepam conc 2 mg/ml</i> | 2 | PA (>=65 yr), QL (150 mls/30 days) |
| <i>lorazepam tab 0.5 mg, 1 mg</i> | 2 | PA (>=65 yr), QL (120 tablets/30 days) |
| <i>lorazepam tab 2 mg</i> | 2 | PA (>=65 yr), QL (150 tablets/30 days) |
| Bipolar Agents | | |
| <i>lithium carbonate cap 150 mg, 300 mg</i> | 2 | |
| <i>lithium carbonate cap 600 mg</i> | 2 | |
| <i>lithium carbonate tab er 300 mg, 450 mg</i> | 2 | |
| <i>lithium carbonate tab 300 mg</i> | 2 | |
| <i>lithium oral solution 8 meq/5ml</i> | 4 | |
| Blood Glucose Regulators | | |
| <i>acarbose tab 25 mg</i> | 2 | QL (360 tablets/30 days) |
| <i>acarbose tab 50 mg</i> | 2 | QL (180 tablets/30 days) |
| <i>acarbose tab 100 mg</i> | 2 | QL (90 tablets/30 days) |
| ALCOHOL SWABS | 3 | PA |
| BYDUREON BCISE - exenatide extended release susp auto-injector 2 mg/0.85ml | 3 | PA, QL (4 pens/28 days) |
| <i>diazoxide susp 50 mg/ml</i> | 4 | |
| FARXIGA - dapagliflozin propanediol tab 5 mg (base equivalent) | 3 | QL (60 tablets/30 days) |
| FARXIGA - dapagliflozin propanediol tab 10 mg (base equivalent) | 3 | QL (30 tablets/30 days) |
| GAUZE PADS 2" X 2" | 3 | PA |
| <i>glimepiride tab 1 mg#</i> | 1 | QL (240 tablets/30 days) |
| <i>glimepiride tab 2 mg#</i> | 1 | QL (120 tablets/30 days) |
| <i>glimepiride tab 4 mg#</i> | 1 | QL (60 tablets/30 days) |
| <i>glipizide tab er 24hr 2.5 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>glipizide tab er 24hr 5 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>glipizide tab er 24hr 10 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>glipizide tab 5 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>glipizide tab 10 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>glipizide xl - glipizide tab er 24hr 2.5 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>glipizide xl - glipizide tab er 24hr 5 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>glipizide xl - glipizide tab er 24hr 10 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 1 | QL (240 tablets/30 days) |
| <i>glipizide-metformin hcl tab 2.5-500 mg, 5-500 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>glyburide micronized tab 1.5 mg#</i> | 2 | QL (240 tablets/30 days) |
| <i>glyburide micronized tab 3 mg#</i> | 2 | QL (120 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| <i>glyburide micronized tab 6 mg#</i> | 2 | QL (60 tablets/30 days) |
| <i>glyburide tab 1.25 mg#</i> | 2 | QL (480 tablets/30 days) |
| <i>glyburide tab 2.5 mg#</i> | 2 | QL (240 tablets/30 days) |
| <i>glyburide tab 5 mg#</i> | 2 | QL (120 tablets/30 days) |
| <i>glyburide-metformin tab 1.25-250 mg#</i> | 2 | QL (240 tablets/30 days) |
| <i>glyburide-metformin tab 2.5-500 mg, 5-500 mg#</i> | 2 | QL (120 tablets/30 days) |
| GLYXAMBI - empagliflozin-linagliptin tab 10-5 mg, 25-5 mg | 4 | QL (30 tablets/30 days) |
| GVOKE HYPOPEN 1-PACK - glucagon subcutaneous solution auto-injector 0.5 mg/0.1ml, 1 mg/0.2ml | 3 | QL (4 syringes/30 days) |
| GVOKE HYPOPEN 2-PACK - glucagon subcutaneous solution auto-injector 0.5 mg/0.1ml, 1 mg/0.2ml | 3 | QL (4 syringes/30 days) |
| GVOKE KIT - glucagon subcutaneous soln 1 mg/0.2ml | 3 | QL (4 vials/30 days) |
| GVOKE PFS - glucagon subcutaneous soln pref syringe 1 mg/0.2ml | 3 | QL (4 syringes/30 days) |
| HUMALOG - insulin lispro inj soln 100 unit/ml | 3 | QL (60 mls/30 days) |
| HUMALOG - insulin lispro soln cartridge 100 unit/ml | 3 | QL (20 cartridges/30 days) |
| HUMALOG JUNIOR KWIKPEN - insulin lispro soln pen-injector 100 unit/ml (0.5 unit dial) | 3 | QL (20 pens/30 days) |
| HUMALOG KWIKPEN - insulin lispro soln pen-injector 100 unit/ml (1 unit dial), 200 unit/ml | 3 | QL (20 pens/30 days) |
| HUMALOG MIX 50/50 KWIKPEN - insulin lispro prot & lispro sus pen-inj 100 unit/ml (50-50) | 3 | QL (20 pens/30 days) |
| HUMALOG MIX 75/25 - insulin lispro prot & lispro inj 100 unit/ml (75-25) | 3 | QL (6 vials/30 days) |
| HUMALOG MIX 75/25 KWIKPEN - insulin lispro prot & lispro sus pen-inj 100 unit/ml (75-25) | 3 | QL (20 pens/30 days) |
| HUMALOG TEMPO PEN - insulin lispro soln pen-inj w/transmitter port 100 unit/ml | 3 | QL (20 pens/30 days) |
| HUMULIN N - insulin nph (human) (isophane) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| HUMULIN N KWIKPEN - insulin nph (human) (isophane) susp pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| HUMULIN R - insulin regular (human) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| HUMULIN R U-500 (CONCENTRATED) - insulin regular (human) inj 500 unit/ml | 3 | BD |
| HUMULIN R U-500 KWIKPEN - insulin regular (human) soln pen-injector 500 unit/ml | 3 | QL (20 pens/30 days) |
| HUMULIN 70/30 - insulin nph isophane & regular human inj 100 unit/ml (70-30) | 3 | QL (60 mls/30 days) |
| HUMULIN 70/30 KWIKPEN - insulin nph & regular susp pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| INSULIN SYRINGE/NEEDLE | 3 | PA |
| JANUMET - sitagliptin-metformin hcl tab 50-500 mg, 50-1000 mg | 3 | QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| JANUMET XR - sitagliptin-metformin hcl tab er 24hr 50-500 mg, 100-1000 mg | 3 | QL (30 tablets/30 days) |
| JANUMET XR - sitagliptin-metformin hcl tab er 24hr 50-1000 mg | 3 | QL (60 tablets/30 days) |
| JANUVIA - sitagliptin phosphate tab 25 mg (base equiv), 50 mg (base equiv), 100 mg (base equiv) | 3 | QL (30 tablets/30 days) |
| JARDIANCE - empagliflozin tab 10 mg, 25 mg | 3 | QL (30 tablets/30 days) |
| JENTADUETO - linagliptin-metformin hcl tab 2.5-500 mg, 2.5-850 mg, 2.5-1000 mg | 3 | QL (60 tablets/30 days) |
| JENTADUETO XR - linagliptin-metformin hcl tab er 24hr 2.5-1000 mg | 3 | QL (60 tablets/30 days) |
| JENTADUETO XR - linagliptin-metformin hcl tab er 24hr 5-1000 mg | 3 | QL (30 tablets/30 days) |
| LANTUS - insulin glargine inj 100 unit/ml | 3 | QL (6 vials/30 days) |
| LANTUS SOLOSTAR - insulin glargine soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| LYUMJEV - insulin lispro-aabc inj 100 unit/ml | 3 | QL (6 vials/30 days) |
| LYUMJEV KWIKPEN - insulin lispro-aabc soln pen-injector 200 unit/ml | 3 | QL (20 pens/30 days) |
| LYUMJEV KWIKPEN - insulin lispro-aabc soln pen-inj 100 unit/ml (1 unit dial) | 3 | QL (20 pens/30 days) |
| LYUMJEV TEMPO PEN - insulin lispro-aabc soln pen-inj w/transmit port 100 unit/ml | 3 | QL (20 pens/30 days) |
| <i>metformin hcl tab er 24hr 500 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>metformin hcl tab er 24hr 750 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>metformin hcl tab 500 mg</i> | 1 | QL (150 tablets/30 days) |
| <i>metformin hcl tab 850 mg</i> | 1 | QL (90 tablets/30 days) |
| <i>metformin hcl tab 1000 mg</i> | 1 | QL (75 tablets/30 days) |
| MOUNJARO - tirzepatide soln auto-injector 2.5 mg/0.5ml, 5 mg/0.5ml, 7.5 mg/0.5ml, 10 mg/0.5ml, 12.5 mg/0.5ml, 15 mg/0.5ml | 3 | PA, QL (4 pens/28 days) |
| <i>nateglinide tab 60 mg</i> | 3 | QL (180 tablets/30 days) |
| <i>nateglinide tab 120 mg</i> | 3 | QL (90 tablets/30 days) |
| NOVOLIN N - insulin nph (human) (isophane) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| NOVOLIN N FLEXPEN - insulin nph (human) (isophane) susp pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLIN N FLEXPEN RELION - insulin nph (human) (isophane) susp pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLIN N RELION - insulin nph (human) (isophane) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| NOVOLIN R - insulin regular (human) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| NOVOLIN R FLEXPEN - insulin regular (human) soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLIN R FLEXPEN RELION - insulin regular (human) soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| NOVOLIN R RELION - insulin regular (human) inj 100 unit/ml | 3 | QL (60 mls/30 days) |
| NOVOLIN 70/30 - insulin nph isophane & regular human inj 100 unit/ml (70-30) | 3 | QL (60 mls/30 days) |
| NOVOLIN 70/30 FLEXPEN - insulin nph & regular susp pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLIN 70/30 FLEXPEN RELION - insulin nph & regular susp pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLIN 70/30 RELION - insulin nph isophane & regular human inj 100 unit/ml (70-30) | 3 | QL (60 mls/30 days) |
| NOVOLOG - insulin aspart inj soln 100 unit/ml | 3 | QL (6 vials/30 days) |
| NOVOLOG FLEXPEN - insulin aspart soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLOG FLEXPEN RELION - insulin aspart soln pen-injector 100 unit/ml | 3 | QL (20 pens/30 days) |
| NOVOLOG MIX 70/30 - insulin aspart prot & aspart (human) inj 100 unit/ml (70-30) | 3 | QL (6 vials/30 days) |
| NOVOLOG MIX 70/30 PREFILLED FLEXPEN - insulin aspart prot & aspart sus pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLOG MIX 70/30 PREFILLED FLEXPEN RELION - insulin aspart prot & aspart sus pen-inj 100 unit/ml (70-30) | 3 | QL (20 pens/30 days) |
| NOVOLOG MIX 70/30 RELION - insulin aspart prot & aspart (human) inj 100 unit/ml (70-30) | 3 | QL (6 vials/30 days) |
| NOVOLOG PENFILL - insulin aspart soln cartridge 100 unit/ml | 3 | QL (20 cartridges/30 days) |
| NOVOLOG RELION - insulin aspart inj soln 100 unit/ml | 3 | QL (6 vials/30 days) |
| OMNIPOD 5 DEXCOM G7G6 INTRO KIT (GEN 5) - insulin infusion disposable pump kit | 3 | PA, QL (1 kit/720 days) |
| OMNIPOD 5 DEXCOM G7G6 PODS (GEN 5) - insulin infusion disposable pump reservoir | 3 | PA, QL (15 pods/30 days) |
| OMNIPOD 5 LIBRE2 PLUS G6 - insulin infusion disposable pump kit | 3 | PA, QL (1 kit/720 days) |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS - insulin infusion disposable pump reservoir | 3 | PA, QL (15 pods/30 days) |
| OZEMPIC - semaglutide soln pen-inj 0.25 or 0.5 mg/dose (2 mg/3ml), 1 mg/dose (4 mg/3ml), 2 mg/dose (8 mg/3ml) | 3 | PA, QL (1 pen/28 days) |
| <i>pioglitazone hcl tab 15 mg (base equiv)</i> | 1 | QL (90 tablets/30 days) |
| <i>pioglitazone hcl tab 30 mg (base equiv), 45 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| <i>pioglitazone hcl-glimepiride tab 30-2 mg, 30-4 mg#</i> | 4 | QL (30 tablets/30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-500 mg, 15-850 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>repaglinide tab 0.5 mg</i> | 1 | QL (960 tablets/30 days) |
| <i>repaglinide tab 1 mg</i> | 1 | QL (480 tablets/30 days) |
| <i>repaglinide tab 2 mg</i> | 1 | QL (240 tablets/30 days) |
| RYBELSUS - semaglutide tab 3 mg, 7 mg, 14 mg | 3 | PA, QL (30 tablets/30 days) |
| SOLIQUA 100/33 - insulin glargine-lixisenatide sol pen-inj 100-33 unit-mcg/ml | 3 | QL (6 pens/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------|
| SYMLINPEN 120 - pramlintide acetate pen-inj 2700 mcg/2.7ml (1000 mcg/ml) | 5 | |
| SYMLINPEN 60 - pramlintide acetate pen-inj 1500 mcg/1.5ml (1000 mcg/ml) | 5 | |
| SYNJARDY - empagliflozin-metformin hcl tab 5-500 mg | 3 | QL (120 tablets/30 days) |
| SYNJARDY - empagliflozin-metformin hcl tab 5-1000 mg, 12.5-500 mg, 12.5-1000 mg | 3 | QL (60 tablets/30 days) |
| SYNJARDY XR - empagliflozin-metformin hcl tab er 24hr 5-1000 mg, 10-1000 mg, 12.5-1000 mg | 3 | QL (60 tablets/30 days) |
| SYNJARDY XR - empagliflozin-metformin hcl tab er 24hr 25-1000 mg | 3 | QL (30 tablets/30 days) |
| TOUJEO MAX SOLOSTAR - insulin glargine soln pen-injector 300 unit/ml (2 unit dial) | 3 | QL (60 mls/30 days) |
| TOUJEO SOLOSTAR - insulin glargine soln pen-injector 300 unit/ml (1 unit dial) | 3 | QL (60 mls/30 days) |
| TRADJENTA - linagliptin tab 5 mg | 3 | QL (30 tablets/30 days) |
| TRULICITY - dulaglutide soln auto-injector 0.75 mg/0.5ml, 1.5 mg/0.5ml, 3 mg/0.5ml, 4.5 mg/0.5ml | 3 | PA, QL (4 pens/28 days) |
| XIGDUO XR - dapagliflozin prop-metformin hcl tab er 24hr 2.5-1000 mg, 5-500 mg, 5-1000 mg | 3 | QL (60 tablets/30 days) |
| XIGDUO XR - dapagliflozin prop-metformin hcl tab er 24hr 10-500 mg, 10-1000 mg | 3 | QL (30 tablets/30 days) |
| Blood Products and Modifiers | | |
| <i>anagrelide hcl cap 0.5 mg, 1 mg</i> | 3 | |
| <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 4 | |
| BRILINTA - ticagrelor tab 60 mg, 90 mg | 4 | |
| <i>cilostazol tab 50 mg, 100 mg</i> | 2 | |
| <i>clopidogrel bisulfate tab 75 mg (base equiv)</i> | 1 | |
| <i>dabigatran etexilate mesylate cap 75 mg (etexilate base eq), 150 mg (etexilate base eq)</i> | 4 | QL (60 capsules/30 days) |
| <i>dabigatran etexilate mesylate cap 110 mg (etexilate base eq)</i> | 4 | QL (120 capsules/30 days) |
| ELIQUIS - apixaban tab 2.5 mg | 3 | QL (60 tablets/30 days) |
| ELIQUIS - apixaban tab 5 mg | 3 | QL (74 tablets/30 days) |
| ELIQUIS STARTER PACK - apixaban tab starter pack 5 mg | 3 | QL (74 tablets/30 days) |
| <i>enoxaparin sodium inj soln pref syr 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml, 100 mg/ml, 120 mg/0.8ml, 150 mg/ml</i> | 4 | QL (30 syringes/90 days) |
| <i>fondaparinux sodium subcutaneous inj 2.5 mg/0.5ml</i> | 4 | QL (30 syringes/90 days) |
| <i>fondaparinux sodium subcutaneous inj 5 mg/0.4ml, 7.5 mg/0.6ml, 10 mg/0.8ml</i> | 5 | QL (30 syringes/90 days) |
| GRANIX - tbo-filgrastim soln prefilled syringe 300 mcg/0.5ml, 480 mcg/0.8ml | 5 | PA |
| GRANIX - tbo-filgrastim subcutaneous inj 300 mcg/ml, 480 mcg/1.6ml (300 mcg/ml) | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>heparin sodium (porcine) inj 1000 unit/ml, 5000 unit/ml, 10000 unit/ml, 20000 unit/ml</i> | 3 | |
| <i>heparin sodium (porcine) pf inj 5000 unit/ml</i> | 3 | |
| <i>heparin sodium (porcine) pf inj 1000 unit/ml</i> | 3 | |
| <i>jantoven - warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg</i> | 1 | |
| LEUKINE - sargramostim lyophilized for inj 250 mcg | 5 | PA |
| <i>prasugrel hcl tab 5 mg (base equiv), 10 mg (base equiv)</i> | 3 | |
| PROCRT - epoetin alfa inj 2000 unit/ml, 3000 unit/ml, 4000 unit/ml, 10000 unit/ml | 4 | PA |
| PROCRT - epoetin alfa inj 20000 unit/ml, 40000 unit/ml | 5 | PA |
| PROMACTA - eltrombopag olamine powder pack for susp 25 mg (base equiv), 12.5 mg (base eq)* | 5 | PA |
| PROMACTA - eltrombopag olamine tab 12.5 mg (base equiv), 25 mg (base equiv), 50 mg (base equiv), 75 mg (base equiv)* | 5 | PA |
| RETACRIT - epoetin alfa-epbx inj 2000 unit/ml, 3000 unit/ml, 4000 unit/ml, 10000 unit/ml, 20000 unit/ml, 40000 unit/ml | 4 | PA |
| <i>tranexamic acid tab 650 mg</i> | 3 | |
| <i>warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg</i> | 1 | |
| XARELTO - rivaroxaban for susp 1 mg/ml | 3 | QL (4 bottles/30 days) |
| XARELTO - rivaroxaban tab 2.5 mg, 15 mg | 3 | QL (60 tablets/30 days) |
| XARELTO - rivaroxaban tab 10 mg, 20 mg | 3 | QL (30 tablets/30 days) |
| XARELTO STARTER PACK - rivaroxaban tab starter therapy pack 15 mg & 20 mg | 3 | QL (51 tablets/30 days) |
| Cardiovascular Agents | | |
| <i>acebutolol hcl cap 200 mg, 400 mg</i> | 2 | |
| <i>acetazolamide cap er 12hr 500 mg</i> | 4 | |
| <i>acetazolamide tab 125 mg, 250 mg</i> | 3 | |
| <i>aliskiren fumarate tab 150 mg (base equivalent), 300 mg (base equivalent)</i> | 4 | QL (30 tablets/30 days) |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 2 | |
| <i>amiloride hcl tab 5 mg</i> | 2 | |
| <i>amiodarone hcl tab 100 mg</i> | 4 | |
| <i>amiodarone hcl tab 200 mg</i> | 2 | |
| <i>amlodipine besylate tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 1 | |
| <i>amlodipine besylate-atorvastatin calcium tab 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg, 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 4 | |
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>amlodipine besylate-valsartan tab 5-160 mg, 5-320 mg, 10-160 mg, 10-320 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 5-160-12.5 mg, 5-160-25 mg, 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>atenolol & chlorthalidone tab 50-25 mg, 100-25 mg</i> | 1 | |
| <i>atenolol tab 25 mg, 50 mg, 100 mg</i> | 1 | |
| <i>atorvastatin calcium tab 10 mg (base equivalent), 20 mg (base equivalent), 40 mg (base equivalent)</i> | 1 | QL (45 tablets/30 days) |
| <i>atorvastatin calcium tab 80 mg (base equivalent)</i> | 1 | QL (30 tablets/30 days) |
| <i>benazepril & hydrochlorothiazide tab 5-6.25 mg, 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>benazepril hcl tab 5 mg, 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>betaxolol hcl tab 10 mg, 20 mg</i> | 3 | |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg, 5-6.25 mg, 10-6.25 mg</i> | 2 | |
| <i>bisoprolol fumarate tab 5 mg, 10 mg</i> | 2 | |
| <i>bumetanide inj 0.25 mg/ml</i> | 4 | |
| <i>bumetanide tab 0.5 mg, 1 mg</i> | 2 | |
| <i>bumetanide tab 2 mg</i> | 3 | |
| <i>candesartan cilexetil tab 4 mg, 8 mg, 16 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>candesartan cilexetil tab 32 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>captopril tab 12.5 mg, 25 mg, 50 mg, 100 mg</i> | 1 | |
| <i>cartia xt - diltiazem hcl coated beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | |
| <i>carvedilol tab 3.125 mg, 6.25 mg, 12.5 mg, 25 mg</i> | 1 | |
| <i>chlorthalidone tab 25 mg, 50 mg</i> | 2 | |
| <i>cholestyramine light powder packets 4 gm</i> | 3 | |
| <i>cholestyramine light powder 4 gm/dose</i> | 3 | |
| <i>cholestyramine powder packets 4 gm</i> | 3 | |
| <i>cholestyramine powder 4 gm/dose</i> | 3 | |
| <i>choline fenofibrate cap dr 45 mg (fenofibric acid equiv)</i> | 3 | QL (60 capsules/30 days) |
| <i>choline fenofibrate cap dr 135 mg (fenofibric acid equiv)</i> | 3 | QL (30 capsules/30 days) |
| <i>clonidine hcl tab 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine td patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i> | 4 | |
| <i>colestipol hcl granule packets 5 gm</i> | 4 | |
| <i>colestipol hcl granules 5 gm</i> | 4 | |
| <i>colestipol hcl tab 1 gm</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| CORLANOR - ivabradine hcl oral soln 5 mg/5ml (base equiv) | 4 | PA, QL (600 mls/30 days) |
| <i>digoxin oral soln 0.05 mg/ml#</i> | 4 | QL (150 mls/30 days) |
| <i>digoxin tab 125 mcg (0.125 mg), 250 mcg (0.25 mg)#</i> | 2 | QL (30 tablets/30 days) |
| <i>dilt-xr - diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>diltiazem hcl coated beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | 2 | |
| <i>diltiazem hcl extended release beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 2 | |
| <i>diltiazem hcl tab er 24hr 120 mg</i> | 3 | |
| <i>diltiazem hcl tab 30 mg, 60 mg, 90 mg, 120 mg</i> | 2 | |
| <i>dofetilide cap 125 mcg (0.125 mg), 250 mcg (0.25 mg), 500 mcg (0.5 mg)</i> | 4 | |
| <i>doxazosin mesylate tab 1 mg, 2 mg, 4 mg, 8 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>droxidopa cap 100 mg, 200 mg, 300 mg</i> | 5 | PA |
| <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg, 10-25 mg</i> | 1 | |
| <i>enalapril maleate tab 2.5 mg, 5 mg, 10 mg, 20 mg</i> | 1 | |
| ENTRESTO - sacubitril-valsartan sprinkle cap 6-6 mg, 15-16 mg | 3 | QL (240 capsules/30 days) |
| ENTRESTO - sacubitril-valsartan tab 24-26 mg | 3 | QL (180 tablets/30 days) |
| ENTRESTO - sacubitril-valsartan tab 49-51 mg, 97-103 mg | 3 | QL (60 tablets/30 days) |
| <i>ezetimibe tab 10 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>ezetimibe-simvastatin tab 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>felodipine tab er 24hr 2.5 mg, 5 mg, 10 mg</i> | 2 | |
| <i>fenofibrate micronized cap 67 mg, 134 mg, 200 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>fenofibrate tab 48 mg, 54 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>fenofibrate tab 145 mg, 160 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>flecainide acetate tab 50 mg, 100 mg, 150 mg</i> | 2 | |
| <i>fluvastatin sodium cap 20 mg (base equivalent), 40 mg (base equivalent)</i> | 4 | QL (60 capsules/30 days) |
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg</i> | 1 | |
| <i>fosinopril sodium tab 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>furosemide inj 10 mg/ml</i> | 4 | |
| <i>furosemide oral soln 8 mg/ml</i> | 2 | |
| <i>furosemide oral soln 10 mg/ml</i> | 2 | |
| <i>furosemide tab 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>gemfibrozil tab 600 mg</i> | 2 | QL (60 tablets/30 days) |
| <i>guanfacine hcl tab 1 mg, 2 mg#</i> | 3 | |
| <i>hydralazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>hydrochlorothiazide cap 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide tab 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>icosapent ethyl cap 0.5 gm</i> | 4 | QL (240 capsules/30 days) |
| <i>icosapent ethyl cap 1 gm</i> | 4 | QL (120 capsules/30 days) |
| <i>indapamide tab 1.25 mg, 2.5 mg</i> | 1 | |
| <i>irbesartan tab 75 mg, 150 mg, 300 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg, 300-12.5 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>isosorbide dinitrate tab 5 mg, 10 mg, 20 mg, 30 mg</i> | 3 | |
| <i>isosorbide mononitrate tab er 24hr 30 mg, 60 mg, 120 mg</i> | 2 | |
| <i>ivabradine hcl tab 5 mg (base equiv), 7.5 mg (base equiv)</i> | 4 | PA, QL (60 tablets/30 days) |
| KERENDIA - finerenone tab 10 mg, 20 mg | 3 | PA, QL (30 tablets/30 days) |
| <i>labetalol hcl tab 100 mg, 200 mg, 300 mg</i> | 2 | |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>lisinopril tab 2.5 mg, 5 mg, 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg, 100-12.5 mg, 100-25 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>losartan potassium tab 25 mg, 50 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>losartan potassium tab 100 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>lovastatin tab 10 mg, 20 mg, 40 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>methazolamide tab 25 mg, 50 mg</i> | 4 | |
| <i>metolazone tab 2.5 mg, 5 mg, 10 mg</i> | 3 | |
| <i>metoprolol & hydrochlorothiazide tab 50-25 mg, 100-25 mg, 100-50 mg</i> | 2 | |
| <i>metoprolol succinate tab er 24hr 25 mg (tartrate equiv), 50 mg (tartrate equiv), 100 mg (tartrate equiv), 200 mg (tartrate equiv)</i> | 1 | |
| <i>metoprolol tartrate tab 25 mg, 37.5 mg, 50 mg, 75 mg, 100 mg</i> | 1 | |
| <i>metyrosine cap 250 mg</i> | 5 | |
| <i>mexiletine hcl cap 150 mg, 200 mg, 250 mg</i> | 4 | |
| <i>midodrine hcl tab 2.5 mg, 5 mg, 10 mg</i> | 4 | |
| <i>minoxidil tab 2.5 mg, 10 mg</i> | 2 | |
| <i>moexipril hcl tab 7.5 mg, 15 mg</i> | 1 | |
| MULTAQ - dronedarone hcl tab 400 mg (base equivalent) | 4 | |
| <i>nebivolol hcl tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent), 20 mg (base equivalent)</i> | 4 | |
| <i>niacin tab er 500 mg (antihyperlipidemic)</i> | 4 | QL (30 tablets/30 days) |
| <i>niacin tab er 750 mg (antihyperlipidemic), 1000 mg (antihyperlipidemic)</i> | 4 | QL (60 tablets/30 days) |
| <i>nifedipine tab er 24hr 30 mg, 60 mg, 90 mg</i> | 3 | |
| <i>nifedipine tab er 24hr osmotic release 30 mg, 60 mg, 90 mg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>nimodipine cap 30 mg</i> | 4 | |
| NITRO-BID - nitroglycerin oint 2% | 4 | |
| <i>nitroglycerin oint 0.4%</i> | 4 | |
| <i>nitroglycerin sl tab 0.3 mg, 0.4 mg, 0.6 mg</i> | 2 | |
| <i>nitroglycerin td patch 24hr 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 2 | |
| <i>olmesartan medoxomil tab 5 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>olmesartan medoxomil tab 20 mg, 40 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg, 40-5-12.5 mg, 40-5-25 mg, 40-10-12.5 mg, 40-10-25 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | 4 | |
| <i>pacerone - amiodarone hcl tab 100 mg</i> | 4 | |
| <i>pacerone - amiodarone hcl tab 200 mg</i> | 2 | |
| <i>pentoxifylline tab er 400 mg</i> | 2 | |
| <i>perindopril erbumine tab 2 mg</i> | 1 | |
| <i>perindopril erbumine tab 4 mg</i> | 1 | |
| <i>perindopril erbumine tab 8 mg</i> | 1 | |
| <i>phenoxybenzamine hcl cap 10 mg</i> | 5 | |
| <i>pindolol tab 5 mg, 10 mg</i> | 3 | |
| <i>pravastatin sodium tab 10 mg, 20 mg, 40 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>pravastatin sodium tab 80 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>prazosin hcl cap 1 mg, 2 mg, 5 mg</i> | 2 | |
| <i>prevalite - cholestyramine light powder packets 4 gm</i> | 3 | |
| <i>prevalite - cholestyramine light powder 4 gm/dose</i> | 3 | |
| <i>propafenone hcl cap er 12hr 225 mg, 325 mg, 425 mg</i> | 4 | |
| <i>propafenone hcl tab 150 mg, 225 mg, 300 mg</i> | 3 | |
| <i>propranolol hcl cap er 24hr 60 mg, 80 mg, 120 mg, 160 mg</i> | 4 | |
| <i>propranolol hcl oral soln 20 mg/5ml</i> | 2 | |
| <i>propranolol hcl oral soln 40 mg/5ml</i> | 2 | |
| <i>propranolol hcl tab 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 2 | |
| <i>quinapril hcl tab 5 mg, 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>quinapril-hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg</i> | 1 | |
| <i>quinapril-hydrochlorothiazide tab 20-25 mg</i> | 1 | |
| <i>quinidine sulfate tab 200 mg</i> | 2 | |
| <i>quinidine sulfate tab 300 mg</i> | 2 | |
| <i>ramipril cap 1.25 mg, 2.5 mg, 5 mg, 10 mg</i> | 1 | |
| <i>ranolazine tab er 12hr 500 mg, 1000 mg</i> | 4 | QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| REPATHA - evolocumab subcutaneous soln prefilled syringe 140 mg/ml | 3 | PA, QL (2 syringes/28 days) |
| REPATHA PUSHTRONEX SYSTEM - evolocumab subcutaneous soln cartridge/infusor 420 mg/3.5ml | 3 | PA, QL (2 systems/28 days) |
| REPATHA SURECLICK - evolocumab subcutaneous soln auto-injector 140 mg/ml | 3 | PA, QL (2 pens/28 days) |
| <i>rosuvastatin calcium tab 5 mg, 10 mg, 20 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>rosuvastatin calcium tab 40 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>simvastatin tab 5 mg, 10 mg, 40 mg</i> | 1 | QL (45 tablets/30 days) |
| <i>simvastatin tab 20 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>simvastatin tab 80 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>sorine - sotalol hcl tab 120 mg, 160 mg</i> | 2 | |
| <i>sotalol hcl (afib/af) tab 80 mg, 120 mg, 160 mg</i> | 2 | |
| <i>sotalol hcl tab 80 mg, 120 mg, 160 mg, 240 mg</i> | 2 | |
| <i>spironolactone & hydrochlorothiazide tab 25-25 mg</i> | 2 | |
| <i>spironolactone tab 25 mg, 50 mg, 100 mg</i> | 1 | |
| <i>taztia xt - diltiazem hcl extended release beads cap er 24hr 120 mg</i> | 2 | |
| <i>taztia xt - diltiazem hcl extended release beads cap er 24hr 180 mg</i> | 2 | |
| <i>taztia xt - diltiazem hcl extended release beads cap er 24hr 240 mg</i> | 2 | |
| <i>taztia xt - diltiazem hcl extended release beads cap er 24hr 300 mg</i> | 2 | |
| <i>taztia xt - diltiazem hcl extended release beads cap er 24hr 360 mg</i> | 2 | |
| <i>telmisartan tab 20 mg, 40 mg, 80 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 40-10 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 40-5 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 80-10 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>telmisartan-amlodipine tab 80-5 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>telmisartan-hydrochlorothiazide tab 40-12.5 mg, 80-25 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-12.5 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>terazosin hcl cap 1 mg (base equivalent)</i> | 1 | QL (90 capsules/30 days) |
| <i>terazosin hcl cap 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 1 | QL (60 capsules/30 days) |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 120 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 180 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 240 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 300 mg</i> | 2 | |
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 360 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| <i>tiadylt er - diltiazem hcl extended release beads cap er 24hr 420 mg</i> | 2 | |
| <i>timolol maleate tab 5 mg, 10 mg, 20 mg</i> | 4 | |
| <i>toremide tab 5 mg, 10 mg, 20 mg, 100 mg</i> | 2 | |
| <i>trandolapril tab 1 mg, 2 mg, 4 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 1-240 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 2-180 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 2-240 mg</i> | 1 | |
| <i>trandolapril-verapamil hcl tab er 4-240 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg, 75-50 mg</i> | 1 | |
| <i>valsartan tab 40 mg, 80 mg, 160 mg</i> | 1 | QL (60 tablets/30 days) |
| <i>valsartan tab 320 mg</i> | 1 | QL (30 tablets/30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg, 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg</i> | 1 | QL (30 tablets/30 days) |
| VASCEPA - icosapent ethyl cap 0.5 gm | 3 | QL (240 capsules/30 days) |
| VASCEPA - icosapent ethyl cap 1 gm | 3 | QL (120 capsules/30 days) |
| <i>verapamil hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 3 | |
| <i>verapamil hcl cap er 24hr 360 mg</i> | 4 | |
| <i>verapamil hcl tab er 120 mg, 180 mg, 240 mg</i> | 2 | |
| <i>verapamil hcl tab 40 mg, 80 mg, 120 mg</i> | 1 | |
| VERQUVO - vericiguat tab 2.5 mg, 5 mg, 10 mg | 3 | QL (30 tablets/30 days) |
| Central Nervous System Agents | | |
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 3 | QL (30 capsules/30 days) |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg</i> | 4 | QL (30 capsules/30 days) |
| <i>amphetamine-dextroamphetamine tab 5 mg, 7.5 mg, 10 mg, 12.5 mg, 15 mg, 30 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>atomoxetine hcl cap 10 mg (base equiv), 18 mg (base equiv), 25 mg (base equiv), 40 mg (base equiv)</i> | 4 | QL (60 capsules/30 days) |
| <i>atomoxetine hcl cap 60 mg (base equiv), 80 mg (base equiv), 100 mg (base equiv)</i> | 4 | QL (30 capsules/30 days) |
| AUSTEDO - deutetrabenazine tab 6 mg* | 5 | PA, QL (60 tablets/30 days) |
| AUSTEDO - deutetrabenazine tab 9 mg, 12 mg* | 5 | PA, QL (120 tablets/30 days) |
| AUSTEDO XR - deutetrabenazine tab er 24hr 6 mg* | 5 | PA, QL (90 tablets/30 days) |
| AUSTEDO XR - deutetrabenazine tab er 24hr 12 mg* | 5 | PA, QL (30 tablets/30 days) |
| AUSTEDO XR - deutetrabenazine tab er 24hr 18 mg, 30 mg, 36 mg, 42 mg, 48 mg | 5 | PA, QL (30 tablets/30 days) |
| AUSTEDO XR - deutetrabenazine tab er 24hr 24 mg* | 5 | PA, QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------------|
| AUSTEDO XR PATIENT TITRATION KIT - deutetrabenazine tab er titration pack 6 mg & 12 mg & 24 mg, 12 & 18 & 24 & 30 mg | 5 | PA, QL (1 kit/28 days) |
| AVONEX - interferon beta-1a im prefilled syringe kit 30 mcg/0.5ml | 5 | PA, QL (1 kit/28 days) |
| AVONEX PEN - interferon beta-1a im auto-injector kit 30 mcg/0.5ml | 5 | PA, QL (1 kit/28 days) |
| BETASERON - interferon beta-1b for inj kit 0.3 mg | 5 | PA, QL (15 vials/syringes/30 days) |
| <i>clonidine hcl tab er 12hr 0.1 mg</i> | 4 | QL (120 tablets/30 days) |
| COPAXONE - glatiramer acetate soln prefilled syringe 20 mg/ml | 5 | PA, QL (30 syringes/30 days) |
| COPAXONE - glatiramer acetate soln prefilled syringe 40 mg/ml | 5 | PA, QL (12 syringes/28 days) |
| <i>dalfampridine tab er 12hr 10 mg†</i> | 3 | PA |
| <i>dexmethylphenidate hcl tab 2.5 mg, 5 mg, 10 mg</i> | 3 | PA, QL (60 tablets/30 days) |
| <i>dextroamphetamine sulfate tab 5 mg</i> | 4 | QL (90 tablets/30 days) |
| <i>dextroamphetamine sulfate tab 10 mg</i> | 4 | QL (180 tablets/30 days) |
| <i>dimethyl fumarate capsule delayed release 120 mg, 240 mg</i> | 4 | PA, QL (60 capsules/30 days) |
| <i>dimethyl fumarate capsule dr starter pack 120 mg & 240 mg</i> | 4 | PA, QL (60 capsules/30 days) |
| <i> fingolimod hcl cap 0.5 mg (base equiv)</i> | 5 | PA, QL (30 capsules/30 days) |
| <i>glatiramer acetate soln prefilled syringe 20 mg/ml</i> | 5 | PA, QL (30 syringes/30 days) |
| <i>glatiramer acetate soln prefilled syringe 40 mg/ml</i> | 5 | PA, QL (12 syringes/28 days) |
| <i>glatopa - glatiramer acetate soln prefilled syringe 20 mg/ml</i> | 5 | PA, QL (30 syringes/30 days) |
| <i>glatopa - glatiramer acetate soln prefilled syringe 40 mg/ml</i> | 5 | PA, QL (12 syringes/28 days) |
| <i>guanfacine hcl tab er 24hr 1 mg (base equiv), 2 mg (base equiv), 3 mg (base equiv), 4 mg (base equiv)#</i> | 3 | QL (30 tablets/30 days) |
| KESIMPTA - ofatumumab soln auto-injector 20 mg/0.4ml | 5 | PA, QL (4 pens/28 days) |
| <i>methylphenidate hcl soln 5 mg/5ml</i> | 4 | PA, QL (450 mls/30 days) |
| <i>methylphenidate hcl soln 10 mg/5ml</i> | 4 | PA, QL (900 mls/30 days) |
| <i>methylphenidate hcl tab er 20 mg</i> | 4 | PA, QL (90 tablets/30 days) |
| <i>methylphenidate hcl tab 5 mg, 10 mg, 20 mg</i> | 3 | PA, QL (90 tablets/30 days) |
| NUDEXTA - dextromethorphan hbr-quinidine sulfate cap 20-10 mg | 5 | PA, QL (60 capsules/30 days) |
| PLEGRIDY - peginterferon beta-1a soln auto-injector 125 mcg/0.5ml | 5 | PA, QL (2 syringes/28 days) |
| PLEGRIDY - peginterferon beta-1a soln prefilled syringe 125 mcg/0.5ml | 5 | PA, QL (2 syringes/28 days) |
| PLEGRIDY - peginterferon beta-1a im soln prefilled syr 125 mcg/0.5ml | 5 | PA, QL (2 syringes/28 days) |
| PLEGRIDY STARTER PACK - peginterferon beta-1a soln auto-inj 63 & 94 mcg/0.5ml pack | 5 | PA, QL (2 syringes/28 days) |
| PLEGRIDY STARTER PACK - peginterferon beta-1a soln pref syr 63 & 94 mcg/0.5ml pack | 5 | PA, QL (2 syringes/28 days) |
| <i>riluzole tab 50 mg</i> | 4 | |
| <i>tetrabenazine tab 12.5 mg</i> | 4 | PA, QL (240 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| <i>tetrabenazine tab 25 mg</i> | 5 | PA, QL (120 tablets/30 days) |
| VEOZAH - fezolinetant tab 45 mg | 4 | PA, QL (30 tablets/30 days) |
| VUMERITY - diroximel fumarate capsule delayed release 231 mg | 5 | PA, QL (120 capsules/30 days) |
| <i>zenzedi - dextroamphetamine sulfate tab 5 mg</i> | 4 | QL (90 tablets/30 days) |
| <i>zenzedi - dextroamphetamine sulfate tab 10 mg</i> | 4 | QL (180 tablets/30 days) |
| Dental and Oral Agents | | |
| <i>chlorhexidine gluconate soln 0.12%</i> | 2 | |
| <i>kourzeq - triamcinolone acetonide dental paste 0.1%</i> | 3 | |
| <i>oralone dental paste - triamcinolone acetonide dental paste 0.1%</i> | 3 | |
| <i>perio gard - chlorhexidine gluconate soln 0.12%</i> | 2 | |
| <i>pilocarpine hcl tab 5 mg, 7.5 mg</i> | 4 | |
| <i>triamcinolone acetonide dental paste 0.1%</i> | 3 | |
| Dermatological Agents | | |
| <i>accutane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | |
| <i>acitretin cap 10 mg, 17.5 mg, 25 mg</i> | 4 | |
| <i>ala-cort - hydrocortisone cream 1%</i> | 2 | |
| <i>alclometasone dipropionate cream 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>alclometasone dipropionate oint 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>amnesteem - isotretinoin cap 10 mg, 20 mg, 40 mg</i> | 4 | |
| <i>azelaic acid gel 15%</i> | 4 | |
| <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 4 | |
| BETAMETHASONE DIPROPIONATE AUGMENTED - <i>betamethasone dipropionate augmented gel 0.05%</i> | 3 | QL (200 grams/28 days) |
| <i>betamethasone dipropionate augmented cream 0.05%</i> | 3 | QL (200 grams/28 days) |
| <i>betamethasone dipropionate augmented lotion 0.05%</i> | 3 | QL (210 mls/30 days) |
| <i>betamethasone dipropionate augmented oint 0.05%</i> | 3 | QL (200 grams/28 days) |
| <i>betamethasone dipropionate cream 0.05%</i> | 3 | QL (135 grams/30 days) |
| <i>betamethasone dipropionate lotion 0.05%</i> | 3 | QL (120 mls/30 days) |
| <i>betamethasone dipropionate oint 0.05%</i> | 4 | QL (135 grams/30 days) |
| <i>betamethasone valerate cream 0.1% (base equivalent)</i> | 3 | QL (135 grams/30 days) |
| <i>betamethasone valerate lotion 0.1% (base equivalent)</i> | 3 | QL (120 mls/30 days) |
| <i>betamethasone valerate oint 0.1% (base equivalent)</i> | 3 | QL (135 grams/30 days) |
| <i>calcipotriene cream 0.005%</i> | 4 | QL (120 grams/30 days) |
| <i>calcipotriene oint 0.005%</i> | 4 | QL (120 grams/30 days) |
| <i>calcipotriene soln 0.005% (50 mcg/ml)</i> | 3 | QL (120 mls/30 days) |
| <i>calcitrene - calcipotriene oint 0.005%</i> | 4 | QL (120 grams/30 days) |
| <i>claravis - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | |
| <i>clobetasol propionate cream 0.05%</i> | 4 | QL (210 grams/28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>clobetasol propionate e - clobetasol propionate emollient base cream 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate emollient - clobetasol propionate emollient base cream 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate emollient base cream 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate gel 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate oint 0.05%</i> | 4 | QL (210 grams/28 days) |
| <i>clobetasol propionate soln 0.05%</i> | 4 | QL (200 mls/28 days) |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 3 | |
| <i>desonide oint 0.05%</i> | 4 | QL (120 grams/30 days) |
| <i>desoximetasone cream 0.05%, 0.25%</i> | 4 | QL (120 grams/30 days) |
| <i>diclofenac sodium (actinic keratoses) gel 3%</i> | 4 | PA |
| FINACEA - azelaic acid foam 15% | 3 | |
| <i>fluocinolone acetonide cream 0.01%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinolone acetonide cream 0.025%</i> | 4 | QL (120 grams/30 days) |
| <i>fluocinolone acetonide oil 0.01% (body oil), 0.01% (scalp oil)</i> | 4 | QL (118.28 mls/30 days) |
| <i>fluocinolone acetonide oint 0.025%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinolone acetonide soln 0.01%</i> | 4 | QL (120 mls/30 days) |
| <i>fluocinonide cream 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinonide emulsified base cream 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinonide gel 0.05%</i> | 4 | QL (120 grams/30 days) |
| <i>fluocinonide oint 0.05%</i> | 3 | QL (120 grams/30 days) |
| <i>fluocinonide soln 0.05%</i> | 3 | QL (120 mls/30 days) |
| FLUOROURACIL - fluorouracil soln 2% | 3 | |
| <i>fluorouracil cream 5%</i> | 3 | |
| <i>fluorouracil soln 5%</i> | 3 | |
| <i>fluticasone propionate cream 0.05%</i> | 2 | QL (120 grams/30 days) |
| <i>fluticasone propionate oint 0.005%</i> | 2 | QL (120 grams/30 days) |
| <i>gentamicin sulfate cream 0.1%</i> | 3 | |
| <i>gentamicin sulfate oint 0.1%</i> | 3 | |
| <i>halobetasol propionate cream 0.05%</i> | 4 | QL (200 grams/28 days) |
| <i>halobetasol propionate oint 0.05%</i> | 4 | QL (200 grams/28 days) |
| <i>hydrocortisone cream 1%</i> | 2 | |
| <i>hydrocortisone cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>hydrocortisone lotion 2.5%</i> | 2 | QL (118 mls/30 days) |
| <i>hydrocortisone oint 1%</i> | 2 | |
| <i>hydrocortisone oint 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>imiquimod cream 5%</i> | 3 | PA |
| <i>isotretinoin cap 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------|
| <i>ivermectin cream 1%</i> | 4 | PA |
| <i>lactic acid (ammonium lactate) cream 12%</i> | 2 | |
| <i>lactic acid (ammonium lactate) lotion 12%</i> | 3 | |
| <i>malathion lotion 0.5%</i> | 4 | |
| <i>metronidazole cream 0.75%</i> | 4 | |
| <i>metronidazole gel 0.75%</i> | 3 | |
| <i>metronidazole gel 1%</i> | 4 | |
| <i>metronidazole lotion 0.75%</i> | 4 | |
| <i>mometasone furoate cream 0.1%</i> | 2 | QL (135 grams/30 days) |
| <i>mometasone furoate oint 0.1%</i> | 2 | QL (135 grams/30 days) |
| <i>mometasone furoate solution 0.1% (lotion)</i> | 2 | QL (120 mls/30 days) |
| <i>mupirocin oint 2%</i> | 2 | QL (30 grams/30 days) |
| OTEZLA - apremilast tab starter therapy pack 4 x 10 mg & 51 x 20 mg | 5 | PA |
| OTEZLA - apremilast tab starter therapy pack 10 mg & 20 mg & 30 mg* | 5 | PA |
| OTEZLA - apremilast tab 20 mg | 5 | PA |
| OTEZLA - apremilast tab 30 mg* | 5 | PA |
| <i>permethrin cream 5%</i> | 3 | |
| <i>podofilox soln 0.5%</i> | 4 | |
| SANTYL - collagenase oint 250 unit/gm | 3 | QL (180 grams/30 days) |
| <i>selenium sulfide lotion 2.5%</i> | 2 | |
| <i>silver sulfadiazine cream 1%</i> | 2 | |
| <i>ssd - silver sulfadiazine cream 1%</i> | 2 | |
| <i>sulfacetamide sodium lotion 10% (acne)</i> | 4 | |
| <i>tacrolimus oint 0.03%, 0.1%</i> | 4 | PA |
| <i>tazarotene cream 0.05%, 0.1%</i> | 4 | PA |
| TAZORAC - tazarotene cream 0.05% | 4 | PA |
| <i>tretinoin cream 0.025%, 0.05%, 0.1%</i> | 4 | PA |
| <i>tretinoin gel 0.01%, 0.025%</i> | 4 | PA |
| <i>triamcinolone acetonide cream 0.025%, 0.1%, 0.5%</i> | 2 | QL (454 grams/30 days) |
| <i>triamcinolone acetonide lotion 0.025%, 0.1%</i> | 3 | QL (120 mls/30 days) |
| <i>triamcinolone acetonide oint 0.025%, 0.1%</i> | 2 | QL (454 grams/30 days) |
| <i>triamcinolone acetonide oint 0.5%</i> | 2 | QL (120 grams/30 days) |
| <i>triderm - triamcinolone acetonide cream 0.5%</i> | 2 | QL (454 grams/30 days) |
| <i>zenatane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | |
| Electrolytes/Minerals/Metals/Vitamins | | |
| <i>carglumic acid soluble tab 200 mg</i> | 5 | PA |
| CHEMET - succimer cap 100 mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>deferasirox granules packet 90 mg, 180 mg, 360 mg†</i> | 5 | PA |
| <i>deferasirox tab for oral susp 125 mg†</i> | 4 | PA |
| <i>deferasirox tab for oral susp 250 mg, 500 mg†</i> | 5 | PA |
| <i>deferasirox tab 90 mg†</i> | 3 | PA |
| <i>deferasirox tab 180 mg, 360 mg†</i> | 5 | PA |
| <i>dextrose inj 5%, 10%</i> | 4 | |
| <i>dextrose 2.5% w/ sodium chloride 0.45%</i> | 4 | |
| <i>dextrose 5% w/ sodium chloride 0.2%, 0.45%, 0.9%</i> | 4 | |
| INTRALIPID - fat emulsion plant based (soy) iv emulsion 20% | 4 | BD |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 4 | |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.225% inj</i> | 4 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 4 | |
| <i>kionex - sodium polystyrene sulfonate susp 15 gm/60ml</i> | 3 | |
| <i>klor-con m10 - potassium chloride microencapsulated crys ertab 10 meq</i> | 2 | |
| <i>klor-con m15 - potassium chloride microencapsulated crys ertab 15 meq</i> | 2 | |
| <i>klor-con m20 - potassium chloride microencapsulated crys ertab 20 meq</i> | 2 | |
| <i>klor-con 8 - potassium chloride tab er 8 meq (600 mg)</i> | 2 | |
| <i>klor-con 10 - potassium chloride tab er 10 meq</i> | 2 | |
| <i>magnesium sulfate inj 50%</i> | 4 | |
| NUTRILIPID - fat emulsion plant based (soy) iv emulsion 20% | 4 | BD |
| <i>potassium chloride cap er 8 meq, 10 meq</i> | 2 | |
| <i>potassium chloride inj 2 meq/ml</i> | 4 | |
| <i>potassium chloride microencapsulated crys er tab 10 meq, 15 meq, 20 meq</i> | 2 | |
| <i>potassium chloride oral soln 10% (20 meq/15ml), 20% (40 meq/15ml)</i> | 4 | |
| <i>potassium chloride tab er 8 meq (600 mg), 10 meq, 20 meq (1500 mg)</i> | 2 | |
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | 4 | |
| <i>potassium citrate tab er 5 meq (540 mg), 10 meq (1080 mg), 15 meq (1620 mg)</i> | 4 | |
| <i>sodium chloride iv soln 0.45%, 0.9%</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| <i>sodium chloride preservative free (pf) inj 0.9%</i> | 4 | |
| <i>sodium polystyrene sulfonate powder</i> | 3 | |
| SPS - sodium polystyrene sulfonate rectal susp 30 gm/120ml | 3 | |
| <i>sps - sodium polystyrene sulfonate susp 15 gm/60ml</i> | 3 | |
| TRAVASOL - amino acid infusion 10% | 4 | BD |
| <i>trientine hcl cap 250 mg†</i> | 5 | PA, QL (240 capsules/30 days) |
| TROPHAMINE - amino acid infusion 10% | 4 | BD |
| VELTASSA - patiomer sorbitex calcium for susp packet 1 gm (base eq), 8.4 gm (base eq), 16.8 gm (base eq), 25.2 gm (base eq) | 3 | |
| Gastrointestinal Agents | | |
| <i>alosetron hcl tab 0.5 mg (base equiv)</i> | 4 | PA, QL (60 tablets/30 days) |
| <i>alosetron hcl tab 1 mg (base equiv)</i> | 5 | PA, QL (60 tablets/30 days) |
| CHENODAL - chenodiol tab 250 mg* | 5 | PA |
| <i>cimetidine tab 200 mg, 300 mg, 400 mg, 800 mg</i> | 3 | |
| <i>constulose - lactulose solution 10 gm/15ml</i> | 2 | |
| <i>dicyclomine hcl cap 10 mg#</i> | 2 | PA (>=65 yr) |
| <i>dicyclomine hcl oral soln 10 mg/5ml#</i> | 4 | PA (>=65 yr) |
| <i>dicyclomine hcl tab 20 mg#</i> | 2 | PA (>=65 yr) |
| <i>diphenoxylate w/ atropine tab 2.5-0.025 mg#</i> | 4 | PA (>=65 yr) |
| <i>enulose - lactulose (encephalopathy) solution 10 gm/15ml</i> | 2 | |
| <i>esomeprazole magnesium cap delayed release 20 mg (base eq), 40 mg (base eq)</i> | 3 | QL (30 capsules/30 days) |
| <i>famotidine for susp 40 mg/5ml</i> | 4 | |
| <i>famotidine tab 20 mg, 40 mg</i> | 2 | |
| GATTEX - teduglutide (rdna) for inj kit 5 mg* | 5 | PA |
| <i>gavilyte-c - peg 3350-kcl-na bicarb-nacl-na sulfate for soln 240 gm</i> | 2 | |
| <i>gavilyte-g - peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 2 | |
| <i>gavilyte-n/ flavor pack - peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 2 | |
| <i>generlac - lactulose (encephalopathy) solution 10 gm/15ml</i> | 2 | |
| <i>glycopyrrolate tab 1 mg, 2 mg</i> | 3 | |
| <i>lactulose (encephalopathy) solution 10 gm/15ml</i> | 2 | |
| <i>lactulose solution 10 gm/15ml</i> | 2 | |
| <i>lansoprazole cap delayed release 15 mg, 30 mg</i> | 2 | QL (30 capsules/30 days) |
| LINZESS - linaclotide cap 72 mcg, 145 mcg, 290 mcg | 3 | QL (30 capsules/30 days) |
| <i>loperamide hcl cap 2 mg</i> | 2 | |
| <i>lubiprostone cap 8 mcg</i> | 4 | QL (120 capsules/30 days) |
| <i>lubiprostone cap 24 mcg</i> | 4 | QL (60 capsules/30 days) |
| <i>metoclopramide hcl soln 5 mg/5ml (10 mg/10ml) (base equiv)</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>metoclopramide hcl tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 1 | |
| <i>misoprostol tab 100 mcg, 200 mcg</i> | 3 | |
| MOVANTI ^K - naloxegol oxalate tab 12.5 mg (base equivalent), 25 mg (base equivalent) | 3 | QL (30 tablets/30 days) |
| <i>nizatidine cap 150 mg</i> | 4 | |
| <i>nizatidine cap 300 mg</i> | 3 | |
| <i>omeprazole cap delayed release 10 mg</i> | 1 | QL (30 capsules/30 days) |
| <i>omeprazole cap delayed release 20 mg, 40 mg</i> | 1 | QL (60 capsules/30 days) |
| <i>pantoprazole sodium ec tab 20 mg (base equiv)</i> | 1 | QL (30 tablets/30 days) |
| <i>pantoprazole sodium ec tab 40 mg (base equiv)</i> | 1 | QL (60 tablets/30 days) |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 2 | |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 2 | |
| <i>rabeprazole sodium ec tab 20 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml</i> | 4 | |
| <i>sucralfate tab 1 gm</i> | 2 | |
| SUTAB - sod sulfate-mg sulfate-pot chloride tab 1479-225-188 mg | 4 | |
| <i>ursodiol cap 300 mg</i> | 3 | |
| <i>ursodiol tab 250 mg, 500 mg</i> | 4 | |
| VOWST - fecal microbiota spores, live-brpk caps | 5 | PA, QL (12 capsules/56 days) |
| XERMELO - telotristat ethyl tab 250 mg (as telotristat etiprate) | 5 | PA, QL (90 tablets/30 days) |
| XIFAXAN - rifaximin tab 550 mg | 5 | PA, QL (90 tablets/30 days) |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| <i>betaine powder for oral solution</i> | 5 | |
| CEREZYME - imiglucerase for inj 400 unit* | 5 | PA |
| CREON - pancrelipase (lip-prot-amyl) dr cap 3000-9500-15000 unit, 6000-19000-30000 unit, 12000-38000-60000 unit, 24000-76000-120000 unit, 36000-114000-180000 unit | 3 | |
| <i>cromolyn sodium oral conc 100 mg/5ml</i> | 4 | |
| CRYSVITA - burosumab-twza inj 10 mg/ml, 20 mg/ml, 30 mg/ml | 5 | PA |
| CYSTAGON - cysteamine bitartrate cap 50 mg, 150 mg* | 4 | PA |
| ELELYSO - taliglucerase alfa for inj 200 unit* | 5 | PA |
| <i>glutamine (sickle cell) powd pack 5 gm</i> | 5 | PA |
| <i>levocarnitine oral soln 1 gm/10ml (10%)</i> | 4 | |
| <i>levocarnitine tab 330 mg</i> | 4 | |
| <i>miglustat cap 100 mg*</i> | 5 | PA, QL (90 capsules/30 days) |
| <i>nitisinone cap 2 mg, 5 mg, 10 mg, 20 mg</i> | 5 | |
| ORFADIN - nitisinone susp 4 mg/ml* | 5 | |
| PROLASTIN-C - alpha1-proteinase inhibitor (human) inj 1000 mg/20ml* | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| REVCovi - elapegademase-lvlr im soln 2.4 mg/1.5ml (1.6 mg/ml)* | 5 | |
| <i>sapropterin dihydrochloride powder packet 100 mg, 500 mg†</i> | 5 | PA |
| <i>sapropterin dihydrochloride tab 100 mg†</i> | 5 | PA |
| <i>sodium phenylbutyrate oral powder 3 gm/teaspoonful</i> | 5 | PA |
| <i>sodium phenylbutyrate tab 500 mg</i> | 5 | PA |
| STRENSIQ - asfotase alfa subcutaneous inj 18 mg/0.45ml, 28 mg/0.7ml, 40 mg/ml, 80 mg/0.8ml* | 5 | PA |
| VPRIV - velaglucerase alfa for inj 400 unit | 5 | PA |
| VYNDAMAX - tafamidis cap 61 mg | 5 | PA, QL (30 capsules/30 days) |
| VYNDAQEL - tafamidis meglumine (cardiac) cap 20 mg | 5 | PA, QL (120 capsules/30 days) |
| WELIREG - belzutifan tab 40 mg*† | 5 | PA, QL (90 tablets/30 days) |
| <i>yargesa - miglustat cap 100 mg*</i> | 5 | PA, QL (90 capsules/30 days) |
| ZENPEP - pancrelipase (lip-prot-amyl) dr cap 3000-10000-14000 unit, 5000-17000-24000 unit, 10000-32000-42000 unit, 15000-47000-63000 unit, 20000-63000-84000 unit, 25000-79000-105000 unit, 40000-126000-168000 unit, 60000-189600-252600 unit | 3 | |
| Genitourinary Agents | | |
| <i>alfuzosin hcl tab er 24hr 10 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>bethanechol chloride tab 5 mg, 10 mg, 25 mg, 50 mg</i> | 3 | |
| <i>dutasteride cap 0.5 mg</i> | 2 | QL (30 capsules/30 days) |
| <i>finasteride tab 5 mg</i> | 1 | QL (30 tablets/30 days) |
| LILETTA - levonorgestrel iud 20.1 mcg/day (initial) (52 mg total) | 3 | |
| MYRBETRIQ - mirabegron granules for oral extended release susp 8 mg/ml | 3 | QL (3 bottles/28 days) |
| MYRBETRIQ - mirabegron tab er 24 hr 25 mg, 50 mg | 3 | QL (30 tablets/30 days) |
| NEXPLANON - etonogestrel subdermal implant 68 mg | 3 | |
| <i>oxybutynin chloride solution 5 mg/5ml</i> | 3 | QL (600 mls/30 days) |
| <i>oxybutynin chloride tab er 24hr 5 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>oxybutynin chloride tab er 24hr 10 mg</i> | 3 | QL (90 tablets/30 days) |
| <i>oxybutynin chloride tab er 24hr 15 mg</i> | 3 | QL (60 tablets/30 days) |
| <i>oxybutynin chloride tab 5 mg</i> | 2 | QL (120 tablets/30 days) |
| <i>penicillamine tab 250 mg</i> | 5 | |
| SKYLA - levonorgestrel releasing iud 14 mcg/day (13.5 mg total) | 4 | |
| <i>solifenacin succinate tab 5 mg, 10 mg</i> | 2 | QL (30 tablets/30 days) |
| <i>tadalafil tab 2.5 mg, 5 mg</i> | 4 | PA, QL (30 tablets/30 days) |
| <i>tamsulosin hcl cap 0.4 mg</i> | 2 | QL (60 capsules/30 days) |
| <i>tolterodine tartrate cap er 24hr 2 mg, 4 mg</i> | 4 | QL (30 capsules/30 days) |
| <i>tolterodine tartrate tab 1 mg, 2 mg</i> | 4 | QL (60 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| <i>dexamethasone elixir 0.5 mg/5ml</i> | 3 | |
| <i>dexamethasone soln 0.5 mg/5ml</i> | 3 | |
| <i>dexamethasone tab 0.5 mg, 0.75 mg, 1 mg, 2 mg, 4 mg, 6 mg</i> | 2 | |
| <i>fludrocortisone acetate tab 0.1 mg</i> | 2 | |
| <i>hydrocortisone tab 5 mg, 10 mg, 20 mg</i> | 2 | |
| <i>methylprednisolone tab therapy pack 4 mg (21)</i> | 2 | |
| <i>methylprednisolone tab 4 mg, 8 mg, 16 mg, 32 mg</i> | 2 | |
| <i>prednisolone sod phosph oral soln 6.7 mg/5ml (5 mg/5ml base)</i> | 2 | |
| <i>prednisolone sod phosphate oral soln 15 mg/5ml (base equiv)</i> | 2 | |
| <i>prednisolone sodium phosphate oral soln 25 mg/5ml (base eq)</i> | 2 | |
| <i>prednisolone soln 15 mg/5ml</i> | 2 | |
| <i>prednisone oral soln 5 mg/5ml</i> | 4 | |
| <i>prednisone tab therapy pack 5 mg (21), 5 mg (48), 10 mg (21), 10 mg (48)</i> | 2 | |
| <i>prednisone tab 1 mg</i> | 1 | |
| <i>prednisone tab 2.5 mg, 5 mg, 10 mg, 20 mg, 50 mg</i> | 2 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| CHORIONIC GONADOTROPIN - chorionic gonadotropin for im inj 10000 unit | 4 | PA |
| <i>desmopressin acetate inj 4 mcg/ml</i> | 4 | |
| <i>desmopressin acetate nasal spray soln 0.01% (refrigerated), 0.01%</i> | 4 | |
| <i>desmopressin acetate preservative free (pf) inj 4 mcg/ml</i> | 4 | |
| <i>desmopressin acetate tab 0.1 mg, 0.2 mg</i> | 3 | |
| INCRELEX - mecaseprin inj 40 mg/4ml (10 mg/ml)* | 5 | |
| OMNITROPE - somatropin for inj 5.8 mg | 5 | PA |
| OMNITROPE - somatropin solution cartridge 5 mg/1.5ml, 10 mg/1.5ml | 5 | PA |
| PREGNYL - chorionic gonadotropin for im inj 10000 unit | 4 | PA |
| PREGNYL W/DILUENT BENZYL ALCOHOL/NACL - chorionic gonadotropin for im inj 10000 unit | 4 | PA |
| Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) | | |
| <i>afirmelle - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>altavera - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>alyacen 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>alyacen 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 4 | |
| <i>apri - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>aranelle - norethindrone-eth estradiol tab 0.5-35/1-35/0.5-35 mg-mcg</i> | 4 | |
| <i>aubra eq - levonorgestrel & ethinyl estradiol tab 0.1 mg-20mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>aurovela fe 1/20 - norethindrone ace & ethinyl estradiol-fetab 1 mg-20 mcg</i> | 4 | |
| <i>aurovela fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>aurovela 1/20 - norethindrone ace & ethinyl estradiol tab 1mg-20 mcg</i> | 4 | |
| <i>aurovela 1.5/30 - norethindrone ace & ethinyl estradiol tab1.5 mg-30 mcg</i> | 4 | |
| <i>aurovela 24 fe - norethindrone ace-ethinyl estradiol-fe tab1 mg-20 mcg (24)</i> | 4 | |
| <i>aviane - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>ayuna - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>azurette - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>balziva - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>blisovi fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>blisovi fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>blisovi 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>brillyn - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>camila - norethindrone tab 0.35 mg</i> | 3 | |
| <i>camrese lo - levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 4 | |
| <i>chateal eq - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| COMBIPATCH - estradiol-norethindrone ace td pttw 0.05-0.14 mg/ day, 0.05-0.25 mg/day# | 4 | |
| <i>cryselle-28 - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>cyred eq - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>danazol cap 50 mg, 100 mg, 200 mg</i> | 4 | PA |
| <i>dasetta 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>dasetta 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 4 | |
| <i>deblitane - norethindrone tab 0.35 mg</i> | 3 | |
| <i>delyla - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| DEPO-SUBQ PROVERA 104 - medroxyprogesterone acetate susp pref syr 104 mg/0.65ml | 3 | |
| <i>depo-testosterone - testosterone cypionate im inj in oil 100 mg/ml</i> | 3 | PA |
| <i>depo-testosterone - testosterone cypionate im inj in oil 200 mg/ml</i> | 3 | PA |
| <i>desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>dotti - estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr#</i> | 3 | |
| <i>drospirenone-ethinyl estrad-levomefolate tab 3-0.02-0.451 mg</i> | 4 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg#</i> | 4 | |
| <i>DUAVEE - conjugated estrogens-basedoxifene tab 0.45-20 mg#</i> | 4 | |
| <i>elinest - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>eluryng - etonogestrel-ethinyl estradiol va ring 0.12-0.015mg/24hr</i> | 3 | |
| <i>emzahh - norethindrone tab 0.35 mg</i> | 3 | |
| <i>enilloring - etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 3 | |
| <i>enpresse-28 - levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 4 | |
| <i>enskyce - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>errin - norethindrone tab 0.35 mg</i> | 3 | |
| <i>estarylla - norgestimate & ethinyl estradiol tab 0.25 mg-35mcg</i> | 4 | |
| <i>estradiol & norethindrone acetate tab 1-0.5 mg#</i> | 4 | |
| <i>estradiol tab 0.5 mg, 1 mg, 2 mg#</i> | 1 | |
| <i>estradiol td gel 0.25 mg/0.25gm (0.1%), 0.5 mg/0.5gm (0.1%), 0.75 mg/0.75gm (0.1%), 1 mg/gm (0.1%), 1.25 mg/1.25gm (0.1%)#</i> | 4 | |
| <i>estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr#</i> | 3 | |
| <i>estradiol td patch weekly 0.025 mg/24hr, 0.0375 mg/24hr (37.5 mcg/24hr), 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr#</i> | 3 | |
| <i>estradiol vaginal cream 0.1 mg/gm</i> | 3 | |
| <i>estradiol vaginal tab 10 mcg</i> | 4 | |
| <i>estradiol valerate im in oil 10 mg/ml, 20 mg/ml</i> | 3 | |
| <i>estradiol valerate im in oil 40 mg/ml</i> | 4 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 4 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 3 | |
| <i>etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 3 | |
| <i>falmina - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>gallifrey - norethindrone acetate tab 5 mg</i> | 3 | |
| <i>hailey fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>hailey fe 1.5/30 - norethindrone ace & ethinyl estradiol-fetab 1.5 mg-30 mcg</i> | 4 | |
| <i>hailey 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>hailey 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24)</i> | 4 | |
| <i>haloette - etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 3 | |
| <i>heather - norethindrone tab 0.35 mg</i> | 3 | |
| <i>iclevia - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>incassia - norethindrone tab 0.35 mg</i> | 3 | |
| <i>introvale - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>isibloom - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>jasmiel - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>jencycla - norethindrone tab 0.35 mg</i> | 3 | |
| <i>jolessa - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>juleber - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>junel fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>junel fe 24 - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>junel fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>junel 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>junel 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>kalliga - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>kariva - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>kelnor 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 4 | |
| <i>kelnor 1/50 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 3 | |
| <i>kurvelo - levonorgestrel & ethinyl estradiol tab 0.15 mg-30mcg</i> | 4 | |
| <i>larin fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>larin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>larin 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>larin 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>larin 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>leena - norethindrone-eth estradiol tab 0.5-35/1-35/0.5-35 mg-mcg</i> | 4 | |
| <i>lessina - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>levonest - levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 4 | |
| <i>levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 4 | |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg, 0.15 mg-30 mcg</i> | 4 | |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 4 | |
| <i>levora 0.15/30-28 - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>lo-zumandimine - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>loestrin fe 1/20 - norethindrone ace & ethinyl estradiol-fetab 1 mg-20 mcg</i> | 4 | |
| <i>loestrin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>loestrin 1/20-21 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |
| <i>loestrin 1.5/30-21 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>lojaimiess - levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 4 | |
| <i>loryna - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>low-ogestrel - norgestrel & ethinyl estradiol tab 0.3 mg-30mcg</i> | 4 | |
| <i>lutra - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>lyleq - norethindrone tab 0.35 mg</i> | 3 | |
| <i>lyllana - estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr#</i> | 3 | |
| <i>lyza - norethindrone tab 0.35 mg</i> | 3 | |
| <i>marlissa - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>medroxyprogesterone acetate im susp prefilled syr 150 mg/ml</i> | 3 | |
| <i>medroxyprogesterone acetate im susp 150 mg/ml</i> | 3 | |
| <i>medroxyprogesterone acetate tab 2.5 mg, 5 mg, 10 mg</i> | 2 | |
| <i>megestrol acetate susp 40 mg/ml#</i> | 4 | |
| <i>megestrol acetate tab 20 mg, 40 mg#</i> | 3 | |
| <i>MENEST - esterified estrogens tab 0.3 mg, 0.625 mg, 1.25 mg, 2.5 mg#</i> | 4 | |
| <i>microgestin fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>microgestin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 4 | |
| <i>microgestin 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>microgestin 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 4 | |
| <i>microgestin 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>mili - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>mimvey - estradiol & norethindrone acetate tab 1-0.5 mg#</i> | 4 | |
| <i>mono-linyah - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>necon 0.5/35-28 - norethindrone & ethinyl estradiol tab 0.5mg-35 mcg</i> | 4 | |
| <i>nikki - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>nora-be - norethindrone tab 0.35 mg</i> | 3 | |
| <i>norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg, 0.5 mg-35 mcg</i> | 4 | |
| <i>norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 4 | |
| <i>norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 4 | |
| <i>norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg, 1.5 mg-30 mcg</i> | 4 | |
| <i>norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg, 1.5 mg-30 mcg</i> | 4 | |
| <i>norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 4 | |
| <i>norethindrone acetate tab 5 mg</i> | 3 | |
| <i>norethindrone tab 0.35 mg</i> | 3 | |
| <i>norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg, 0.5-35/1-35/0.5-35 mg-mcg</i> | 4 | |
| <i>norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg, 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>norlyroc - norethindrone tab 0.35 mg</i> | 3 | |
| <i>nortrel 0.5/35 (28) - norethindrone & ethinyl estradiol tab 0.5 mg-35 mcg</i> | 4 | |
| <i>nortrel 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>nortrel 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 4 | |
| <i>nylia 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg#</i> | 4 | |
| <i>nylia 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 4 | |
| <i>nymyo - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>ocella - drospirenone-ethinyl estradiol tab 3-0.03 mg#</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------|
| <i>philith - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>pimtreea - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>portia-28 - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| PREMARIN - estrogens, conjugated vaginal cream 0.625 mg/gm | 3 | |
| <i>progesterone cap 100 mg, 200 mg</i> | 2 | |
| <i>raloxifene hcl tab 60 mg</i> | 3 | |
| <i>reclipsen - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 4 | |
| <i>setlakin - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 4 | |
| <i>sharobel - norethindrone tab 0.35 mg</i> | 3 | |
| <i>simliya - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>sprintec 28 - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>sronyx - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>syeda - drospirenone-ethinyl estradiol tab 3-0.03 mg#</i> | 4 | |
| <i>tarina fe 1/20 eq - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 4 | |
| <i>tarina 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24)</i> | 4 | |
| <i>testosterone cypionate im inj in oil 100 mg/ml, 200 mg/ml</i> | 3 | PA |
| TESTOSTERONE ENANTHATE - testosterone enanthate im inj in oil 200 mg/ml | 3 | PA |
| <i>testosterone td gel 25 mg/2.5gm (1%)</i> | 4 | PA, QL (90 packets/30 days) |
| <i>testosterone td gel 50 mg/5gm (1%)</i> | 4 | PA, QL (60 units/30 days) |
| <i>testosterone td gel 12.5 mg/act (1%)</i> | 4 | PA, QL (4 pump bottles/30 days) |
| <i>testosterone td gel 20.25 mg/1.25gm (1.62%)</i> | 4 | PA, QL (30 packets/30 days) |
| <i>testosterone td gel 40.5 mg/2.5gm (1.62%)</i> | 4 | PA, QL (60 packets/30 days) |
| <i>testosterone td gel 20.25 mg/act (1.62%)</i> | 4 | PA, QL (2 pump bottles/30 days) |
| <i>tilia fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg- mcg</i> | 4 | |
| <i>tri-estarylla - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-legest fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 4 | |
| <i>tri-linyah - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-lo-estarylla - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>tri-lo-marzia - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>tri-lo-mili - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>tri-lo-sprintec - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>tri-mili - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg- mcg</i> | 4 | |
| <i>tri-nymyo - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-sprintec - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-vylibra - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 4 | |
| <i>tri-vylibra lo - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 4 | |
| <i>trivora-28 - levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 4 | |
| <i>turqoz - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 4 | |
| <i>velivet - desogest-ethin est tab 0.1-0.025/0.125-0.025/0.15-0.025mg-mg</i> | 4 | |
| <i>vestura - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 4 | |
| <i>vienva - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 4 | |
| <i>viorele - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>volnea - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 4 | |
| <i>vyfemla - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 4 | |
| <i>vylibra - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 4 | |
| <i>wera - norethindrone & ethinyl estradiol tab 0.5 mg-35 mcg</i> | 4 | |
| <i>wymzya fe - norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg</i> | 4 | |
| <i>xulane - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>yuvaferm - estradiol vaginal tab 10 mcg</i> | 4 | |
| <i>zafemy - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>zovia 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1mg-35 mcg</i> | 4 | |
| <i>zumandimine - drospirenone-ethinyl estradiol tab 3-0.03 mg#</i> | 4 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| <i>euthyrox - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg</i> | 3 | |
| <i>levo-t - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 1 | |
| <i>levoxyl - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg</i> | 3 | |
| <i>liothyronine sodium tab 5 mcg, 25 mcg, 50 mcg</i> | 2 | |
| SYNTHROID - <i>levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 4 | |
| <i>unithroid - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 3 | |
| Hormonal Agents, Suppressant (Adrenal or Pituitary) | | |
| <i>cabergoline tab 0.5 mg</i> | 3 | |
| ELIGARD - <i>leuprolide acetate (4 month) for subcutaneous inj kit 30 mg</i> | 5 | PA |
| ELIGARD - <i>leuprolide acetate (3 month) for subcutaneous inj kit 22.5mg</i> | 5 | PA |
| ELIGARD - <i>leuprolide acetate (6 month) for subcutaneous inj kit 45 mg</i> | 5 | PA |
| ELIGARD - <i>leuprolide acetate for subcutaneous inj kit 7.5 mg</i> | 4 | PA |
| FIRMAGON - <i>degarelix acetate for inj 80 mg (base equiv), 120 mg/ vial (240 mg dose)</i> | 4 | |
| LEUPROLIDE ACETATE - <i>leuprolide acetate (3 month) for inj 22.5 mg</i> | 5 | PA |
| <i>leuprolide acetate inj kit 1 mg/0.2ml (5 mg/ml)</i> | 4 | PA |
| LUPRON DEPOT (1-MONTH) - <i>leuprolide acetate for inj kit 3.75 mg, 7.5 mg</i> | 5 | PA |
| LUPRON DEPOT (4-MONTH) - <i>leuprolide acetate (4 month) for inj kit 30 mg</i> | 5 | PA |
| LUPRON DEPOT-PED (1-MONTH) - <i>leuprolide acetate for inj pediatric kit 7.5 mg</i> | 5 | PA |
| LUPRON DEPOT-PED (3-MONTH) - <i>leuprolide acetate (3 month) for inj pediatric kit 11.25 mg</i> | 5 | PA |
| LUPRON DEPOT-PED (6-MONTH) - <i>leuprolide acet (6 month) for im inj pediatric kit 45 mg</i> | 5 | PA |
| <i>mifepristone tab 300 mg</i> | 5 | PA, QL (120 tablets/30 days) |
| <i>octreotide acetate inj 50 mcg/ml (0.05 mg/ml), 100 mcg/ml (0.1 mg/ml), 200 mcg/ml (0.2 mg/ml), 1000 mcg/ml (1 mg/ml)</i> | 4 | PA |
| <i>octreotide acetate inj 500 mcg/ml (0.5 mg/ml)</i> | 5 | PA |
| <i>octreotide acetate subcutaneous soln pref syr 100 mcg/ml</i> | 4 | PA |
| <i>octreotide acetate subcutaneous soln pref syr 50 mcg/ml</i> | 4 | PA |
| <i>octreotide acetate subcutaneous soln pref syr 500 mcg/ml</i> | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| SIGNIFOR - pasireotide diaspertate inj 0.3 mg/ml (base equiv), 0.6 mg/ml (base equiv), 0.9 mg/ml (base equiv)* | 5 | PA |
| SOMATULINE DEPOT - lanreotide acetate extended release inj 60 mg/0.2ml, 90 mg/0.3ml, 120 mg/0.5ml | 5 | PA |
| SOMAVERT - pegvisomant for inj 10 mg (as protein), 15 mg (as protein), 20 mg (as protein), 25 mg (as protein), 30 mg (as protein)* | 5 | PA |
| SYNAREL - nafarelin acetate nasal soln 2 mg/ml (200 mcg/act) (base eq) | 5 | |
| TRELSTAR MIXJECT - triptorelin pamoate for im susp 3.75 mg, 11.25 mg, 22.5 mg | 4 | PA |
| Hormonal Agents, Suppressant (Thyroid) | | |
| <i>methimazole tab 5 mg, 10 mg</i> | 1 | |
| <i>propylthiouracil tab 50 mg</i> | 2 | |
| Immunological Agents | | |
| ABRYSCO - rsv pre-fusion f a&b vac recomb for im soln 120 mcg/0.5ml | 1 | QL (1 vaccine/365 days) |
| ACTHIB - haemophilus b polysaccharide conjugate vaccine for inj | 1 | |
| ACTIMMUNE - interferon gamma-1b inj 100 mcg/0.5ml (2000000 unit/0.5ml)* | 5 | PA |
| ADACEL - tet tox-diph-acell pertuss ad inj 5-2-15.5 lf-lf-mcg/0.5ml | 1 | |
| ARCALYST - riloncept for inj 220 mg* | 5 | PA |
| AREXVY - rsvpref3 vaccine recomb adjuvanted for im susp 120 mcg/0.5ml | 1 | QL (1 vaccine/lifetime; >=50 yr) |
| <i>azathioprine tab 50 mg</i> | 2 | BD |
| BCG VACCINE - bcg vaccine for inj soln 50 mg | 1 | |
| BENLYSTA - belimumab subcutaneous solution auto-injector 200 mg/ml | 5 | PA |
| BENLYSTA - belimumab subcutaneous solution prefilled syringe 200 mg/ml | 5 | PA |
| BESREMI - ropeginterferon alfa-2b-njft soln prefilled syr 500 mcg/ml | 5 | PA, QL (2 syringes/28 days) |
| BEXSERO - meningococcal vac b (recomb omv adjuv) inj prefilled syringe | 1 | |
| BOOSTRIX - tet tox-diph-acell pertuss ad inj 5-2.5-18.5 lf-lf-mcg/0.5ml | 1 | |
| BOOSTRIX - tet-diph-acell pertuss ad pref syr 5-2.5-18.5 lf-mcg/0.5ml | 1 | |
| CINRYZE - c1 esterase inhibitor (human) for iv inj 500 unit* | 5 | PA, QL (20 vials/30 days) |
| COSENTYX - secukinumab subcutaneous pref syr 150 mg/ml (300 mg dose)* | 5 | PA |
| COSENTYX - secukinumab subcutaneous soln prefilled syringe 75 mg/0.5ml | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| COSENTYX - secukinumab subcutaneous soln prefilled syringe 150 mg/ml* | 5 | PA |
| COSENTYX SENSOREADY PEN - secukinumab subcutaneous auto-inj 150 mg/ml (300 mg dose)* | 5 | PA |
| COSENTYX SENSOREADY PEN - secukinumab subcutaneous soln auto-injector 150 mg/ml* | 5 | PA |
| COSENTYX UNOREADY - secukinumab subcutaneous soln auto-injector 300 mg/2ml* | 5 | PA |
| <i>cyclosporine cap 25 mg, 100 mg</i> | 4 | BD |
| <i>cyclosporine modified cap 25 mg, 50 mg, 100 mg</i> | 4 | BD |
| <i>cyclosporine modified oral soln 100 mg/ml</i> | 4 | BD |
| DAPTACEL - diph, acellular pert & tet tox inj 15 lf-23 mcg-5 lf/0.5ml | 1 | |
| DENGVAXIA - dengue virus vaccine live tetravalent for subcutaneous susp | 1 | |
| DUPIXENT - dupilumab subcutaneous soln auto-injector 200 mg/1.14ml, 300 mg/2ml | 5 | PA |
| DUPIXENT - dupilumab subcutaneous soln prefilled syringe 200 mg/1.14ml, 300 mg/2ml | 5 | PA |
| ENBREL - etanercept subcutaneous inj 25 mg/0.5ml | 5 | PA |
| ENBREL - etanercept subcutaneous soln prefilled syringe 25 mg/0.5ml, 50 mg/ml | 5 | PA |
| ENBREL MINI - etanercept subcutaneous solution cartridge 50 mg/ml | 5 | PA |
| ENBREL SURECLICK - etanercept subcutaneous solution auto-injector 50 mg/ml | 5 | PA |
| ENGERIX-B - hepatitis b vaccine (recombinant) susp pref syr 10 mcg/0.5ml, 20 mcg/ml | 1 | BD |
| ENGERIX-B - hepatitis b vaccine (recombinant) susp 20 mcg/ml | 1 | BD |
| ENTYVIO PEN - vedolizumab soln auto-injector 108 mg/0.68ml | 5 | PA |
| ENVARUSUS XR - tacrolimus tab er 24hr 0.75 mg, 1 mg | 4 | BD |
| ENVARUSUS XR - tacrolimus tab er 24hr 4 mg | 5 | BD |
| ERVEBO - ebola zaire virus vaccine live im susp | 1 | |
| <i>everolimus tab 0.25 mg</i> | 4 | BD |
| <i>everolimus tab 0.5 mg, 0.75 mg, 1 mg</i> | 5 | BD |
| GAMMAGARD LIQUID - immune globulin (human) iv or subcutaneous soln 1 gm/10ml, 2.5 gm/25ml, 5 gm/50ml, 10 gm/100ml, 20 gm/200ml, 30 gm/300ml | 5 | BD, PA |
| GAMMAGARD S/D IGA LESS THAN 1MCG/ML - immune globulin (human) iv for soln 5 gm, 10 gm | 5 | BD, PA |
| GAMMAPLEX - immune globulin (human) iv soln 5 gm/100ml, 10 gm/200ml, 20 gm/400ml, 5 gm/50ml, 10 gm/100ml, 20 gm/200ml | 5 | BD, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| GAMUNEX-C - immune globulin (human) iv or subcutaneous soln 1 gm/10ml, 2.5 gm/25ml, 5 gm/50ml, 10 gm/100ml, 20 gm/200ml, 40 gm/400ml | 5 | BD, PA |
| GARDASIL 9 - human papillomavirus (hvp) 9-valent recomb vac im susp | 1 | |
| GARDASIL 9 - human papillomavirus (hvp) 9-valent recomb vac susp pref syr | 1 | |
| <i>gengraf - cyclosporine modified cap 25 mg, 100 mg</i> | 4 | BD |
| <i>gengraf - cyclosporine modified oral soln 100 mg/ml</i> | 4 | BD |
| HADLIMA - adalimumab-bwwd soln prefilled syringe 40 mg/0.4ml, 40 mg/0.8ml | 5 | PA |
| HADLIMA PUSHTOUCH - adalimumab-bwwd soln auto-injector 40 mg/0.4ml, 40 mg/0.8ml | 5 | PA |
| HAEGARDA - c1 esterase inhibitor (human) for subcutaneous inj 2000 unit* | 5 | PA, QL (27 vials/28 days) |
| HAEGARDA - c1 esterase inhibitor (human) for subcutaneous inj 3000 unit* | 5 | PA, QL (18 vials/28 days) |
| HAVRIX - hepatitis a vaccine inj susp 720 el unit/0.5ml, 1440 el unit/ml | 1 | |
| HEPLISAV-B - hepatitis b vaccine recomb adjuvanted pref syr 20 mcg/0.5ml | 1 | BD |
| HIBERIX - haemophilus b polysaccharide conjugate vac for inj 10 mcg | 1 | |
| <i>icatibant acetate subcutaneous soln pref syr 30 mg/3ml</i> | 5 | PA, QL (6 syringes/30 days) |
| IMOVAX RABIES (H.D.C.V.) - rabies virus vaccine, hdc for inj susp | 1 | BD |
| INFANRIX - diph, acellular pert & tet tox inj 25 lf-58 mcg-10 lf/0.5ml | 1 | |
| IPOL INACTIVATED IPV - poliovirus vaccine, ipv injection | 1 | |
| IXCHIQ - chikungunya virus vaccine live for im solution | 1 | |
| IXIARO - japanese encephalitis vaccine inactivated adsorbed inj | 1 | |
| JYNNEOS - smallpox & monkeypox vac, live, non-replicating inj 0.5 ml | 1 | BD |
| KINRIX - diph-tetanus-acell pert-polio, ipv vacc susp pref syr 0.5 ml | 1 | |
| <i>leflunomide tab 10 mg, 20 mg</i> | 3 | |
| M-M-R II - measles-mumps-rubella virus vaccines for inj soln | 1 | |
| MENACTRA - meningococcal (a, c, y, and w-135) diphth conjugate vaccine | 1 | |
| MENQUADFI - meningococcal (a, c, y, and w-135) tetanus conjugate vaccine | 1 | |
| MENVEO - meningococcal (a, c, y, and w-135) oligo conj vac for inj | 1 | |
| MENVEO - meningococcal (a, c, y, and w-135) oligo conj vac im soln | 1 | |
| <i>methotrexate sodium for inj 1 gm</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| <i>methotrexate sodium inj pf 50 mg/2ml (25 mg/ml), 250 mg/10ml (25 mg/ml), 1000 mg/40ml (25 mg/ml)</i> | 2 | |
| <i>methotrexate sodium inj 250 mg/10ml (25 mg/ml)</i> | 1 | |
| <i>methotrexate sodium inj 50 mg/2ml (25 mg/ml)</i> | 1 | |
| <i>methotrexate sodium tab 2.5 mg (base equiv)</i> | 2 | |
| MRESVIA - rsv mrna pre-f vaccine im susp pref syr 50 mcg/0.5ml | 1 | QL (1 vaccine/lifetime; >=60 yr) |
| <i>mycophenolate mofetil cap 250 mg</i> | 3 | BD |
| <i>mycophenolate mofetil for oral susp 200 mg/ml</i> | 5 | BD |
| <i>mycophenolate mofetil tab 500 mg</i> | 3 | BD |
| <i>mycophenolate sodium tab dr 180 mg (mycophenolic acid equiv), 360 mg (mycophenolic acid equiv)</i> | 4 | BD |
| MYHIBBIN - mycophenolate mofetil oral susp 200 mg/ml | 5 | BD |
| ORENCIA - abatacept subcutaneous soln prefilled syringe 50 mg/0.4ml, 87.5 mg/0.7ml, 125 mg/ml | 5 | PA |
| ORENCIA CLICKJECT - abatacept subcutaneous soln auto-injector 125 mg/ml | 5 | PA |
| PEDIARIX - diph-tet tox-acell pert-hep b-polio ipv vac susp pref syr | 1 | |
| PEDVAX HIB - haemophilus b polysaccharide conj vac im susp 7.5 mcg/0.5 ml | 1 | |
| PEGASYS - peginterferon alfa-2a inj 180 mcg/ml | 5 | PA |
| PEGASYS - peginterferon alfa-2a soln prefilled syr 180 mcg/0.5ml | 5 | PA |
| PENBRAYA - meningococcal acyw (tet conj)-mening b (rcmb) vacc for inj | 1 | |
| PENTACEL - diph-ac per-tet tox ad-poliov-haemoph b poly vac for im susp | 1 | |
| PRIORIX - measles-mumps-rubella virus vaccines for subcutaneous susp | 1 | |
| PROGRAF - tacrolimus packet for susp 0.2 mg, 1 mg | 4 | BD |
| PROQUAD - measles-mumps-rubella-varicella virus vaccines for susp | 1 | |
| QUADRACEL - diph-tetanus tox ad-acell pert & polio virus, ipv vac inj | 1 | |
| QUADRACEL - diph-tetanus-acell pert-polio, ipv vacc susp pref syr 0.5 ml | 1 | |
| RABAVERT - rabies vaccine, pcec for inj | 1 | BD |
| RECOMBIVAX HB - hepatitis b vaccine (recombinant) susp pref syr 5 mcg/0.5ml, 10 mcg/ml | 1 | BD |
| RECOMBIVAX HB - hepatitis b vaccine (recombinant) susp 5 mcg/0.5ml, 10 mcg/ml, 40 mcg/ml | 1 | BD |
| RENFLEXIS - infliximab-abda for iv inj 100 mg | 5 | PA |
| REZUROCK - belumosudil mesylate tab 200 mg* | 5 | PA, QL (30 tablets/30 days) |
| RINVOQ - upadacitinib tab er 24hr 15 mg, 30 mg, 45 mg | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| RINVOQ LQ - upadacitinib oral soln 1 mg/ml | 5 | PA |
| ROTARIX - rotavirus vaccine, live oral susp | 1 | |
| ROTATEQ - rotavirus vaccine, live oral pentavalent soln | 1 | |
| <i>sajazir - icatibant acetate subcutaneous soln pref syr 30 mg/3ml</i> | 5 | PA, QL (6 syringes/30 days) |
| SHINGRIX - zoster vac recombinant adjuvanted for im inj 50 mcg/0.5ml | 1 | QL (2 vaccines/lifetime; >=18 yr) |
| SIMLANDI - adalimumab-ryvk prefilled syringe kit 40 mg/0.4ml | 5 | PA |
| SIMLANDI 1-PEN KIT - adalimumab-ryvk auto-injector kit 40 mg/0.4ml | 5 | PA |
| SIMLANDI 2-PEN KIT - adalimumab-ryvk auto-injector kit 40 mg/0.4ml | 5 | PA |
| <i>sirolimus oral soln 1 mg/ml</i> | 4 | BD |
| <i>sirolimus tab 0.5 mg, 1 mg, 2 mg</i> | 4 | BD |
| SKYRIZI - risankizumab-rzaa iv soln 600 mg/10ml (60 mg/ml) | 5 | PA |
| SKYRIZI - risankizumab-rzaa soln prefilled syringe 150 mg/ml | 5 | PA |
| SKYRIZI - risankizumab-rzaa subcutaneous soln cartridge 180 mg/1.2ml, 360 mg/2.4ml | 5 | PA |
| SKYRIZI PEN - risankizumab-rzaa soln auto-injector 150 mg/ml | 5 | PA |
| STAMARIL - yellow fever vaccine for inj suspension | 1 | |
| STELARA - ustekinumab inj 45 mg/0.5ml | 5 | PA |
| STELARA - ustekinumab iv soln 130 mg/26ml (5 mg/ml) (for iv infusion) | 5 | PA |
| STELARA - ustekinumab soln prefilled syringe 45 mg/0.5ml, 90 mg/ ml | 5 | PA |
| <i>tacrolimus cap 0.5 mg, 1 mg, 5 mg</i> | 4 | BD |
| TDVAX - tetanus-diphtheria toxoids (td) inj 2-2 lf/0.5ml | 1 | BD |
| TENIVAC - tetanus-diphtheria toxoids (td) inj 5-2 lfu | 1 | BD |
| THYMOGLOBULIN - anti-thymocyte globulin for iv soln 25 mg (lymphocyte ig) | 5 | BD |
| TICOVAC - tick-borne encephalit vac inact susp pref syr 1.2 mcg/0.25ml, 2.4 mcg/0.5ml | 1 | |
| TREMFYA - guselkumab iv soln 200 mg/20ml (10 mg/ml) | 5 | PA |
| TREMFYA - guselkumab soln auto-injector 100 mg/ml, 200 mg/2ml | 5 | PA |
| TREMFYA - guselkumab soln prefilled syringe 100 mg/ml, 200 mg/2ml | 5 | PA |
| TRUMENBA - meningococcal group b vac (recomb) im susp prefilled syr | 1 | |
| TWINRIX - hep a-hep b vaccine susp pref syr 720-20 elu-mcg/ml | 1 | |
| TYPHIM VI - typhoid vi polysaccharide intramuscular vac inj 25 mcg/0.5ml | 1 | |
| TYPHIM VI - typhoid vi polysaccharide vacc im soln pref syr 25 mcg/0.5ml | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| VAQTA - hepatitis a vaccine inj susp 25 unit/0.5ml, 50 unit/ml | 1 | |
| VARIVAX - varicella virus vac live for inj 1350 pfu/0.5ml | 1 | |
| VAXCHORA - cholera vaccine live attenuated for oral susp | 1 | |
| XATMEP - methotrexate oral soln 2.5 mg/ml | 4 | BD |
| XOLAIR - omalizumab for inj 150 mg* | 5 | PA |
| XOLAIR - omalizumab subcutaneous soln auto-injector 75 mg/0.5ml, 150 mg/ml, 300 mg/2ml* | 5 | PA |
| XOLAIR - omalizumab subcutaneous soln prefilled syringe 75 mg/0.5ml, 150 mg/ml, 300 mg/2ml* | 5 | PA |
| YF-VAX - yellow fever vaccine subcutaneous inj | 1 | |
| Inflammatory Bowel Disease Agents | | |
| <i>balsalazide disodium cap 750 mg</i> | 4 | |
| <i>budesonide delayed release particles cap 3 mg</i> | 4 | PA, QL (90 capsules/30 days) |
| <i>budesonide tab er 24hr 9 mg</i> | 5 | PA, QL (30 tablets/30 days) |
| <i>hydrocortisone enema 100 mg/60ml</i> | 4 | |
| <i>hydrocortisone perianal cream 1%</i> | 2 | |
| <i>hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>mesalamine cap er 24hr 0.375 gm</i> | 4 | QL (120 capsules/30 days) |
| <i>mesalamine enema 4 gm</i> | 4 | |
| <i>mesalamine rectal enema 4 gm & cleanser wipe kit</i> | 4 | |
| <i>mesalamine suppos 1000 mg</i> | 4 | |
| <i>mesalamine tab delayed release 1.2 gm</i> | 4 | QL (120 tablets/30 days) |
| <i>procto-med hc - hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>proctocort - hydrocortisone perianal cream 1%</i> | 2 | |
| <i>proctosol hc - hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>proctozone-hc - hydrocortisone perianal cream 2.5%</i> | 2 | QL (454 grams/30 days) |
| <i>sulfasalazine tab delayed release 500 mg</i> | 3 | |
| <i>sulfasalazine tab 500 mg</i> | 2 | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate sodium tab 10 mg</i> | 1 | QL (120 tablets/30 days) |
| <i>alendronate sodium tab 35 mg, 70 mg</i> | 1 | QL (4 tablets/28 days) |
| <i>calcitonin (salmon) nasal soln 200 unit/act</i> | 3 | |
| <i>calcitriol cap 0.25 mcg, 0.5 mcg</i> | 2 | |
| <i>calcitriol oral soln 1 mcg/ml</i> | 4 | |
| <i>cinacalcet hcl tab 30 mg (base equiv), 60 mg (base equiv)</i> | 4 | PA |
| <i>cinacalcet hcl tab 90 mg (base equiv)</i> | 5 | PA |
| <i>ibandronate sodium tab 150 mg (base equivalent)</i> | 2 | QL (1 tablet/28 days) |
| <i>paricalcitol cap 1 mcg, 2 mcg, 4 mcg</i> | 4 | |
| PROLIA - denosumab inj soln prefilled syringe 60 mg/ml | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>risedronate sodium tab delayed release 35 mg</i> | 4 | QL (4 tablets/28 days) |
| <i>risedronate sodium tab 5 mg, 30 mg</i> | 3 | QL (30 tablets/30 days) |
| <i>risedronate sodium tab 35 mg</i> | 3 | QL (4 tablets/28 days) |
| <i>risedronate sodium tab 150 mg</i> | 3 | QL (1 tablet/28 days) |
| TERIPARATIDE - teriparatide soln pen-inj 620 mcg/2.48ml | 5 | PA |
| TYMLOS - abaloparatide subcutaneous soln pen-injector 3120 mcg/1.56ml | 5 | PA |
| XGEVA - denosumab inj 120 mg/1.7ml | 5 | PA |
| Ophthalmic Agents | | |
| <i>atropine sulfate ophth soln 1%</i> | 3 | |
| <i>azelastine hcl ophth soln 0.05%</i> | 3 | |
| BACITRACIN - bacitracin ophth oint 500 unit/gm | 4 | |
| <i>bacitracin-polymyxin b ophth oint</i> | 2 | |
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 3 | |
| <i>betaxolol hcl ophth soln 0.5%</i> | 3 | |
| <i>bimatoprost ophth soln 0.03%</i> | 3 | QL (15 mls/75 days) |
| <i>brimonidine tartrate ophth soln 0.1%</i> | 3 | |
| <i>brimonidine tartrate ophth soln 0.15%</i> | 4 | |
| <i>brimonidine tartrate ophth soln 0.2%</i> | 2 | |
| <i>brimonidine tartrate-timolol maleate ophth soln 0.2-0.5%</i> | 3 | |
| <i>carteolol hcl ophth soln 1%</i> | 2 | |
| <i>ciprofloxacin hcl ophth soln 0.3% (base equivalent)</i> | 2 | |
| <i>cromolyn sodium ophth soln 4%</i> | 2 | |
| CYSTADROPS - cysteamine hcl ophth soln 0.37% (base equivalent)* | 5 | PA |
| CYSTARAN - cysteamine hcl ophth soln 0.44% (base equivalent)* | 5 | PA |
| <i>dexamethasone sodium phosphate ophth soln 0.1%</i> | 3 | |
| <i>diclofenac sodium ophth soln 0.1%</i> | 2 | |
| <i>difluprednate ophth emulsion 0.05%</i> | 4 | |
| <i>dorzolamide hcl ophth soln 2%</i> | 2 | |
| <i>dorzolamide hcl-timolol maleate ophth soln 2-0.5%</i> | 1 | |
| <i>epinastine hcl ophth soln 0.05%</i> | 3 | |
| <i>erythromycin ophth oint 5 mg/gm</i> | 2 | |
| <i>fluorometholone ophth susp 0.1%</i> | 3 | |
| <i>flurbiprofen sodium ophth soln 0.03%</i> | 3 | |
| <i>gentamicin sulfate ophth soln 0.3%</i> | 2 | |
| <i>ketorolac tromethamine ophth soln 0.4%</i> | 3 | |
| <i>ketorolac tromethamine ophth soln 0.5%</i> | 2 | |
| <i>latanoprost ophth soln 0.005%</i> | 1 | QL (15 mls/75 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------|
| <i>levobunolol hcl ophth soln 0.5%</i> | 2 | |
| LUMIGAN - bimatoprost ophth soln 0.01% | 3 | QL (15 mls/75 days) |
| <i>moxifloxacin hcl ophth soln 0.5% (base eq) (2 times daily) (generic for Moxeza)</i> | 4 | |
| <i>moxifloxacin hcl ophth soln 0.5% (base equiv) (generic for Vigamox)</i> | 4 | |
| <i>neo-polycin - neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 3 | |
| <i>neo-polycin hc - bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 3 | |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 3 | |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | 2 | |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | 2 | |
| NEOMYCIN/POLYMYXIN/GRAMICIDIN - neomycin-polymy-gramicid op sol 1.75-10000-0.025mg-unt-mg/ml | 3 | |
| <i>ofloxacin ophth soln 0.3%</i> | 2 | |
| <i>pilocarpine hcl ophth soln 1%, 2%, 4%</i> | 3 | |
| <i>polycin - bacitracin-polymyxin b ophth oint</i> | 2 | |
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i> | 2 | |
| <i>prednisolone acetate ophth susp 1%</i> | 3 | |
| <i>prednisolone sodium phosphate ophth soln 1%</i> | 3 | |
| RESTASIS - cyclosporine (ophth) emulsion 0.05% | 3 | QL (60 vials/30 days) |
| RESTASIS MULTIDOSE - cyclosporine (ophth) emulsion 0.05% | 3 | QL (2 bottles/30 days) |
| <i>sulfacetamide sodium ophth soln 10%</i> | 2 | |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | 2 | |
| <i>timolol maleate ophth gel forming soln 0.25%, 0.5%</i> | 4 | |
| <i>timolol maleate ophth soln 0.25%, 0.5%</i> | 1 | |
| <i>tobramycin ophth soln 0.3%</i> | 2 | |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | 3 | |
| <i>travoprost ophth soln 0.004% (benzalkonium free) (bak free)</i> | 3 | QL (15 mls/75 days) |
| TRIFLURIDINE - trifluridine ophth soln 1% | 3 | |
| XDEMVI - lotilaner ophth soln 0.25% | 5 | PA |
| Otic Agents | | |
| <i>acetic acid otic soln 2%</i> | 2 | |
| <i>flac - fluocinolone acetonide (otic) oil 0.01%</i> | 4 | |
| <i>fluocinolone acetonide (otic) oil 0.01%</i> | 4 | |
| <i>hydrocortisone w/ acetic acid otic soln 1-2%</i> | 4 | |
| <i>neomycin-polymyxin-hc otic soln 1%</i> | 3 | |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | 3 | |
| <i>ofloxacin otic soln 0.3%</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| Respiratory Tract/Pulmonary Agents | | |
| <i>acetylcysteine inhal soln 10%, 20%</i> | 3 | BD |
| ADEMPAS - riociguat tab 0.5 mg, 1 mg, 1.5 mg, 2 mg, 2.5 mg* | 5 | PA, QL (90 tablets/30 days) |
| ADVAIR HFA - fluticasone-salmeterol inhal aerosol 45-21 mcg/act, 115-21 mcg/act, 230-21 mcg/act | 3 | QL (1 inhaler/30 days) |
| <i>albuterol sulfate inhal aero 108 mcg/act (90mcg base equiv) (generics for ProAir HFA and Proventil HFA)</i> | 3 | QL (2 inhalers/30 days) |
| <i>albuterol sulfate soln nebu 0.083% (2.5 mg/3ml)</i> | 2 | BD |
| <i>albuterol sulfate soln nebu 0.5% (5 mg/ml), 0.63 mg/3ml (base equiv), 1.25 mg/3ml (base equiv)</i> | 3 | BD |
| <i>albuterol sulfate syrup 2 mg/5ml</i> | 2 | |
| <i>albuterol sulfate tab 2 mg, 4 mg</i> | 4 | |
| <i>ambrisentan tab 5 mg, 10 mg*</i> | 5 | PA, QL (30 tablets/30 days) |
| ANORO ELLIPTA - umeclidinium-vilanterol aero powd ba 62.5-25 mcg/act | 3 | QL (1 package/30 days) |
| ARNUITY ELLIPTA - fluticasone furoate aerosol powder breath activ 50 mcg/act, 100 mcg/act, 200 mcg/act | 3 | QL (30 blisters/30 days) |
| ASMANEX HFA - mometasone furoate inhal aerosol suspension 50 mcg/act, 100 mcg/act, 200 mcg/act | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 120 METERED DOSES - mometasone furoate inhal powd 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 14 METERED DOSES - mometasone furoate inhal powd 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 30 METERED DOSES - mometasone furoate inhal powd 110 mcg/act (breath activated), 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| ASMANEX TWISTHALER 60 METERED DOSES - mometasone furoate inhal powd 220 mcg/act (breath activated) | 3 | QL (1 inhaler/30 days) |
| ATROVENT HFA - ipratropium bromide hfa inhal aerosol 17 mcg/act | 4 | QL (2 inhalers/30 days) |
| <i>azelastine hcl nasal spray 0.1% (137 mcg/spray)</i> | 2 | QL (2 bottles/30 days) |
| <i>bosentan tab 62.5 mg, 125 mg*</i> | 5 | PA, QL (60 tablets/30 days) |
| BREO ELLIPTA - fluticasone furoate-vilanterol aero powd ba 50-25 mcg/act, 100-25 mcg/act, 200-25 mcg/act | 3 | QL (1 package/30 days) |
| <i>brey-na - budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 3 | QL (3 inhalers/30 days) |
| <i>brey-na - budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 3 | QL (3 inhalers/30 days) |
| <i>budesonide inhalation susp 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i> | 4 | BD |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act, 160-4.5 mcg/act</i> | 3 | QL (3 inhalers/30 days) |
| CAYSTON - aztreonam lysine for inhal soln 75 mg (base equivalent)* | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| COMBIVENT RESPIMAT - ipratropium-albuterol inhal aerosol soln 20-100 mcg/act | 4 | QL (2 inhalers/30 days) |
| <i>cromolyn sodium soln nebu 20 mg/2ml</i> | 3 | BD |
| <i>cyproheptadine hcl tab 4 mg#</i> | 4 | PA (>=65 yr) |
| DULERA - mometasone furoate-formoterol fumarate aerosol 50-5 mcg/act, 100-5 mcg/act, 200-5 mcg/act | 3 | QL (3 inhalers/30 days) |
| EPINEPHRINE (authorized generic for Adrenaclick 0.3 mg/0.3 mL) - epinephrine solution auto-injector 0.3 mg/0.3ml (1:1000) | 3 | |
| EPINEPHRINE - epinephrine solution auto-injector 0.15 mg/0.15ml (1:1000) | 3 | |
| <i>epinephrine solution auto-injector 0.15 mg/0.3ml (1:2000)</i> | 3 | |
| <i>epinephrine solution auto-injector 0.3 mg/0.3ml (1:1000) (generic for EpiPen 2-Pak)</i> | 3 | |
| <i>flunisolide nasal soln 25 mcg/act (0.025%)</i> | 3 | QL (3 bottles/30 days) |
| FLUTICASONE PROPIONATE HFA - fluticasone propionate hfa inhal aero 44 mcg/act | 3 | QL (1 inhaler/30 days) |
| FLUTICASONE PROPIONATE HFA - fluticasone propionate hfa inhal aer 110 mcg/act | 3 | QL (1 inhaler/30 days) |
| FLUTICASONE PROPIONATE HFA - fluticasone propionate hfa inhal aer 220 mcg/act | 3 | QL (2 inhalers/30 days) |
| <i>fluticasone propionate nasal susp 50 mcg/act</i> | 2 | QL (1 bottle/30 days) |
| FLUTICASONE PROPIONATE/SALMETEROL - fluticasone-salmeterol aer powder ba 55-14 mcg/act, 113-14 mcg/act, 232-14 mcg/act | 3 | QL (1 inhaler/30 days) |
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| INCRUSE ELLIPTA - umeclidinium br aero powd breath act 62.5 mcg/act (base eq) | 3 | QL (30 blisters/30 days) |
| <i>ipratropium bromide inhal soln 0.02%</i> | 2 | BD |
| <i>ipratropium bromide nasal soln 0.03% (21 mcg/spray)</i> | 2 | QL (2 bottles/30 days) |
| <i>ipratropium bromide nasal soln 0.06% (42 mcg/spray)</i> | 2 | QL (3 bottles/30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 2 | BD |
| KALYDECO - ivacaftor packet 5.8 mg, 13.4 mg, 25 mg, 50 mg, 75 mg* | 5 | PA, QL (60 packets/30 days) |
| KALYDECO - ivacaftor tab 150 mg* | 5 | PA, QL (60 tablets/30 days) |
| <i>levocetirizine dihydrochloride tab 5 mg</i> | 2 | |
| <i>montelukast sodium chew tab 4 mg (base equiv), 5 mg (base equiv)</i> | 2 | |
| <i>montelukast sodium oral granules packet 4 mg (base equiv)</i> | 4 | |
| <i>montelukast sodium tab 10 mg (base equiv)</i> | 2 | |
| OFEV - nintedanib esylate cap 100 mg (base equivalent), 150 mg (base equivalent)*† | 5 | PA, QL (60 capsules/30 days) |
| OPSUMIT - macitentan tab 10 mg* | 5 | PA, QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| ORKAMBI - lumacaftor-ivacaftor granules packet 75-94 mg, 100-125 mg, 150-188 mg* | 5 | PA, QL (60 packets/30 days) |
| ORKAMBI - lumacaftor-ivacaftor tab 100-125 mg, 200-125 mg* | 5 | PA, QL (120 tablets/30 days) |
| <i>pirfenidone cap 267 mg</i> | 5 | PA, QL (270 capsules/30 days) |
| <i>pirfenidone tab 267 mg</i> | 5 | PA, QL (270 tablets/30 days) |
| <i>pirfenidone tab 801 mg</i> | 5 | PA, QL (90 tablets/30 days) |
| PULMOZYME - dornase alfa inhal soln 2.5 mg/2.5ml | 5 | BD |
| <i>roflumilast tab 250 mcg, 500 mcg</i> | 4 | PA, QL (30 tablets/30 days) |
| SEREVENT DISKUS - salmeterol xinafoate aer pow ba 50 mcg/act (base equiv) | 3 | QL (1 inhaler/30 days) |
| <i>sildenafil citrate tab 20 mg</i> | 3 | PA, QL (90 tablets/30 days) |
| SPIRIVA RESPIMAT - tiotropium bromide monohydrate inhal aerosol 2.5 mcg/act | 3 | QL (1 inhaler/30 days) |
| STIOLTO RESPIMAT - tiotropium br-olodaterol inhal aero soln 2.5-2.5 mcg/act | 3 | QL (1 canister/30 days) |
| <i>tadalafil tab 20 mg (pah)</i> | 4 | PA, QL (60 tablets/30 days) |
| <i>theophylline tab er 12hr 300 mg, 450 mg</i> | 4 | |
| <i>theophylline tab er 24hr 400 mg, 600 mg</i> | 3 | |
| <i>tiotropium bromide monohydrate inhal cap 18 mcg (base equiv)</i> | 3 | QL (30 capsules/30 days) |
| <i>tobramycin nebu soln 300 mg/5ml</i> | 5 | BD, PA |
| TRACLEER - bosentan tab for oral susp 32 mg* | 5 | PA, QL (120 tablets/30 days) |
| TRELEGY ELLIPTA - fluticasone-umeclidinium-vilanterol aepb 100-62.5-25 mcg/act, 200-62.5-25 mcg/act | 3 | QL (60 blisters/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 80-40-60 mg& ivacaf 59.5mg thpk gran | 5 | PA, QL (60 packets/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 100-50-75 mg& ivacaf 75mg thpk gran | 5 | PA, QL (60 packets/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 50-25-37.5 mg & ivacaftor 75 mg thpk | 5 | PA, QL (90 tablets/30 days) |
| TRIKAFTA - elexacaf-tezacaf-ivacaf 100-50-75 mg & ivacaftor 150 mg thpk | 5 | PA, QL (90 tablets/30 days) |
| VENTOLIN HFA - albuterol sulfate inhal aero 108 mcg/act (90mcg base equiv) | 3 | QL (2 inhalers/30 days) |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| <i>wixela inhub - fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | 3 | QL (1 inhaler/30 days) |
| <i>zafirlukast tab 10 mg, 20 mg</i> | 4 | |
| Skeletal Muscle Relaxants | | |
| <i>cyclobenzaprine hcl tab 5 mg, 10 mg#</i> | 2 | |
| <i>methocarbamol tab 500 mg, 750 mg#</i> | 2 | |
| Sleep Disorder Agents | | |
| <i>armodafinil tab 50 mg, 150 mg, 200 mg, 250 mg</i> | 4 | PA, QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| <i>modafinil tab 100 mg, 200 mg</i> | 3 | PA, QL (30 tablets/30 days) |
| <i>ramelteon tab 8 mg</i> | 4 | QL (30 tablets/30 days) |
| SODIUM OXYBATE - sodium oxybate oral solution 500 mg/ml | 5 | PA, QL (540 mls/30 days) |
| <i>tasimelteon capsule 20 mg</i> | 5 | PA, QL (30 capsules/30 days) |
| <i>temazepam cap 15 mg, 30 mg</i> | 2 | QL (30 capsules/30 days) |
| <i>zaleplon cap 5 mg#</i> | 3 | QL (30 capsules/30 days) |
| <i>zaleplon cap 10 mg#</i> | 3 | QL (60 capsules/30 days) |
| <i>zolpidem tartrate tab 5 mg, 10 mg#</i> | 2 | QL (30 tablets/30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

INDEX

A

| | | | |
|---|----|---|----|
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 27 | <i>albuterol sulfate inhal aero 108 mcg/act (90mcg base equiv) (generics for ProAir HFA and Proventil HFA)</i> | 68 |
| <i>abacavir sulfate soln 20 mg/ml (base equiv)</i> | 27 | <i>albuterol sulfate soln nebu 0.083% (2.5 mg/3ml)</i> | 68 |
| <i>abacavir sulfate tab 300 mg (base equiv)</i> | 27 | <i>albuterol sulfate soln nebu 0.5% (5 mg/ml), 0.63 mg/3ml (base equiv), 1.25 mg/3ml (base equiv)</i> | 68 |
| ABILIFY ASIMTUFII..... | 24 | <i>albuterol sulfate syrup 2 mg/5ml</i> | 68 |
| ABILIFY MAINTENA..... | 24 | <i>albuterol sulfate tab 2 mg, 4 mg</i> | 68 |
| <i>abiraterone acetate tab 250 mg</i> | 16 | <i>alclometasone dipropionate cream 0.05%</i> | 44 |
| ABRYSVO..... | 60 | <i>alclometasone dipropionate oint 0.05%</i> | 44 |
| <i>acamprosate calcium tab delayed release 333 mg</i> | 3 | ALCOHOL SWABS..... | 31 |
| <i>acarbose tab 100 mg</i> | 31 | ALECENSA..... | 16 |
| <i>acarbose tab 25 mg</i> | 31 | <i>alendronate sodium tab 10 mg</i> | 65 |
| <i>acarbose tab 50 mg</i> | 31 | <i>alendronate sodium tab 35 mg, 70 mg</i> | 65 |
| <i>accutane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 44 | <i>alfuzosin hcl tab er 24hr 10 mg</i> | 50 |
| <i>acebutolol hcl cap 200 mg, 400 mg</i> | 36 | <i>aliskiren fumarate tab 150 mg (base equivalent), 300 mg (base equivalent)</i> | 36 |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 1 | <i>allopurinol tab 100 mg, 300 mg</i> | 15 |
| <i>acetaminophen w/ codeine tab 300-15 mg, 300-30 mg</i> | 1 | <i>alose tron hcl tab 0.5 mg (base equiv)</i> | 48 |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 1 | <i>alose tron hcl tab 1 mg (base equiv)</i> | 48 |
| <i>acetazolamide cap er 12hr 500 mg</i> | 36 | <i>alprazolam tab 0.25 mg, 0.5 mg, 1 mg</i> | 30 |
| <i>acetazolamide tab 125 mg, 250 mg</i> | 36 | <i>alprazolam tab 2 mg</i> | 30 |
| <i>acetic acid otic soln 2%</i> | 67 | <i>altavera - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 51 |
| <i>acetylcysteine inhal soln 10%, 20%</i> | 68 | ALUNBRIG..... | 16 |
| <i>acitretin cap 10 mg, 17.5 mg, 25 mg</i> | 44 | <i>alyacen 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg</i> | 51 |
| ACTHIB..... | 60 | <i>alyacen 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 51 |
| ACTIMMUNE..... | 60 | <i>amantadine hcl cap 100 mg</i> | 23 |
| <i>acyclovir cap 200 mg</i> | 27 | <i>amantadine hcl soln 50 mg/5ml</i> | 23 |
| <i>acyclovir oint 5%</i> | 27 | <i>ambrisentan tab 5 mg, 10 mg</i> | 68 |
| <i>acyclovir sodium iv soln 50 mg/ml</i> | 27 | <i>amikacin sulfate inj 500 mg/2ml (250 mg/ml), 1 gm/4ml (250 mg/ml)</i> | 3 |
| <i>acyclovir susp 200 mg/5ml</i> | 27 | <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 36 |
| <i>acyclovir tab 400 mg, 800 mg</i> | 27 | <i>amiloride hcl tab 5 mg</i> | 36 |
| ADACEL..... | 60 | <i>amiodarone hcl tab 100 mg</i> | 36 |
| <i>adefovir dipivoxil tab 10 mg</i> | 27 | <i>amiodarone hcl tab 200 mg</i> | 36 |
| ADEMPAS..... | 68 | <i>amitriptyline hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg</i> | 11 |
| ADVAIR HFA..... | 68 | <i>amlodipine besylate-atorvastatin calcium tab 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg, 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 36 |
| <i>afirmelle - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 51 | <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg</i> | 36 |
| AIMOVIG..... | 15 | | |
| AKEEGA..... | 16 | | |
| <i>ala-cort - hydrocortisone cream 1%</i> | 44 | | |
| <i>albendazole tab 200 mg</i> | 23 | | |

| | | | |
|--|----|---|----|
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg, 5-40 mg, 10-20 mg, 10-40 mg</i> | 37 | <i>aprepitant capsule 40 mg, 80 mg, 125 mg</i> | 13 |
| <i>amlodipine besylate tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 36 | <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 13 |
| <i>amlodipine besylate-valsartan tab 5-160 mg, 5-320 mg, 10-160 mg, 10-320 mg</i> | 37 | <i>apri - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 51 |
| <i>amlodipine-valsartan-hydrochlorothiazide tab 5-160-12.5 mg, 5-160-25 mg, 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg</i> | 37 | APTIOM..... | 8 |
| <i>amnesteem - isotretinoin cap 10 mg, 20 mg, 40 mg</i> | 44 | APTIVUS..... | 27 |
| <i>amoxapine tab 25 mg, 50 mg, 100 mg, 150 mg</i> | 11 | <i>aranelle - norethindrone-eth estradiol tab 0.5-35/1-35/0.5-35 mg-mcg</i> | 51 |
| <i>amoxicillin (trihydrate) cap 250 mg, 500 mg</i> | 3 | ARCALYST..... | 60 |
| <i>amoxicillin (trihydrate) chew tab 125 mg</i> | 3 | AREXVY..... | 60 |
| <i>amoxicillin (trihydrate) chew tab 250 mg</i> | 3 | ARIKAYCE..... | 4 |
| <i>amoxicillin (trihydrate) for susp 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i> | 3 | <i>aripiprazole orally disintegrating tab 10 mg, 15 mg</i> | 24 |
| <i>amoxicillin (trihydrate) tab 500 mg, 875 mg</i> | 3 | <i>aripiprazole oral solution 1 mg/ml</i> | 24 |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | 3 | <i>aripiprazole tab 10 mg, 15 mg, 20 mg, 30 mg</i> | 24 |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 3 | <i>aripiprazole tab 2 mg, 5 mg</i> | 24 |
| <i>amoxicillin & k clavulanate tab 250-125 mg, 500-125 mg, 875-125 mg</i> | 4 | <i>armodafinil tab 50 mg, 150 mg, 200 mg, 250 mg</i> | 70 |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg</i> | 42 | ARNUIITY ELLIPTA..... | 68 |
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 42 | <i>asenapine maleate sl tab 2.5 mg (base equiv), 5 mg (base equiv), 10 mg (base equiv)</i> | 24 |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 42 | ASMANEX HFA..... | 68 |
| <i>amphetamine-dextroamphetamine tab 5 mg, 7.5 mg, 10 mg, 12.5 mg, 15 mg, 30 mg</i> | 42 | ASMANEX TWISTHALER 120 METERED DOSES..... | 68 |
| AMPHOTERICIN B..... | 13 | ASMANEX TWISTHALER 14 METERED DOSES..... | 68 |
| <i>amphotericin b liposome iv for susp 50 mg</i> | 13 | ASMANEX TWISTHALER 30 METERED DOSES..... | 68 |
| <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 4 | ASMANEX TWISTHALER 60 METERED DOSES..... | 68 |
| <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 4 | <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 35 |
| <i>ampicillin cap 500 mg</i> | 4 | <i>atazanavir sulfate cap 150 mg (base equiv), 300 mg (base equiv)</i> | 27 |
| <i>ampicillin sodium for inj 1 gm</i> | 4 | <i>atazanavir sulfate cap 200 mg (base equiv)</i> | 27 |
| <i>ampicillin sodium for iv soln 1 gm</i> | 4 | <i>atenolol & chlorthalidone tab 50-25 mg, 100-25 mg</i> | 37 |
| <i>anagrelide hcl cap 0.5 mg, 1 mg</i> | 35 | <i>atenolol tab 25 mg, 50 mg, 100 mg</i> | 37 |
| <i>anastrozole tab 1 mg</i> | 16 | <i>atomoxetine hcl cap 10 mg (base equiv), 18 mg (base equiv), 25 mg (base equiv), 40 mg (base equiv)</i> | 42 |
| ANORO ELLIPTA..... | 68 | <i>atomoxetine hcl cap 60 mg (base equiv), 80 mg (base equiv), 100 mg (base equiv)</i> | 42 |
| APOKYN..... | 23 | <i>atorvastatin calcium tab 10 mg (base equivalent), 20 mg (base equivalent), 40 mg (base equivalent)</i> | 37 |
| | | <i>atorvastatin calcium tab 80 mg (base equivalent)</i> | 37 |

| | | | |
|--|----|---|----|
| <i>atovaquone-proguanil hcl tab 62.5-25 mg, 250-100 mg</i> | 23 | <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 66 |
| <i>atovaquone susp 750 mg/5ml</i> | 23 | <i>baclofen tab 10 mg, 20 mg</i> | 27 |
| <i>atropine sulfate ophth soln 1%</i> | 66 | <i>balsalazide disodium cap 750 mg</i> | 65 |
| ATROVENT HFA..... | 68 | BALVERSA..... | 16 |
| <i>abra eq - levonorgestrel & ethinyl estradiol tab 0.1 mg-20mcg</i> | 51 | <i>balziva - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 52 |
| AUGTYRO..... | 16 | BARACLUDE..... | 27 |
| <i>aurovela 1/20 - norethindrone ace & ethinyl estradiol tab 1mg-20 mcg</i> | 52 | BCG VACCINE..... | 60 |
| <i>aurovela 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 52 | <i>benazepril & hydrochlorothiazide tab 5-6.25 mg, 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 37 |
| <i>aurovela 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 52 | <i>benazepril hcl tab 5 mg, 10 mg, 20 mg, 40 mg</i> | 37 |
| <i>aurovela fe 1/20 - norethindrone ace & ethinyl estradiol-fetab 1 mg-20 mcg</i> | 52 | BENLYSTA..... | 60 |
| <i>aurovela fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 52 | <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 44 |
| AUSTEDO..... | 42 | <i>benztropine mesylate tab 0.5 mg, 1 mg, 2 mg</i> | 23 |
| AUSTEDO XR..... | 42 | BESREMI..... | 60 |
| AUSTEDO XR PATIENT TITRATION KIT..... | 43 | <i>betaine powder for oral solution</i> | 49 |
| AUVELITY..... | 11 | BETAMETHASONE DIPROPIONATE AUGMENTED..... | 44 |
| <i>aviane - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 52 | <i>betamethasone dipropionate augmented cream 0.05%</i> | 44 |
| <i>avidoxy - doxycycline monohydrate tab 100 mg</i> | 4 | <i>betamethasone dipropionate augmented lotion 0.05%</i> | 44 |
| AVONEX..... | 43 | <i>betamethasone dipropionate augmented oint 0.05%</i> | 44 |
| AVONEX PEN..... | 43 | <i>betamethasone dipropionate cream 0.05%</i> | 44 |
| <i>ayuna - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 52 | <i>betamethasone dipropionate lotion 0.05%</i> | 44 |
| AYVAKIT..... | 16 | <i>betamethasone dipropionate oint 0.05%</i> | 44 |
| <i>azathioprine tab 50 mg</i> | 60 | <i>betamethasone valerate cream 0.1% (base equivalent)</i> | 44 |
| <i>azelaic acid gel 15%</i> | 44 | <i>betamethasone valerate lotion 0.1% (base equivalent)</i> | 44 |
| <i>azelastine hcl nasal spray 0.1% (137 mcg/spray)</i> | 68 | <i>betamethasone valerate oint 0.1% (base equivalent)</i> | 44 |
| <i>azelastine hcl ophth soln 0.05%</i> | 66 | BETASERON..... | 43 |
| <i>azithromycin for susp 100 mg/5ml, 200 mg/5ml</i> | 4 | <i>betaxolol hcl ophth soln 0.5%</i> | 66 |
| <i>azithromycin iv for soln 500 mg</i> | 4 | <i>betaxolol hcl tab 10 mg, 20 mg</i> | 37 |
| <i>azithromycin tab 250 mg, 500 mg, 600 mg</i> | 4 | <i>bethanechol chloride tab 5 mg, 10 mg, 25 mg, 50 mg</i> | 50 |
| <i>aztreonam for inj 1 gm</i> | 4 | <i>bexarotene cap 75 mg</i> | 16 |
| <i>aztreonam for inj 2 gm</i> | 4 | <i>bexarotene gel 1%</i> | 16 |
| <i>azurette - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 52 | BEXSERO..... | 60 |
| B | | <i>bicalutamide tab 50 mg</i> | 16 |
| <i>bac - butalbital-acetaminophen-caffeine tab 50-325-40 mg</i> | 1 | BICILLIN L-A..... | 4 |
| BACITRACIN..... | 66 | BIKTARVY..... | 27 |
| <i>bacitracin-polymyxin b ophth oint</i> | 66 | <i>bimatoprost ophth soln 0.03%</i> | 66 |

| | | | |
|--|----|---|----|
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg, 5-6.25 mg, 10-6.25 mg</i> | 37 | <i>buprenorphine hcl sl tab 2 mg (base equiv), 8 mg (base equiv)</i> | 3 |
| <i>bisoprolol fumarate tab 5 mg, 10 mg</i> | 37 | <i>bupropion hcl (smoking deterrent) tab er 12hr 150 mg</i> | 3 |
| <i>blisovi 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 52 | <i>bupropion hcl tab 100 mg</i> | 11 |
| <i>blisovi fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 52 | <i>bupropion hcl tab 75 mg</i> | 11 |
| <i>blisovi fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 52 | <i>bupropion hcl tab er 12hr 100 mg</i> | 11 |
| BOOSTRIX..... | 60 | <i>bupropion hcl tab er 12hr 150 mg, 200 mg</i> | 11 |
| <i>bosentan tab 62.5 mg, 125 mg</i> | 68 | <i>bupropion hcl tab er 24hr 150 mg</i> | 11 |
| BOSULIF..... | 16 | <i>bupropion hcl tab er 24hr 300 mg</i> | 11 |
| BRAFTOVI..... | 16 | <i>bupirone hcl tab 5 mg, 7.5 mg, 10 mg, 15 mg, 30 mg</i> | 30 |
| BREO ELLIPTA..... | 68 | <i>butalbital-acetaminophen-caffeine tab 50-325-40 mg</i> | 1 |
| <i>breynd - budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 68 | <i>butalbital-aspirin-caffeine cap 50-325-40 mg</i> | 1 |
| <i>breynd - budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 68 | BYDUREON BCISE..... | 31 |
| <i>briellyn - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 52 | C | |
| BRILINTA..... | 35 | <i>cabergoline tab 0.5 mg</i> | 59 |
| <i>brimonidine tartrate ophth soln 0.1%</i> | 66 | CABOMETYX..... | 16 |
| <i>brimonidine tartrate ophth soln 0.15%</i> | 66 | <i>calcipotriene cream 0.005%</i> | 44 |
| <i>brimonidine tartrate ophth soln 0.2%</i> | 66 | <i>calcipotriene oint 0.005%</i> | 44 |
| <i>brimonidine tartrate-timolol maleate ophth soln 0.2-0.5%</i> | 66 | <i>calcipotriene soln 0.005% (50 mcg/ml)</i> | 44 |
| BRIVIACT..... | 8 | <i>calcitonin (salmon) nasal soln 200 unit/act</i> | 65 |
| <i>bromocriptine mesylate cap 5 mg (base equivalent)</i> | 23 | <i>calcitrene - calcipotriene oint 0.005%</i> | 44 |
| <i>bromocriptine mesylate tab 2.5 mg (base equivalent)</i> | 23 | <i>calcitriol cap 0.25 mcg, 0.5 mcg</i> | 65 |
| BRUKINSA..... | 16 | <i>calcitriol oral soln 1 mcg/ml</i> | 65 |
| <i>budesonide delayed release particles cap 3 mg</i> | 65 | CALQUENCE..... | 16 |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act, 160-4.5 mcg/act</i> | 68 | <i>camila - norethindrone tab 0.35 mg</i> | 52 |
| <i>budesonide inhalation susp 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i> | 68 | <i>camrese lo - levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 52 |
| <i>budesonide tab er 24hr 9 mg</i> | 65 | <i>candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> | 37 |
| <i>bumetanide inj 0.25 mg/ml</i> | 37 | <i>candesartan cilexetil tab 32 mg</i> | 37 |
| <i>bumetanide tab 0.5 mg, 1 mg</i> | 37 | <i>candesartan cilexetil tab 4 mg, 8 mg, 16 mg</i> | 37 |
| <i>bumetanide tab 2 mg</i> | 37 | CAPLYTA..... | 24 |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 3 | CAPRELSA..... | 16 |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv), 8-2 mg (base equiv), 12-3 mg (base equiv)</i> | 3 | <i>captopril tab 12.5 mg, 25 mg, 50 mg, 100 mg</i> | 37 |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 3 | <i>carbamazepine cap er 12hr 100 mg, 200 mg, 300 mg</i> | 8 |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 3 | <i>carbamazepine chew tab 100 mg</i> | 8 |
| | | <i>carbamazepine susp 100 mg/5ml</i> | 8 |
| | | <i>carbamazepine tab 200 mg</i> | 8 |
| | | <i>carbamazepine tab er 12hr 100 mg, 200 mg, 400 mg</i> | 8 |
| | | <i>carbidopa & levodopa orally disintegrating tab 10-100 mg</i> | 23 |

| | | | |
|---|----|--|----|
| <i>carbidopa & levodopa orally disintegrating tab</i> 25-100 mg..... | 23 | <i>ceftriaxone sodium (bulk) for inj 100 gm.....</i> | 5 |
| <i>carbidopa & levodopa orally disintegrating tab</i> 25-250 mg..... | 23 | <i>ceftriaxone sodium for inj 250 mg, 500 mg, 1 gm, 2</i> <i>gm, 10 gm.....</i> | 5 |
| <i>carbidopa & levodopa tab 10-100 mg, 25-100 mg,</i> <i>25-250 mg.....</i> | 23 | <i>ceftriaxone sodium for iv soln 1 gm, 2</i> <i>gm.....</i> | 5 |
| <i>carbidopa & levodopa tab er 25-100 mg, 50-200</i> <i>mg.....</i> | 23 | <i>ceftriaxone sodium for iv soln 1 gm and dextrose</i> <i>3.74% 50 ml.....</i> | 5 |
| <i>carglumic acid soluble tab 200 mg.....</i> | 46 | <i>ceftriaxone sodium for iv soln 2 gm and dextrose</i> <i>2.22% 50 ml.....</i> | 5 |
| <i>carteolol hcl ophth soln 1%.....</i> | 66 | <i>ceftriaxone sodium in dextrose inj 20 mg/</i> <i>ml.....</i> | 5 |
| <i>cartia xt - diltiazem hcl coated beads cap er 24hr 120</i> <i>mg, 180 mg, 240 mg, 300 mg.....</i> | 37 | <i>ceftriaxone sodium in dextrose inj 40 mg/</i> <i>ml.....</i> | 5 |
| <i>carvedilol tab 3.125 mg, 6.25 mg, 12.5 mg, 25</i> <i>mg.....</i> | 37 | <i>cefuroxime axetil tab 250 mg, 500 mg.....</i> | 5 |
| <i>casprofungin acetate for iv soln 50 mg, 70</i> <i>mg.....</i> | 13 | <i>cefuroxime sodium for inj 750 mg.....</i> | 5 |
| <i>CAYSTON.....</i> | 68 | <i>cefuroxime sodium for iv soln 1.5 gm.....</i> | 5 |
| <i>cefaclor cap 250 mg.....</i> | 4 | <i>celecoxib cap 400 mg.....</i> | 1 |
| <i>cefaclor cap 500 mg.....</i> | 4 | <i>celecoxib cap 50 mg, 100 mg, 200 mg.....</i> | 1 |
| <i>cefadroxil cap 500 mg.....</i> | 4 | <i>cephalexin cap 250 mg, 500 mg.....</i> | 5 |
| <i>cefadroxil for susp 250 mg/5ml, 500</i> <i>mg/5ml.....</i> | 4 | <i>cephalexin for susp 125 mg/5ml, 250</i> <i>mg/5ml.....</i> | 5 |
| <i>cefazolin sodium-dextrose iv solution 1</i> <i>gm/50ml-4%.....</i> | 4 | <i>CEREZYME.....</i> | 49 |
| <i>cefazolin sodium for inj 500 mg, 1 gm.....</i> | 4 | <i>chateal eq - levonorgestrel & ethinyl estradiol tab</i> <i>0.15 mg-30 mcg.....</i> | 52 |
| <i>cefazolin sodium for iv soln 1 gm.....</i> | 4 | <i>CHEMET.....</i> | 46 |
| <i>cefazolin sodium for iv soln 1 gm and dextrose 4%</i> <i>(50 ml).....</i> | 4 | <i>CHENODAL.....</i> | 48 |
| <i>cefdinir cap 300 mg.....</i> | 4 | <i>chlorhexidine gluconate soln 0.12%.....</i> | 44 |
| <i>cefdinir for susp 125 mg/5ml, 250</i> <i>mg/5ml.....</i> | 4 | <i>chloroquine phosphate tab 250 mg, 500</i> <i>mg.....</i> | 23 |
| <i>cefepime hcl for inj 1 gm.....</i> | 4 | <i>chlorpromazine hcl conc 100 mg/ml.....</i> | 13 |
| <i>cefepime hcl for iv soln 1 gm and dextrose 5% (50</i> <i>ml).....</i> | 4 | <i>chlorpromazine hcl conc 30 mg/ml.....</i> | 13 |
| <i>cefepime hcl for iv soln 2 gm.....</i> | 4 | <i>chlorpromazine hcl tab 10 mg, 25 mg, 50 mg, 100</i> <i>mg, 200 mg.....</i> | 13 |
| <i>cefepime hcl for iv soln 2 gm and dextrose 5% (50</i> <i>ml).....</i> | 4 | <i>chlorthalidone tab 25 mg, 50 mg.....</i> | 37 |
| <i>cefepime hcl iv soln 1 gm/50ml.....</i> | 4 | <i>cholestyramine light powder 4 gm/</i> <i>dose.....</i> | 37 |
| <i>cefepime hcl iv soln 2 gm/100ml.....</i> | 4 | <i>cholestyramine light powder packets 4</i> <i>gm.....</i> | 37 |
| <i>cefixime cap 400 mg.....</i> | 4 | <i>cholestyramine powder 4 gm/dose.....</i> | 37 |
| <i>cefoxitin sodium for iv soln 1 gm, 2 gm.....</i> | 4 | <i>cholestyramine powder packets 4 gm.....</i> | 37 |
| <i>cefoxitin sodium iv for soln 1 gm and dextrose 4%</i> <i>(50 ml).....</i> | 4 | <i>choline fenofibrate cap dr 135 mg (fenofibric acid</i> <i>equiv).....</i> | 37 |
| <i>cefoxitin sodium iv for soln 2 gm and dextrose 2.2%</i> <i>(50 ml).....</i> | 4 | <i>choline fenofibrate cap dr 45 mg (fenofibric acid</i> <i>equiv).....</i> | 37 |
| <i>cefpodoxime proxetil for susp 50 mg/5ml, 100</i> <i>mg/5ml.....</i> | 4 | <i>CHORIONIC GONADOTROPIN.....</i> | 51 |
| <i>cefpodoxime proxetil tab 100 mg, 200</i> <i>mg.....</i> | 4 | <i>ciclodan - ciclopirox solution 8%.....</i> | 13 |
| <i>cefprozil tab 250 mg, 500 mg.....</i> | 5 | <i>ciclopirox gel 0.77%.....</i> | 13 |
| <i>ceftazidime for inj 1 gm, 6 gm.....</i> | 5 | <i>ciclopirox olamine cream 0.77% (base</i> <i>equiv).....</i> | 13 |
| <i>ceftazidime for iv soln 2 gm.....</i> | 5 | <i>ciclopirox olamine susp 0.77% (base</i> <i>equiv).....</i> | 13 |
| | | <i>ciclopirox solution 8%.....</i> | 13 |

| | | | |
|--|----|---|----|
| <i>cilostazol tab 50 mg, 100 mg</i> | 35 | <i>clobetasol propionate oint 0.05%</i> | 45 |
| CIMDUO..... | 27 | <i>clobetasol propionate soln 0.05%</i> | 45 |
| <i>cimetidine tab 200 mg, 300 mg, 400 mg, 800 mg</i> | 48 | <i>clomipramine hcl cap 25 mg, 50 mg, 75 mg</i> | 11 |
| <i>cinacalcet hcl tab 30 mg (base equiv), 60 mg (base equiv)</i> | 65 | <i>clonazepam orally disintegrating tab 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 30 |
| <i>cinacalcet hcl tab 90 mg (base equiv)</i> | 65 | <i>clonazepam orally disintegrating tab 2 mg</i> | 30 |
| CINRYZE..... | 60 | <i>clonazepam tab 0.5 mg, 1 mg</i> | 30 |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 5 | <i>clonazepam tab 2 mg</i> | 30 |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 5 | <i>clonidine hcl tab 0.1 mg, 0.2 mg, 0.3 mg</i> | 37 |
| <i>ciprofloxacin hcl ophth soln 0.3% (base equivalent)</i> | 66 | <i>clonidine hcl tab er 12hr 0.1 mg</i> | 43 |
| <i>ciprofloxacin hcl tab 250 mg (base equiv), 500 mg (base equiv), 750 mg (base equiv)</i> | 5 | <i>clonidine td patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i> | 37 |
| <i>citalopram hydrobromide oral soln 10 mg/5ml</i> | 11 | <i>clopidogrel bisulfate tab 75 mg (base equiv)</i> | 35 |
| <i>citalopram hydrobromide tab 10 mg (base equiv), 20 mg (base equiv)</i> | 11 | <i>clorazepate dipotassium tab 15 mg</i> | 30 |
| <i>citalopram hydrobromide tab 40 mg (base equiv)</i> | 11 | <i>clorazepate dipotassium tab 3.75 mg</i> | 30 |
| <i>claravis - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg</i> | 44 | <i>clorazepate dipotassium tab 7.5 mg</i> | 30 |
| CLARITHROMYCIN..... | 5 | <i>clotrimazole cream 1%</i> | 14 |
| <i>clarithromycin tab 250 mg, 500 mg</i> | 5 | <i>clotrimazole troche 10 mg</i> | 14 |
| <i>clindamycin hcl cap 75 mg, 150 mg, 300 mg</i> | 5 | <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 45 |
| <i>clindamycin palmitate hcl for soln 75 mg/5ml (base equiv)</i> | 5 | CLOZAPINE ODT..... | 24 |
| <i>clindamycin phosphate gel 1%</i> | 5 | <i>clozapine orally disintegrating tab 150 mg</i> | 24 |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i> | 5 | <i>clozapine orally disintegrating tab 200 mg</i> | 24 |
| <i>clindamycin phosphate inj 900 mg/6ml</i> | 5 | <i>clozapine orally disintegrating tab 25 mg, 100 mg</i> | 24 |
| <i>clindamycin phosphate in nacl 0.9% iv soln 300 mg/50ml</i> | 5 | <i>clozapine tab 100 mg</i> | 24 |
| <i>clindamycin phosphate in nacl 0.9% iv soln 600 mg/50ml</i> | 5 | <i>clozapine tab 200 mg</i> | 24 |
| <i>clindamycin phosphate in nacl 0.9% iv soln 900 mg/50ml</i> | 5 | <i>clozapine tab 25 mg, 50 mg</i> | 24 |
| <i>clindamycin phosphate soln 1%</i> | 5 | COARTEM..... | 23 |
| <i>clindamycin phosphate vaginal cream 2%</i> | 5 | COBENFY..... | 24 |
| <i>clobazam suspension 2.5 mg/ml</i> | 8 | COBENFY STARTER PACK..... | 24 |
| <i>clobazam tab 10 mg, 20 mg</i> | 8 | <i>colchicine tab 0.6 mg</i> | 15 |
| <i>clobetasol propionate cream 0.05%</i> | 44 | <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 15 |
| <i>clobetasol propionate e - clobetasol propionate emollient base cream 0.05%</i> | 45 | <i>colestipol hcl granule packets 5 gm</i> | 37 |
| <i>clobetasol propionate emollient base cream 0.05%</i> | 45 | <i>colestipol hcl granules 5 gm</i> | 37 |
| <i>clobetasol propionate emollient - clobetasol propionate emollient base cream 0.05%</i> | 45 | <i>colestipol hcl tab 1 gm</i> | 37 |
| <i>clobetasol propionate gel 0.05%</i> | 45 | <i>colistimethate sod for inj 150 mg (colistin base activity)</i> | 5 |
| | | COMBIPATCH..... | 52 |
| | | COMBIVENT RESPIMAT..... | 69 |
| | | COMETRIQ..... | 16 |
| | | COMPLERA..... | 27 |
| | | <i>compro - prochlorperazine suppos 25 mg</i> | 13 |

| | | | |
|--|----|---|----|
| <i>constulose - lactulose solution 10 gm/15ml</i> | 48 | <i>dasetta 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg</i> | 52 |
| COPAXONE..... | 43 | <i>dasetta 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg</i> | 52 |
| COPIKTRA..... | 17 | DAURISMO..... | 17 |
| CORLANOR..... | 38 | <i>deblitane - norethindrone tab 0.35 mg</i> | 52 |
| COSENTYX..... | 60 | <i>deferasirox granules packet 90 mg, 180 mg, 360 mg</i> | 47 |
| COSENTYX SENSOREADY PEN..... | 61 | <i>deferasirox tab 180 mg, 360 mg</i> | 47 |
| COSENTYX UNOREADY..... | 61 | <i>deferasirox tab 90 mg</i> | 47 |
| COTELLIC..... | 17 | <i>deferasirox tab for oral susp 125 mg</i> | 47 |
| CREON..... | 49 | <i>deferasirox tab for oral susp 250 mg, 500 mg</i> | 47 |
| CRESEMBA..... | 14 | DELSTRIGO..... | 27 |
| <i>cromolyn sodium ophth soln 4%</i> | 66 | <i>delyla - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 52 |
| <i>cromolyn sodium oral conc 100 mg/5ml</i> | 49 | DENG VAXIA..... | 61 |
| <i>cromolyn sodium soln nebu 20 mg/2ml</i> | 69 | DEPO-SUBQ PROVERA 104..... | 52 |
| <i>crystelle-28 - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 52 | <i>depo-testosterone - testosterone cypionate im inj in oil 100 mg/ml</i> | 52 |
| CRYSVITA..... | 49 | <i>depo-testosterone - testosterone cypionate im inj in oil 200 mg/ml</i> | 52 |
| <i>cyclobenzaprine hcl tab 5 mg, 10 mg</i> | 70 | DESCOVY..... | 28 |
| CYCLOPHOSPHAMIDE..... | 17 | <i>desipramine hcl tab 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg</i> | 11 |
| <i>cyclophosphamide cap 25 mg, 50 mg</i> | 17 | <i>desmopressin acetate inj 4 mcg/ml</i> | 51 |
| <i>cyclosporine cap 25 mg, 100 mg</i> | 61 | <i>desmopressin acetate nasal spray soln 0.01% (refrigerated), 0.01%</i> | 51 |
| <i>cyclosporine modified cap 25 mg, 50 mg, 100 mg</i> | 61 | <i>desmopressin acetate preservative free (pf) inj 4 mcg/ml</i> | 51 |
| <i>cyclosporine modified oral soln 100 mg/ml</i> | 61 | <i>desmopressin acetate tab 0.1 mg, 0.2 mg</i> | 51 |
| <i>cyproheptadine hcl tab 4 mg</i> | 69 | <i>desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 52 |
| <i>cyred eq - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 52 | <i>desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 52 |
| CYSTADROPS..... | 66 | <i>desonide oint 0.05%</i> | 45 |
| CYSTAGON..... | 49 | <i>desoximetasone cream 0.05%, 0.25%</i> | 45 |
| CYSTARAN..... | 66 | <i>desvenlafaxine succinate tab er 24hr 25 mg (base equiv), 50 mg (base equiv), 100 mg (base equiv)</i> | 11 |
| D | | <i>dexamethasone elixir 0.5 mg/5ml</i> | 51 |
| <i>dabigatran etexilate mesylate cap 110 mg (etexilate base eq)</i> | 35 | <i>dexamethasone sodium phosphate ophth soln 0.1%</i> | 66 |
| <i>dabigatran etexilate mesylate cap 75 mg (etexilate base eq), 150 mg (etexilate base eq)</i> | 35 | <i>dexamethasone soln 0.5 mg/5ml</i> | 51 |
| <i>dalfampridine tab er 12hr 10 mg</i> | 43 | <i>dexamethasone tab 0.5 mg, 0.75 mg, 1 mg, 2 mg, 4 mg, 6 mg</i> | 51 |
| <i>danazol cap 50 mg, 100 mg, 200 mg</i> | 52 | <i>dexmethylphenidate hcl tab 2.5 mg, 5 mg, 10 mg</i> | 43 |
| <i>dantrolene sodium cap 25 mg, 50 mg, 100 mg</i> | 27 | <i>dextroamphetamine sulfate tab 10 mg</i> | 43 |
| DANZITEN..... | 17 | <i>dextroamphetamine sulfate tab 5 mg</i> | 43 |
| <i>dapsone tab 25 mg, 100 mg</i> | 15 | | |
| DAPTACEL..... | 61 | | |
| <i>daptomycin for iv soln 500 mg</i> | 5 | | |
| <i>darunavir tab 600 mg</i> | 27 | | |
| <i>darunavir tab 800 mg</i> | 27 | | |
| <i>dasatinib tab 20 mg</i> | 17 | | |
| <i>dasatinib tab 50 mg, 70 mg, 80 mg, 100 mg, 140 mg</i> | 17 | | |

| | | | |
|--|----|--|----|
| dextrose 2.5% w/ sodium chloride 0.45%..... | 47 | dimethyl fumarate capsule delayed release 120 mg, 240 mg..... | 43 |
| dextrose 5% w/ sodium chloride 0.2%, 0.45%, 0.9%..... | 47 | dimethyl fumarate capsule dr starter pack 120 mg & 240 mg..... | 43 |
| dextrose inj 5%, 10%..... | 47 | diphenoxylate w/ atropine tab 2.5-0.025 mg..... | 48 |
| DIACOMIT..... | 8 | disulfiram tab 250 mg..... | 3 |
| diazepam oral soln 1 mg/ml..... | 30 | disulfiram tab 500 mg..... | 3 |
| DIAZEPAM RECTAL GEL..... | 8 | divalproex sodium cap delayed release sprinkle 125 mg..... | 8 |
| diazepam rectal gel delivery system 10 mg, 20 mg..... | 8 | divalproex sodium tab delayed release 125 mg, 250 mg, 500 mg..... | 8 |
| diazepam tab 2 mg, 5 mg, 10 mg..... | 30 | divalproex sodium tab er 24 hr 250 mg, 500 mg..... | 8 |
| diazoxide susp 50 mg/ml..... | 31 | dofetilide cap 125 mcg (0.125 mg), 250 mcg (0.25 mg), 500 mcg (0.5 mg)..... | 38 |
| diclofenac potassium tab 50 mg..... | 1 | donepezil hydrochloride orally disintegrating tab 5 mg, 10 mg..... | 11 |
| diclofenac sodium (actinic keratoses) gel 3%..... | 45 | donepezil hydrochloride tab 5 mg, 10 mg..... | 11 |
| diclofenac sodium gel 1% (1.16% diethylamine equiv)..... | 1 | dorzolamide hcl ophth soln 2%..... | 66 |
| diclofenac sodium ophth soln 0.1%..... | 66 | dorzolamide hcl-timolol maleate ophth soln 2-0.5%..... | 66 |
| diclofenac sodium soln 1.5%..... | 1 | dotti - estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr..... | 53 |
| diclofenac sodium tab delayed release 25 mg..... | 1 | DOVATO..... | 28 |
| diclofenac sodium tab delayed release 50 mg..... | 1 | doxazosin mesylate tab 1 mg, 2 mg, 4 mg, 8 mg..... | 38 |
| diclofenac sodium tab delayed release 75 mg..... | 1 | doxepin hcl cap 10 mg, 25 mg, 50 mg, 75 mg, 100 mg, 150 mg..... | 11 |
| diclofenac sodium tab er 24hr 100 mg..... | 1 | doxepin hcl conc 10 mg/ml..... | 11 |
| dicloxacillin sodium cap 250 mg..... | 5 | doxy 100 - doxycycline hyclate for inj 100 mg..... | 6 |
| dicloxacillin sodium cap 500 mg..... | 5 | doxycycline hyclate cap 50 mg, 100 mg..... | 6 |
| dicyclomine hcl cap 10 mg..... | 48 | doxycycline hyclate for inj 100 mg..... | 6 |
| dicyclomine hcl oral soln 10 mg/5ml..... | 48 | doxycycline hyclate tab 100 mg..... | 6 |
| dicyclomine hcl tab 20 mg..... | 48 | doxycycline hyclate tab 20 mg..... | 6 |
| DIFICID..... | 5 | doxycycline monohydrate cap 50 mg, 100 mg..... | 6 |
| difluprednate ophth emulsion 0.05%..... | 66 | doxycycline monohydrate tab 150 mg..... | 6 |
| digoxin oral soln 0.05 mg/ml..... | 38 | doxycycline monohydrate tab 50 mg, 75 mg, 100 mg..... | 6 |
| digoxin tab 125 mcg (0.125 mg), 250 mcg (0.25 mg)..... | 38 | DRIZALMA SPRINKLE..... | 11 |
| dihydroergotamine mesylate nasal spray 4 mg/ml..... | 15 | dronabinol cap 2.5 mg, 5 mg, 10 mg..... | 13 |
| DILANTIN..... | 8 | drospirenone-ethinyl estradiol tab 3-0.02 mg..... | 53 |
| diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg..... | 38 | drospirenone-ethinyl estradiol tab 3-0.03 mg..... | 53 |
| diltiazem hcl coated beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg..... | 38 | drospirenone-ethinyl estrad-levomefolate tab 3-0.02-0.451 mg..... | 53 |
| diltiazem hcl extended release beads cap er 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg..... | 38 | | |
| diltiazem hcl tab 30 mg, 60 mg, 90 mg, 120 mg..... | 38 | | |
| diltiazem hcl tab er 24hr 120 mg..... | 38 | | |
| dilt-xr - diltiazem hcl cap er 24hr 120 mg, 180 mg, 240 mg..... | 38 | | |

| | | | |
|---|----|---|----|
| <i>droxidopa cap 100 mg, 200 mg, 300 mg</i> | 38 | ENGERIX-B..... | 61 |
| DUAVEE..... | 53 | <i>enilloring - etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 53 |
| DULERA..... | 69 | <i>enoxaparin sodium inj soln pref syr 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml, 100 mg/ml, 120 mg/0.8ml, 150 mg/ml</i> | 35 |
| <i>duloxetine hcl enteric coated pellets cap 20 mg (base eq), 60 mg (base eq)</i> | 12 | <i>enpresse-28 - levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 53 |
| <i>duloxetine hcl enteric coated pellets cap 30 mg (base eq)</i> | 12 | <i>enskyce - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 53 |
| DUPIXENT..... | 61 | <i>entacapone tab 200 mg</i> | 23 |
| <i>dutasteride cap 0.5 mg</i> | 50 | <i>entecavir tab 0.5 mg, 1 mg</i> | 28 |
| E | | ENTRESTO..... | 38 |
| <i>ec-naproxen - naproxen tab ec 375 mg</i> | 1 | ENTYVIO PEN..... | 61 |
| <i>ec-naproxen - naproxen tab ec 500 mg</i> | 1 | <i>enulose - lactulose (encephalopathy) solution 10 gm/15ml</i> | 48 |
| <i>econazole nitrate cream 1%</i> | 14 | ENVARBUS XR..... | 61 |
| EDURANT..... | 28 | EPIDIOLEX..... | 8 |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 28 | <i>epinastine hcl ophth soln 0.05%</i> | 66 |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg, 600-300-300 mg</i> | 28 | EPINEPHRINE (authorized generic for Adrenaclick 0.3 mg/0.3 mL)..... | 69 |
| <i>efavirenz tab 600 mg</i> | 28 | <i>epinephrine solution auto-injector 0.15 mg/0.3ml (1:2000)</i> | 69 |
| ELELYSO..... | 49 | <i>epinephrine solution auto-injector 0.3 mg/0.3ml (1:1000) (generic for EpiPen 2-Pak)</i> | 69 |
| ELIGARD..... | 59 | <i>epitol - carbamazepine tab 200 mg</i> | 9 |
| <i>elinest - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 53 | EPRONTIA..... | 9 |
| ELIQUIS..... | 35 | <i>ergotamine w/ caffeine tab 1-100 mg</i> | 15 |
| ELIQUIS STARTER PACK..... | 35 | ERIVEDGE..... | 17 |
| <i>eluryng - etonogestrel-ethinyl estradiol va ring 0.12-0.015mg/24hr</i> | 53 | ERLEADA..... | 17 |
| EMGALITY..... | 15 | <i>erlotinib hcl tab 100 mg (base equivalent), 150 mg (base equivalent)</i> | 17 |
| EMSAM..... | 12 | <i>erlotinib hcl tab 25 mg (base equivalent)</i> | 17 |
| <i>emtricitabine caps 200 mg</i> | 28 | <i>errin - norethindrone tab 0.35 mg</i> | 53 |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg, 133-200 mg, 167-250 mg</i> | 28 | <i>ertapenem sodium for inj 1 gm (base equivalent)</i> | 6 |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | 28 | ERVEBO..... | 61 |
| EMTRIVA..... | 28 | <i>ery-tab - erythromycin tab delayed release 250 mg, 333 mg, 500 mg</i> | 6 |
| <i>emzahn - norethindrone tab 0.35 mg</i> | 53 | <i>erythrocine lactobionate - erythromycin lactobionate for inj500 mg</i> | 6 |
| <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg, 10-25 mg</i> | 38 | <i>erythromycin lactobionate for inj 500 mg</i> | 6 |
| <i>enalapril maleate tab 2.5 mg, 5 mg, 10 mg, 20 mg</i> | 38 | <i>erythromycin ophth oint 5 mg/gm</i> | 66 |
| ENBREL..... | 61 | <i>erythromycin soln 2%</i> | 6 |
| ENBREL MINI..... | 61 | <i>erythromycin tab 250 mg, 500 mg</i> | 6 |
| ENBREL SURECLICK..... | 61 | <i>erythromycin tab delayed release 250 mg, 333 mg, 500 mg</i> | 6 |
| <i>endocet - oxycodone w/ acetaminophen tab 10-325 mg</i> | 1 | <i>erythromycin w/ delayed release particles cap 250 mg</i> | 6 |
| <i>endocet - oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325 mg</i> | 1 | <i>escitalopram oxalate soln 5 mg/5ml (base equiv)</i> | 12 |
| <i>endocet - oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 1 | | |

| | | | |
|--|----|---|----|
| escitalopram oxalate tab 20 mg (base equiv)..... | 12 | exemestane tab 25 mg..... | 17 |
| escitalopram oxalate tab 5 mg (base equiv), 10 mg (base equiv)..... | 12 | EXTENCILLINE..... | 6 |
| esomeprazole magnesium cap delayed release 20 mg (base eq), 40 mg (base eq)..... | 48 | ezetimibe-simvastatin tab 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg..... | 38 |
| estarylla - norgestimate & ethinyl estradiol tab 0.25 mg-35mcg..... | 53 | ezetimibe tab 10 mg..... | 38 |
| estradiol & norethindrone acetate tab 1-0.5 mg..... | 53 | F | |
| estradiol tab 0.5 mg, 1 mg, 2 mg..... | 53 | falmina - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg..... | 53 |
| estradiol td gel 0.25 mg/0.25gm (0.1%), 0.5 mg/0.5gm (0.1%), 0.75 mg/0.75gm (0.1%), 1 mg/gm (0.1%), 1.25 mg/1.25gm (0.1%)..... | 53 | famciclovir tab 125 mg, 250 mg, 500 mg..... | 28 |
| estradiol td patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr..... | 53 | famotidine for susp 40 mg/5ml..... | 48 |
| estradiol td patch weekly 0.025 mg/24hr, 0.0375 mg/24hr (37.5 mcg/24hr), 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr..... | 53 | famotidine tab 20 mg, 40 mg..... | 48 |
| estradiol vaginal cream 0.1 mg/gm..... | 53 | FANAPT..... | 24 |
| estradiol vaginal tab 10 mcg..... | 53 | FANAPT TITRATION PACK..... | 25 |
| estradiol valerate im in oil 10 mg/ml, 20 mg/ml..... | 53 | FARXIGA..... | 31 |
| estradiol valerate im in oil 40 mg/ml..... | 53 | felbamate susp 600 mg/5ml..... | 9 |
| ethambutol hcl tab 100 mg, 400 mg..... | 15 | felbamate tab 400 mg, 600 mg..... | 9 |
| ethosuximide cap 250 mg..... | 9 | felodipine tab er 24hr 2.5 mg, 5 mg, 10 mg..... | 38 |
| ethosuximide soln 250 mg/5ml..... | 9 | fenofibrate micronized cap 67 mg, 134 mg, 200 mg..... | 38 |
| ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg..... | 53 | fenofibrate tab 145 mg, 160 mg..... | 38 |
| ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg..... | 53 | fenofibrate tab 48 mg, 54 mg..... | 38 |
| etodolac cap 200 mg..... | 1 | fentanyl td patch 72hr 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 62.5 mcg/hr, 75 mcg/hr, 87.5 mcg/hr, 100 mcg/hr..... | 1 |
| etodolac cap 300 mg..... | 1 | FETZIMA..... | 12 |
| etodolac tab 400 mg, 500 mg..... | 1 | FETZIMA TITRATION PACK..... | 12 |
| etodolac tab er 24hr 400 mg, 500 mg..... | 1 | FINACEA..... | 45 |
| etodolac tab er 24hr 600 mg..... | 1 | finasteride tab 5 mg..... | 50 |
| etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr..... | 53 | fingolimod hcl cap 0.5 mg (base equiv)..... | 43 |
| etravirine tab 100 mg, 200 mg..... | 28 | FINTEPLA..... | 9 |
| euthyrox - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg..... | 58 | FIRMAGON..... | 59 |
| everolimus tab 0.25 mg..... | 61 | flac - fluocinolone acetonide (otic) oil 0.01%..... | 67 |
| everolimus tab 0.5 mg, 0.75 mg, 1 mg..... | 61 | flecainide acetate tab 50 mg, 100 mg, 150 mg..... | 38 |
| everolimus tab 2.5 mg, 7.5 mg, 10 mg..... | 17 | fluconazole for susp 10 mg/ml, 40 mg/ml..... | 14 |
| everolimus tab 5 mg..... | 17 | fluconazole in nacl 0.9% inj 200 mg/100ml, 400 mg/200ml..... | 14 |
| everolimus tab for oral susp 2 mg, 5 mg..... | 17 | fluconazole tab 50 mg, 100 mg, 150 mg, 200 mg..... | 14 |
| everolimus tab for oral susp 3 mg..... | 17 | flucytosine cap 250 mg, 500 mg..... | 14 |
| EVOTAZ..... | 28 | fludrocortisone acetate tab 0.1 mg..... | 51 |
| | | flunisolide nasal soln 25 mcg/act (0.025%)..... | 69 |
| | | fluocinolone acetonide (otic) oil 0.01%..... | 67 |
| | | fluocinolone acetonide cream 0.01%..... | 45 |
| | | fluocinolone acetonide cream 0.025%..... | 45 |

| | | | |
|--|----|---|----|
| <i>fluocinolone acetonide oil 0.01% (body oil), 0.01% (scalp oil)</i> | 45 | <i>furosemide oral soln 10 mg/ml</i> | 38 |
| <i>fluocinolone acetonide oint 0.025%</i> | 45 | <i>furosemide oral soln 8 mg/ml</i> | 38 |
| <i>fluocinolone acetonide soln 0.01%</i> | 45 | <i>furosemide tab 20 mg, 40 mg, 80 mg</i> | 38 |
| <i>fluocinonide cream 0.05%</i> | 45 | FUZEON..... | 28 |
| <i>fluocinonide emulsified base cream 0.05%</i> | 45 | FYCOMPA..... | 9 |
| <i>fluocinonide gel 0.05%</i> | 45 | G | |
| <i>fluocinonide oint 0.05%</i> | 45 | <i>gabapentin cap 100 mg</i> | 9 |
| <i>fluocinonide soln 0.05%</i> | 45 | <i>gabapentin cap 300 mg</i> | 9 |
| <i>fluorometholone ophth susp 0.1%</i> | 66 | <i>gabapentin cap 400 mg</i> | 9 |
| FLUOROURACIL..... | 45 | <i>gabapentin oral soln 250 mg/5ml</i> | 9 |
| <i>fluorouracil cream 5%</i> | 45 | <i>gabapentin tab 600 mg</i> | 9 |
| <i>fluorouracil soln 5%</i> | 45 | <i>gabapentin tab 800 mg</i> | 9 |
| <i>fluoxetine hcl cap 10 mg</i> | 12 | GALANTAMINE HYDROBROMIDE..... | 11 |
| <i>fluoxetine hcl cap 20 mg</i> | 12 | <i>galantamine hydrobromide cap er 24hr 8 mg, 16 mg, 24 mg</i> | 11 |
| <i>fluoxetine hcl cap 40 mg</i> | 12 | <i>galantamine hydrobromide tab 4 mg, 8 mg, 12 mg</i> | 11 |
| <i>fluoxetine hcl solution 20 mg/5ml</i> | 12 | <i>gallifrey - norethindrone acetate tab 5 mg</i> | 53 |
| <i>fluphenazine decanoate inj 25 mg/ml</i> | 25 | GAMMAGARD LIQUID..... | 61 |
| FLUPHENAZINE HCL..... | 25 | GAMMAGARD S/D IGA LESS THAN 1MCG/ML..... | 61 |
| <i>fluphenazine hcl tab 1 mg, 2.5 mg, 5 mg, 10 mg</i> | 25 | GAMMAPLEX..... | 61 |
| FLUPHENAZINE HYDROCHLORIDE..... | 25 | GAMUNEX-C..... | 62 |
| <i>flurbiprofen sodium ophth soln 0.03%</i> | 66 | GARDASIL 9..... | 62 |
| <i>flurbiprofen tab 100 mg</i> | 1 | GATTEX..... | 48 |
| FLUTICASONE PROPIONATE/ SALMETEROL..... | 69 | GAUZE PADS 2" X 2"..... | 31 |
| <i>fluticasone propionate cream 0.05%</i> | 45 | <i>gavilyte-c - peg 3350-kcl-na bicarb-nacl-na sulfate for soln 240 gm</i> | 48 |
| FLUTICASONE PROPIONATE HFA..... | 69 | <i>gavilyte-g - peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 48 |
| <i>fluticasone propionate nasal susp 50 mcg/act</i> | 69 | <i>gavilyte-n/ flavor pack - peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 48 |
| <i>fluticasone propionate oint 0.005%</i> | 45 | GAVRETO..... | 17 |
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 69 | <i>gefitinib tab 250 mg</i> | 17 |
| <i>fluvastatin sodium cap 20 mg (base equivalent), 40 mg (base equivalent)</i> | 38 | <i>gemfibrozil tab 600 mg</i> | 38 |
| <i>fluvoxamine maleate tab 100 mg</i> | 12 | <i>generlac - lactulose (encephalopathy) solution 10 gm/15ml</i> | 48 |
| <i>fluvoxamine maleate tab 25 mg, 50 mg</i> | 12 | <i>gengraf - cyclosporine modified cap 25 mg, 100 mg</i> | 62 |
| <i>fondaparinux sodium subcutaneous inj 2.5 mg/0.5ml</i> | 35 | <i>gengraf - cyclosporine modified oral soln 100 mg/ml</i> | 62 |
| <i>fondaparinux sodium subcutaneous inj 5 mg/0.4ml, 7.5 mg/0.6ml, 10 mg/0.8ml</i> | 35 | <i>gentamicin sulfate cream 0.1%</i> | 45 |
| <i>fosamprenavir calcium tab 700 mg (base equiv)</i> | 28 | <i>gentamicin sulfate inj 40 mg/ml</i> | 6 |
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg</i> | 38 | <i>gentamicin sulfate oint 0.1%</i> | 45 |
| <i>fosinopril sodium tab 10 mg, 20 mg, 40 mg</i> | 38 | <i>gentamicin sulfate ophth soln 0.3%</i> | 66 |
| FOTIVDA..... | 17 | GENVOYA..... | 28 |
| FRUZAQLA..... | 17 | GILOTRIF..... | 17 |
| <i>furosemide inj 10 mg/ml</i> | 38 | <i>glatiramer acetate soln prefilled syringe 20 mg/ml</i> | 43 |

| | | | |
|--|----|--|----|
| <i>glatiramer acetate soln prefilled syringe 40 mg/ml</i> | 43 | HADLIMA PUSH TOUCH..... | 62 |
| <i>glatopa - glatiramer acetate soln prefilled syringe 20 mg/ml</i> | 43 | HAEGARDA..... | 62 |
| <i>glatopa - glatiramer acetate soln prefilled syringe 40 mg/ml</i> | 43 | <i>hailey 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 53 |
| GLEOSTINE..... | 17 | <i>hailey 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24)</i> | 54 |
| <i>glimepiride tab 1 mg</i> | 31 | <i>hailey fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 53 |
| <i>glimepiride tab 2 mg</i> | 31 | <i>hailey fe 1.5/30 - norethindrone ace & ethinyl estradiol-fetab 1.5 mg-30 mcg</i> | 53 |
| <i>glimepiride tab 4 mg</i> | 31 | <i>halobetasol propionate cream 0.05%</i> | 45 |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 31 | <i>halobetasol propionate oint 0.05%</i> | 45 |
| <i>glipizide-metformin hcl tab 2.5-500 mg, 5-500 mg</i> | 31 | <i>haloette - etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 54 |
| <i>glipizide tab 10 mg</i> | 31 | <i>haloperidol decanoate im soln 50 mg/ml, 100 mg/ml</i> | 25 |
| <i>glipizide tab 5 mg</i> | 31 | <i>haloperidol lactate inj 5 mg/ml</i> | 25 |
| <i>glipizide tab er 24hr 10 mg</i> | 31 | <i>haloperidol lactate oral conc 2 mg/ml</i> | 25 |
| <i>glipizide tab er 24hr 2.5 mg</i> | 31 | <i>haloperidol tab 0.5 mg, 1 mg, 2 mg, 5 mg, 10 mg</i> | 25 |
| <i>glipizide tab er 24hr 5 mg</i> | 31 | <i>haloperidol tab 20 mg</i> | 25 |
| <i>glipizide xl - glipizide tab er 24hr 10 mg</i> | 31 | HAVRIX..... | 62 |
| <i>glipizide xl - glipizide tab er 24hr 2.5 mg</i> | 31 | <i>heather - norethindrone tab 0.35 mg</i> | 54 |
| <i>glipizide xl - glipizide tab er 24hr 5 mg</i> | 31 | <i>heparin sodium (porcine) inj 1000 unit/ml, 5000 unit/ml, 10000 unit/ml, 20000 unit/ml</i> | 36 |
| <i>glutamine (sickle cell) powd pack 5 gm</i> | 49 | <i>heparin sodium (porcine) pf inj 1000 unit/ml</i> | 36 |
| <i>glyburide-metformin tab 1.25-250 mg</i> | 32 | <i>heparin sodium (porcine) pf inj 5000 unit/ml</i> | 36 |
| <i>glyburide-metformin tab 2.5-500 mg, 5-500 mg</i> | 32 | HEPLISAV-B..... | 62 |
| <i>glyburide micronized tab 1.5 mg</i> | 31 | HIBERIX..... | 62 |
| <i>glyburide micronized tab 3 mg</i> | 31 | HUMALOG..... | 32 |
| <i>glyburide micronized tab 6 mg</i> | 32 | HUMALOG JUNIOR KWIKPEN..... | 32 |
| <i>glyburide tab 1.25 mg</i> | 32 | HUMALOG KWIKPEN..... | 32 |
| <i>glyburide tab 2.5 mg</i> | 32 | HUMALOG MIX 50/50 KWIKPEN..... | 32 |
| <i>glyburide tab 5 mg</i> | 32 | HUMALOG MIX 75/25..... | 32 |
| <i>glycopyrrolate tab 1 mg, 2 mg</i> | 48 | HUMALOG MIX 75/25 KWIKPEN..... | 32 |
| GLYXAMBI..... | 32 | HUMALOG TEMPO PEN..... | 32 |
| GRANIX..... | 35 | HUMATIN..... | 6 |
| <i>griseofulvin microsize susp 125 mg/5ml</i> | 14 | HUMULIN 70/30..... | 32 |
| <i>griseofulvin microsize tab 500 mg</i> | 14 | HUMULIN 70/30 KWIKPEN..... | 32 |
| <i>griseofulvin ultramicrosize tab 125 mg, 250 mg</i> | 14 | HUMULIN N..... | 32 |
| <i>guanfacine hcl tab 1 mg, 2 mg</i> | 38 | HUMULIN N KWIKPEN..... | 32 |
| <i>guanfacine hcl tab er 24hr 1 mg (base equiv), 2 mg (base equiv), 3 mg (base equiv), 4 mg (base equiv)</i> | 43 | HUMULIN R..... | 32 |
| GVOKE HYPOPEN 1-PACK..... | 32 | HUMULIN R U-500 (CONCENTRATED)..... | 32 |
| GVOKE HYPOPEN 2-PACK..... | 32 | HUMULIN R U-500 KWIKPEN..... | 32 |
| GVOKE KIT..... | 32 | <i>hydralazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg</i> | 38 |
| GVOKE PFS..... | 32 | <i>hydrochlorothiazide cap 12.5 mg</i> | 39 |
| H | | <i>hydrochlorothiazide tab 12.5 mg, 25 mg, 50 mg</i> | 39 |
| HADLIMA..... | 62 | | |

| | | | |
|---|----|---|----|
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 1 | IMIPENEM/CILASTATIN..... | 6 |
| <i>hydrocodone-acetaminophen tab 10-325 mg, 7.5-325 mg</i> | 1 | <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 6 |
| <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 1 | <i>imipramine hcl tab 10 mg, 25 mg, 50 mg</i> | 12 |
| <i>hydrocortisone cream 1%</i> | 45 | <i>imiquimod cream 5%</i> | 45 |
| <i>hydrocortisone cream 2.5%</i> | 45 | IMKELDI..... | 18 |
| <i>hydrocortisone enema 100 mg/60ml</i> | 65 | IMOVAX RABIES (H.D.C.V.)..... | 62 |
| <i>hydrocortisone lotion 2.5%</i> | 45 | IMPAVIDO..... | 6 |
| <i>hydrocortisone oint 1%</i> | 45 | INBRIJA..... | 23 |
| <i>hydrocortisone oint 2.5%</i> | 45 | <i>incassia - norethindrone tab 0.35 mg</i> | 54 |
| <i>hydrocortisone perianal cream 1%</i> | 65 | INCRELEX..... | 51 |
| <i>hydrocortisone perianal cream 2.5%</i> | 65 | INCRUSE ELLIPTA..... | 69 |
| <i>hydrocortisone tab 5 mg, 10 mg, 20 mg</i> | 51 | <i>indapamide tab 1.25 mg, 2.5 mg</i> | 39 |
| <i>hydrocortisone w/ acetic acid otic soln 1-2%</i> | 67 | <i>indomethacin cap 25 mg</i> | 2 |
| <i>hydromorphone hcl liqd 1 mg/ml</i> | 1 | <i>indomethacin cap 50 mg</i> | 2 |
| <i>hydromorphone hcl preservative free (pf) inj 10 mg/ml</i> | 1 | INFANRIX..... | 62 |
| <i>hydromorphone hcl tab 2 mg, 4 mg, 8 mg</i> | 1 | INLYTA..... | 18 |
| <i>hydroxychloroquine sulfate tab 200 mg</i> | 23 | INQOVI..... | 18 |
| <i>hydroxyurea cap 500 mg</i> | 17 | INREBIC..... | 18 |
| <i>hydroxyzine hcl tab 10 mg, 25 mg, 50 mg</i> | 30 | INSULIN SYRINGE/NEEDLE..... | 32 |
| I | | INTELENCE..... | 28 |
| <i>ibandronate sodium tab 150 mg (base equivalent)</i> | 65 | INTRALIPID..... | 47 |
| IBRANCE..... | 17 | <i>introvale - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 54 |
| <i>ibu - ibuprofen tab 400 mg</i> | 1 | INVEGA HAFYERA..... | 25 |
| <i>ibu - ibuprofen tab 600 mg</i> | 1 | INVEGA SUSTENNA..... | 25 |
| <i>ibu - ibuprofen tab 800 mg</i> | 1 | INVEGA TRINZA..... | 25 |
| <i>ibuprofen susp 100 mg/5ml</i> | 1 | IPOL INACTIVATED IPV..... | 62 |
| <i>ibuprofen tab 400 mg</i> | 2 | <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 69 |
| <i>ibuprofen tab 600 mg</i> | 2 | <i>ipratropium bromide inhal soln 0.02%</i> | 69 |
| <i>ibuprofen tab 800 mg</i> | 2 | <i>ipratropium bromide nasal soln 0.03% (21 mcg/spray)</i> | 69 |
| <i>icatibant acetate subcutaneous soln pref syr 30 mg/3ml</i> | 62 | <i>ipratropium bromide nasal soln 0.06% (42 mcg/spray)</i> | 69 |
| <i>iclevia - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 54 | <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg, 300-12.5 mg</i> | 39 |
| ICLUSIG..... | 17 | <i>irbesartan tab 75 mg, 150 mg, 300 mg</i> | 39 |
| <i>icosapent ethyl cap 0.5 gm</i> | 39 | ISENTRESS..... | 28 |
| <i>icosapent ethyl cap 1 gm</i> | 39 | ISENTRESS HD..... | 28 |
| IDHIFA..... | 17 | <i>isibloom - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 54 |
| <i>imatinib mesylate tab 100 mg (base equivalent)</i> | 18 | <i>isoniazid syrup 50 mg/5ml</i> | 15 |
| <i>imatinib mesylate tab 400 mg (base equivalent)</i> | 18 | <i>isoniazid tab 100 mg</i> | 15 |
| IMBRUVICA..... | 18 | <i>isoniazid tab 300 mg</i> | 15 |
| | | <i>isosorbide dinitrate tab 5 mg, 10 mg, 20 mg, 30 mg</i> | 39 |
| | | <i>isosorbide mononitrate tab er 24hr 30 mg, 60 mg, 120 mg</i> | 39 |
| | | <i>isotretinoin cap 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg</i> | 45 |

| | | | |
|---|----|---|----|
| ITOVEBI..... | 18 | <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2%</i> | |
| <i>itraconazole cap 100 mg</i> | 14 | <i>inj</i> | 47 |
| <i>ivabradine hcl tab 5 mg (base equiv), 7.5 mg (base equiv)</i> | 39 | <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.225%</i> | |
| <i>ivermectin cream 1%</i> | 46 | <i>inj</i> | 47 |
| <i>ivermectin tab 3 mg</i> | 23 | <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45%</i> | |
| IWILFIN..... | 18 | <i>inj</i> | 47 |
| IXCHIQ..... | 62 | <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 47 |
| IXIARO..... | 62 | <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45%</i> | |
| J | | <i>inj</i> | 47 |
| JAKAFI..... | 18 | <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45%</i> | |
| <i>jantoven - warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg</i> | 36 | <i>inj</i> | 47 |
| JANUMET..... | 32 | <i>kelnor 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 54 |
| JANUMET XR..... | 33 | <i>kelnor 1/50 - ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 54 |
| JANUVIA..... | 33 | KERENDIA..... | 39 |
| JARDIANCE..... | 33 | KESIMPTA..... | 43 |
| <i>jasmiel - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 54 | <i>ketoconazole cream 2%</i> | 14 |
| JAYPIRCA..... | 18 | <i>ketoconazole shampoo 2%</i> | 14 |
| <i>jencycla - norethindrone tab 0.35 mg</i> | 54 | <i>ketoconazole tab 200 mg</i> | 14 |
| JENTADUETO..... | 33 | <i>ketorolac tromethamine ophth soln 0.4%</i> | 66 |
| JENTADUETO XR..... | 33 | <i>ketorolac tromethamine ophth soln 0.5%</i> | 66 |
| <i>jolessa - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 54 | KINRIX..... | 62 |
| <i>juleber - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 54 | <i>kionex - sodium polystyrene sulfonate susp 15 gm/60ml</i> | 47 |
| JULUCA..... | 28 | KISQALI..... | 18 |
| <i>junel 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 54 | KISQALI FEMARA 400 DOSE..... | 18 |
| <i>junel 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 54 | KISQALI FEMARA 600 DOSE..... | 18 |
| <i>junel fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 54 | <i>klayesta - nystatin topical powder 100000 unit/gm</i> | 14 |
| <i>junel fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 54 | <i>klor-con 10 - potassium chloride tab er 10 meq</i> | 47 |
| <i>junel fe 24 - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 54 | <i>klor-con 8 - potassium chloride tab er 8 meq (600 mg)</i> | 47 |
| JYNNEOS..... | 62 | <i>klor-con m10 - potassium chloride microencapsulated crys ertab 10 meq</i> | 47 |
| K | | <i>klor-con m15 - potassium chloride microencapsulated crys ertab 15 meq</i> | 47 |
| <i>kalliga - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 54 | <i>klor-con m20 - potassium chloride microencapsulated crys ertab 20 meq</i> | 47 |
| KALYDECO..... | 69 | KLOXXADO..... | 3 |
| KANJINTI..... | 18 | KOSELUGO..... | 18 |
| <i>kariva - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 54 | <i>kourzeq - triamcinolone acetonide dental paste 0.1%</i> | 44 |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 47 | KRAZATI..... | 18 |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 47 | <i>kurvelo - levonorgestrel & ethinyl estradiol tab 0.15 mg-30mcg</i> | 54 |

L

| | | | |
|---|----|---|----|
| <i>labetalol hcl tab 100 mg, 200 mg, 300 mg</i> | 39 | LENVIMA 18 MG DAILY DOSE..... | 19 |
| <i>lacosamide oral solution 10 mg/ml</i> | 9 | LENVIMA 20 MG DAILY DOSE..... | 19 |
| <i>lacosamide tab 50 mg, 100 mg, 150 mg, 200 mg</i> | 9 | LENVIMA 24 MG DAILY DOSE..... | 19 |
| <i>lactic acid (ammonium lactate) cream 12%</i> | 46 | LENVIMA 4 MG DAILY DOSE..... | 19 |
| <i>lactic acid (ammonium lactate) lotion 12%</i> | 46 | LENVIMA 8 MG DAILY DOSE..... | 19 |
| <i>lactulose (encephalopathy) solution 10 gm/15ml</i> | 48 | <i>lessina - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 54 |
| <i>lactulose solution 10 gm/15ml</i> | 48 | <i>letrozole tab 2.5 mg</i> | 19 |
| <i>lamivudine oral soln 10 mg/ml</i> | 28 | <i>leucovorin calcium tab 15 mg, 25 mg</i> | 19 |
| <i>lamivudine tab 100 mg (hbv)</i> | 28 | <i>leucovorin calcium tab 5 mg, 10 mg</i> | 19 |
| <i>lamivudine tab 150 mg</i> | 28 | LEUKINE..... | 36 |
| <i>lamivudine tab 300 mg</i> | 28 | LEUPROLIDE ACETATE..... | 59 |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 28 | <i>leuprolide acetate inj kit 1 mg/0.2ml (5 mg/ml)</i> | 59 |
| <i>lamotrigine tab 25 mg, 100 mg, 150 mg, 200 mg</i> | 9 | <i>levetiracetam oral soln 100 mg/ml</i> | 9 |
| <i>lamotrigine tab chewable dispersible 5 mg, 25 mg</i> | 9 | <i>levetiracetam tab 250 mg, 500 mg, 750 mg, 1000 mg</i> | 9 |
| <i>lansoprazole cap delayed release 15 mg, 30 mg</i> | 48 | <i>levetiracetam tab er 24hr 500 mg, 750 mg</i> | 9 |
| LANTUS..... | 33 | <i>levobunolol hcl ophth soln 0.5%</i> | 67 |
| LANTUS SOLOSTAR..... | 33 | <i>levocarnitine oral soln 1 gm/10ml (10%)</i> | 49 |
| <i>lapatinib ditosylate tab 250 mg (base equiv)</i> | 18 | <i>levocarnitine tab 330 mg</i> | 49 |
| <i>larin 1/20 - norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 54 | <i>levocetirizine dihydrochloride tab 5 mg</i> | 69 |
| <i>larin 1.5/30 - norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 54 | <i>levofloxacin in d5w iv soln 250 mg/50ml, 500 mg/100ml, 750 mg/150ml</i> | 6 |
| <i>larin 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 mcg (24)</i> | 54 | <i>levofloxacin oral soln 25 mg/ml</i> | 6 |
| <i>larin fe 1/20 - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 54 | <i>levofloxacin tab 250 mg, 500 mg, 750 mg</i> | 6 |
| <i>larin fe 1.5/30 - norethindrone ace & ethinyl estradiol-fe tab 1.5 mg-30 mcg</i> | 54 | <i>levonest - levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 55 |
| <i>latanoprost ophth soln 0.005%</i> | 66 | <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 55 |
| LAZCLUZE..... | 18 | <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg, 0.15 mg-30 mcg</i> | 55 |
| <i>leena - norethindrone-eth estradiol tab 0.5-35/1-35/0.5-35 mg-mcg</i> | 54 | <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 55 |
| <i>leflunomide tab 10 mg, 20 mg</i> | 62 | <i>levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 55 |
| <i>lenalidomide cap 15 mg, 20 mg, 25 mg</i> | 18 | <i>levora 0.15/30-28 - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 55 |
| <i>lenalidomide cap 5 mg, 10 mg</i> | 18 | <i>levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 59 |
| <i>lenalidomide caps 2.5 mg</i> | 18 | <i>levo-t - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 58 |
| LENTOCILIN..... | 6 | <i>levoxyl - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg</i> | 59 |
| LENVIMA 10 MG DAILY DOSE..... | 18 | | |
| LENVIMA 12MG DAILY DOSE..... | 19 | | |
| LENVIMA 14 MG DAILY DOSE..... | 19 | | |

| | | | |
|---|----|---|----|
| LIBERVANT..... | 9 | <i>losartan potassium & hydrochlorothiazide</i> | |
| <i>lidocaine hcl viscous soln 2%</i> | 2 | <i>tab 50-12.5 mg, 100-12.5 mg, 100-25</i> | |
| <i>lidocaine patch 5%</i> | 2 | <i>mg</i> | 39 |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 2 | <i>losartan potassium tab 100 mg</i> | 39 |
| <i>lidocan - lidocaine patch 5%</i> | 3 | <i>losartan potassium tab 25 mg, 50 mg</i> | 39 |
| LILETTA..... | 50 | <i>lovastatin tab 10 mg, 20 mg, 40 mg</i> | 39 |
| <i>linezolid for susp 100 mg/5ml</i> | 6 | <i>low-ogestrel - norgestrel & ethinyl estradiol tab 0.3</i> | |
| <i>linezolid in sodium chloride iv soln 600</i> | | <i>mg-30mcg</i> | 55 |
| <i>mg/300ml-0.9%</i> | 6 | <i>loxapine succinate cap 5 mg, 10 mg, 25 mg, 50</i> | |
| <i>linezolid iv soln 600 mg/300ml (2 mg/</i> | | <i>mg</i> | 25 |
| <i>ml)</i> | 6 | <i>lo-zumandimine - drospirenone-ethinyl estradiol tab</i> | |
| <i>linezolid tab 600 mg</i> | 6 | <i>3-0.02 mg</i> | 55 |
| LINZESS..... | 48 | <i>lubiprostone cap 24 mcg</i> | 48 |
| <i>lithyronine sodium tab 5 mcg, 25 mcg, 50</i> | | <i>lubiprostone cap 8 mcg</i> | 48 |
| <i>mcg</i> | 59 | LUMAKRAS..... | 19 |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg,</i> | | LUMIGAN..... | 67 |
| <i>20-12.5 mg, 20-25 mg</i> | 39 | LUPRON DEPOT (1-MONTH)..... | 59 |
| <i>lisinopril tab 2.5 mg, 5 mg, 10 mg, 20 mg, 30 mg, 40</i> | | LUPRON DEPOT (4-MONTH)..... | 59 |
| <i>mg</i> | 39 | LUPRON DEPOT-PED (1-MONTH)..... | 59 |
| <i>lithium carbonate cap 150 mg, 300 mg</i> | 31 | LUPRON DEPOT-PED (3-MONTH)..... | 59 |
| <i>lithium carbonate cap 600 mg</i> | 31 | LUPRON DEPOT-PED (6-MONTH)..... | 59 |
| <i>lithium carbonate tab 300 mg</i> | 31 | <i>lurasidone hcl tab 20 mg, 40 mg, 60 mg, 120</i> | |
| <i>lithium carbonate tab er 300 mg, 450</i> | | <i>mg</i> | 25 |
| <i>mg</i> | 31 | <i>lurasidone hcl tab 80 mg</i> | 25 |
| <i>lithium oral solution 8 meq/5ml</i> | 31 | <i>lutra - levonorgestrel & ethinyl estradiol tab 0.1</i> | |
| LIVTENCITY..... | 28 | <i>mg-20 mcg</i> | 55 |
| <i>loestrin 1/20-21 - norethindrone ace & ethinyl</i> | | LYBALVI..... | 25 |
| <i>estradiol tab 1 mg-20 mcg</i> | 55 | <i>lyleq - norethindrone tab 0.35 mg</i> | 55 |
| <i>loestrin 1.5/30-21 - norethindrone ace & ethinyl</i> | | <i>lyllana - estradiol td patch twice weekly 0.025</i> | |
| <i>estradiol tab 1.5 mg-30 mcg</i> | 55 | <i>mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075</i> | |
| <i>loestrin fe 1/20 - norethindrone ace & ethinyl</i> | | <i>mg/24hr, 0.1 mg/24hr</i> | 55 |
| <i>estradiol-fetab 1 mg-20 mcg</i> | 55 | LYNPARZA..... | 19 |
| <i>loestrin fe 1.5/30 - norethindrone ace & ethinyl</i> | | LYSODREN..... | 19 |
| <i>estradiol-fe tab 1.5 mg-30 mcg</i> | 55 | LYTGOBI..... | 19 |
| <i>lojaimiess - levonorg-eth est tab 0.1-0.02mg(84) &</i> | | LYUMJEV..... | 33 |
| <i>eth est tab 0.01mg(7)</i> | 55 | LYUMJEV KWIKPEN..... | 33 |
| LONSURF..... | 19 | LYUMJEV TEMPO PEN..... | 33 |
| <i>loperamide hcl cap 2 mg</i> | 48 | <i>lyza - norethindrone tab 0.35 mg</i> | 55 |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/</i> | | M | |
| <i>ml)</i> | 28 | <i>magnesium sulfate inj 50%</i> | 47 |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 28 | <i>malathion lotion 0.5%</i> | 46 |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 28 | <i>maraviroc tab 150 mg</i> | 29 |
| <i>lorazepam conc 2 mg/ml</i> | 31 | <i>maraviroc tab 300 mg</i> | 29 |
| <i>lorazepam intensol - lorazepam conc 2 mg/</i> | | <i>marlissa - levonorgestrel & ethinyl estradiol tab 0.15</i> | |
| <i>ml</i> | 31 | <i>mg-30 mcg</i> | 55 |
| <i>lorazepam tab 0.5 mg, 1 mg</i> | 31 | MARPLAN..... | 12 |
| <i>lorazepam tab 2 mg</i> | 31 | MATULANE..... | 19 |
| LORBRENA..... | 19 | MAVYRET..... | 29 |
| <i>loryna - drospirenone-ethinyl estradiol tab 3-0.02</i> | | <i>meclizine hcl tab 12.5 mg, 25 mg</i> | 13 |
| <i>mg</i> | 55 | <i>medroxyprogesterone acetate im susp 150 mg/</i> | |
| | | <i>ml</i> | 55 |

| | | | |
|--|----|---|----|
| <i>medroxyprogesterone acetate im susp prefilled syr</i> 150 mg/ml..... | 55 | <i>methotrexate sodium inj pf 50 mg/2ml (25 mg/ml),</i> <i>250 mg/10ml (25 mg/ml), 1000 mg/40ml (25 mg/</i> <i>ml).....</i> | 63 |
| <i>medroxyprogesterone acetate tab 2.5 mg, 5 mg, 10</i> <i>mg.....</i> | 55 | <i>methotrexate sodium tab 2.5 mg (base</i> <i>equiv).....</i> | 63 |
| <i>mefloquine hcl tab 250 mg.....</i> | 23 | <i>methsuximide cap 300 mg.....</i> | 9 |
| <i>megestrol acetate susp 40 mg/ml.....</i> | 55 | <i>methylphenidate hcl soln 10 mg/5ml.....</i> | 43 |
| <i>megestrol acetate tab 20 mg, 40 mg.....</i> | 55 | <i>methylphenidate hcl soln 5 mg/5ml.....</i> | 43 |
| MEKINIST..... | 19 | <i>methylphenidate hcl tab 5 mg, 10 mg, 20</i> <i>mg.....</i> | 43 |
| MEKTOVI..... | 19 | <i>methylphenidate hcl tab er 20 mg.....</i> | 43 |
| <i>meloxicam tab 15 mg.....</i> | 2 | <i>methylprednisolone tab 4 mg, 8 mg, 16 mg, 32</i> <i>mg.....</i> | 51 |
| <i>meloxicam tab 7.5 mg.....</i> | 2 | <i>methylprednisolone tab therapy pack 4 mg</i> <i>(21).....</i> | 51 |
| <i>memantine hcl oral solution 2 mg/ml.....</i> | 11 | <i>metoclopramide hcl soln 5 mg/5ml (10 mg/10ml)</i> <i>(base equiv).....</i> | 48 |
| <i>memantine hcl tab 28 x 5 mg & 21 x 10 mg titration</i> <i>pack.....</i> | 11 | <i>metoclopramide hcl tab 5 mg (base equivalent), 10</i> <i>mg (base equivalent).....</i> | 49 |
| <i>memantine hcl tab 5 mg, 10 mg.....</i> | 11 | <i>metolazone tab 2.5 mg, 5 mg, 10 mg.....</i> | 39 |
| MENACTRA..... | 62 | <i>metoprolol & hydrochlorothiazide tab 50-25 mg,</i> <i>100-25 mg, 100-50 mg.....</i> | 39 |
| MENEST..... | 55 | <i>metoprolol succinate tab er 24hr 25 mg (tartrate</i> <i>equiv), 50 mg (tartrate equiv), 100 mg (tartrate</i> <i>equiv), 200 mg (tartrate equiv).....</i> | 39 |
| MENQUADFI..... | 62 | <i>metoprolol tartrate tab 25 mg, 37.5 mg, 50 mg, 75</i> <i>mg, 100 mg.....</i> | 39 |
| MENVEO..... | 62 | <i>metronidazole cream 0.75%.....</i> | 46 |
| <i>mercaptopurine tab 50 mg.....</i> | 19 | <i>metronidazole gel 0.75%.....</i> | 46 |
| <i>meropenem & sodium chloride 0.9% for iv soln 1</i> <i>gm/50ml.....</i> | 6 | <i>metronidazole gel 1%.....</i> | 46 |
| <i>meropenem & sodium chloride 0.9% for iv soln 500</i> <i>mg/50ml.....</i> | 6 | <i>metronidazole iv soln 500 mg/100ml.....</i> | 6 |
| <i>meropenem iv for soln 500 mg, 1 gm.....</i> | 6 | <i>metronidazole lotion 0.75%.....</i> | 46 |
| <i>mesalamine cap er 24hr 0.375 gm.....</i> | 65 | <i>metronidazole tab 250 mg, 500 mg.....</i> | 7 |
| <i>mesalamine enema 4 gm.....</i> | 65 | <i>metronidazole vaginal gel 0.75%.....</i> | 7 |
| <i>mesalamine rectal enema 4 gm & cleanser wipe</i> <i>kit.....</i> | 65 | <i>metyrosine cap 250 mg.....</i> | 39 |
| <i>mesalamine suppos 1000 mg.....</i> | 65 | <i>mexiletine hcl cap 150 mg, 200 mg, 250</i> <i>mg.....</i> | 39 |
| <i>mesalamine tab delayed release 1.2</i> <i>gm.....</i> | 65 | MICAFUNGIN/SODIUM CHLORIDE..... | 14 |
| <i>mesna tab 400 mg.....</i> | 19 | MICAFUNGIN SODIUM/SODIUM CHLORIDE..... | 14 |
| MESNEX..... | 19 | <i>micafungin sodium for iv soln 50 mg, 100</i> <i>mg.....</i> | 14 |
| <i>metformin hcl tab 1000 mg.....</i> | 33 | <i>microgestin 1/20 - norethindrone ace & ethinyl</i> <i>estradiol tab 1 mg-20 mcg.....</i> | 55 |
| <i>metformin hcl tab 500 mg.....</i> | 33 | <i>microgestin 1.5/30 - norethindrone ace & ethinyl</i> <i>estradiol tab 1.5 mg-30 mcg.....</i> | 56 |
| <i>metformin hcl tab 850 mg.....</i> | 33 | <i>microgestin 24 fe - norethindrone ace-ethinyl</i> <i>estradiol-fe tab 1 mg-20 mcg (24).....</i> | 56 |
| <i>metformin hcl tab er 24hr 500 mg.....</i> | 33 | <i>microgestin fe 1/20 - norethindrone ace & ethinyl</i> <i>estradiol-fe tab 1 mg-20 mcg.....</i> | 55 |
| <i>metformin hcl tab er 24hr 750 mg.....</i> | 33 | <i>microgestin fe 1.5/30 - norethindrone ace & ethinyl</i> <i>estradiol-fe tab 1.5 mg-30 mcg.....</i> | 55 |
| <i>methadone hcl tab 10 mg.....</i> | 2 | | |
| <i>methadone hcl tab 5 mg.....</i> | 2 | | |
| <i>methazolamide tab 25 mg, 50 mg.....</i> | 39 | | |
| <i>methenamine hippurate tab 1 gm.....</i> | 6 | | |
| <i>methimazole tab 5 mg, 10 mg.....</i> | 60 | | |
| <i>methocarbamol tab 500 mg, 750 mg.....</i> | 70 | | |
| <i>methotrexate sodium for inj 1 gm.....</i> | 62 | | |
| <i>methotrexate sodium inj 250 mg/10ml (25 mg/</i> <i>ml).....</i> | 63 | | |
| <i>methotrexate sodium inj 50 mg/2ml (25 mg/</i> <i>ml).....</i> | 63 | | |

| | | | |
|--|----|---|----|
| <i>midodrine hcl tab 2.5 mg, 5 mg, 10 mg</i> | 39 | <i>mupirocin oint 2%</i> | 46 |
| <i>mifepristone tab 300 mg</i> | 59 | MVASI..... | 20 |
| <i>miglustat cap 100 mg</i> | 49 | <i>mycophenolate mofetil cap 250 mg</i> | 63 |
| <i>mili - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 56 | <i>mycophenolate mofetil for oral susp 200 mg/ml</i> | 63 |
| <i>mimvey - estradiol & norethindrone acetate tab 1-0.5 mg</i> | 56 | <i>mycophenolate mofetil tab 500 mg</i> | 63 |
| <i>minocycline hcl cap 50 mg, 75 mg, 100 mg</i> | 7 | <i>mycophenolate sodium tab dr 180 mg (mycophenolic acid equiv), 360 mg (mycophenolic acid equiv)</i> | 63 |
| <i>minocycline hcl tab 50 mg, 75 mg</i> | 7 | MYHIBBIN..... | 63 |
| <i>minoxidil tab 2.5 mg, 10 mg</i> | 39 | MYRBETRIQ..... | 50 |
| <i>mirtazapine orally disintegrating tab 15 mg, 30 mg, 45 mg</i> | 12 | N | |
| <i>mirtazapine tab 15 mg</i> | 12 | <i>nabumetone tab 500 mg</i> | 2 |
| <i>mirtazapine tab 7.5 mg, 30 mg, 45 mg</i> | 12 | <i>nabumetone tab 750 mg</i> | 2 |
| <i>misoprostol tab 100 mcg, 200 mcg</i> | 49 | <i>nafcillin sodium for inj 1 gm, 2 gm</i> | 7 |
| M-M-R II..... | 62 | <i>nafcillin sodium for iv soln 10 gm</i> | 7 |
| <i>modafinil tab 100 mg, 200 mg</i> | 71 | <i>nafcillin sodium in dextrose inj 2 gm/100ml</i> | 7 |
| <i>moexipril hcl tab 7.5 mg, 15 mg</i> | 39 | <i>naloxone hcl inj 0.4 mg/ml, 4 mg/10ml</i> | 3 |
| MOLINDONE HYDROCHLORIDE..... | 25 | <i>naloxone hcl nasal spray 4 mg/0.1ml</i> | 3 |
| <i>mometasone furoate cream 0.1%</i> | 46 | <i>naloxone hcl soln cartridge 0.4 mg/ml</i> | 3 |
| <i>mometasone furoate oint 0.1%</i> | 46 | <i>naloxone hcl soln prefilled syringe 2 mg/2ml</i> | 3 |
| <i>mometasone furoate solution 0.1% (lotion)</i> | 46 | <i>naltrexone hcl tab 50 mg</i> | 3 |
| <i>mondoxyne nl - doxycycline monohydrate cap 100 mg</i> | 7 | <i>naproxen sodium tab 275 mg</i> | 2 |
| <i>mono-lynyah - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 56 | <i>naproxen sodium tab 550 mg</i> | 2 |
| <i>montelukast sodium chew tab 4 mg (base equiv), 5 mg (base equiv)</i> | 69 | <i>naproxen susp 125 mg/5ml</i> | 2 |
| <i>montelukast sodium oral granules packet 4 mg (base equiv)</i> | 69 | <i>naproxen tab 250 mg</i> | 2 |
| <i>montelukast sodium tab 10 mg (base equiv)</i> | 69 | <i>naproxen tab 375 mg</i> | 2 |
| <i>morphine sulfate tab 15 mg</i> | 2 | <i>naproxen tab 500 mg</i> | 2 |
| <i>morphine sulfate tab 30 mg</i> | 2 | <i>naproxen tab ec 375 mg</i> | 2 |
| <i>morphine sulfate tab er 100 mg, 200 mg</i> | 2 | <i>naproxen tab ec 500 mg</i> | 2 |
| <i>morphine sulfate tab er 15 mg, 30 mg, 60 mg</i> | 2 | <i>naratriptan hcl tab 1 mg (base equiv), 2.5 mg (base equiv)</i> | 15 |
| MOUNJARO..... | 33 | <i>nateglinide tab 120 mg</i> | 33 |
| MOVANTIK..... | 49 | <i>nateglinide tab 60 mg</i> | 33 |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 7 | NAYZILAM..... | 9 |
| <i>moxifloxacin hcl ophth soln 0.5% (base eq) (2 times daily) (generic for Moxeza)</i> | 67 | <i>neбиволol hcl tab 2.5 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent), 20 mg (base equivalent)</i> | 39 |
| <i>moxifloxacin hcl ophth soln 0.5% (base equiv) (generic for Vigamox)</i> | 67 | <i>necon 0.5/35-28 - norethindrone & ethinyl estradiol tab 0.5mg-35 mcg</i> | 56 |
| <i>moxifloxacin hcl tab 400 mg (base equiv)</i> | 7 | NEFAZODONE HYDROCHLORIDE..... | 12 |
| MOXIFLOXACIN HYDROCHLORIDE..... | 7 | NEOMYCIN/POLYMYXIN/GRAMICIDIN..... | 67 |
| MRESVIA..... | 63 | <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 67 |
| MULTAQ..... | 39 | <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | 67 |
| | | <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | 67 |

| | | | |
|---|----|---|----|
| neomycin-polymyxin-hc otic soln 1%..... | 67 | norethindrone & ethinyl estradiol tab 1 mg-35 | |
| neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 | | mcg..... | 56 |
| unit/ml-1%..... | 67 | norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 | |
| neomycin sulfate tab 500 mg..... | 7 | mcg, 1.5 mg-30 mcg..... | 56 |
| neo-polycin hc - bacitracin-polymyxin-neomycin-hc | | norethindrone ace & ethinyl estradiol tab 1 mg-20 | |
| ophth oint 1%..... | 67 | mcg, 1.5 mg-30 mcg..... | 56 |
| neo-polycin - neomycin-bacitrac zn-polymyx | | norethindrone ace-ethinyl estradiol-fe tab 1 mg-20 | |
| 5(3.5)mg-400unt-10000unt op oin..... | 67 | mcg (24)..... | 56 |
| NERLYNX..... | 20 | norethindrone acetate tab 5 mg..... | 56 |
| nevirapine susp 50 mg/5ml..... | 29 | norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 | |
| nevirapine tab 200 mg..... | 29 | mg-mcg..... | 56 |
| nevirapine tab er 24hr 400 mg..... | 29 | norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 | |
| NEXPLANON..... | 50 | mg-mcg, 0.5-35/1-35/0.5-35 mg-mcg..... | 56 |
| niacin tab er 500 mg | | norethindrone tab 0.35 mg..... | 56 |
| (antihyperlipidemic)..... | 39 | norgestimate & ethinyl estradiol tab 0.25 mg-35 | |
| niacin tab er 750 mg (antihyperlipidemic), 1000 mg | | mcg..... | 56 |
| (antihyperlipidemic)..... | 39 | norgestimate-eth estrad tab | |
| NICOTROL INHALER..... | 3 | 0.18-25/0.215-25/0.25-25 mg-mcg, | |
| NICOTROL NS..... | 3 | 0.18-35/0.215-35/0.25-35 mg-mcg..... | 56 |
| nifedipine tab er 24hr 30 mg, 60 mg, 90 | | norgestrel & ethinyl estradiol tab 0.3 mg-30 | |
| mg..... | 39 | mcg..... | 56 |
| nifedipine tab er 24hr osmotic release 30 mg, 60 mg, | | norlyroc - norethindrone tab 0.35 mg..... | 56 |
| 90 mg..... | 39 | nortrel 0.5/35 (28) - norethindrone & ethinyl estradiol | |
| nikki - drospirenone-ethinyl estradiol tab 3-0.02 | | tab 0.5 mg-35 mcg..... | 56 |
| mg..... | 56 | nortrel 1/35 - norethindrone & ethinyl estradiol tab 1 | |
| nilutamide tab 150 mg..... | 20 | mg-35 mcg..... | 56 |
| nimodipine cap 30 mg..... | 40 | nortrel 7/7/7 - norethindrone-eth estradiol tab | |
| NINLARO..... | 20 | 0.5-35/0.75-35/1-35 mg-mcg..... | 56 |
| NIPENT..... | 20 | nortriptyline hcl cap 10 mg, 25 mg, 50 mg, 75 | |
| nitazoxanide tab 500 mg..... | 23 | mg..... | 12 |
| nitisinone cap 2 mg, 5 mg, 10 mg, 20 | | nortriptyline hcl soln 10 mg/5ml..... | 12 |
| mg..... | 49 | NORVIR..... | 29 |
| NITRO-BID..... | 40 | NOVOLIN 70/30..... | 34 |
| nitrofurantoin macrocrystalline cap 50 mg, 100 | | NOVOLIN 70/30 FLEXPEN..... | 34 |
| mg..... | 7 | NOVOLIN 70/30 FLEXPEN RELION..... | 34 |
| nitrofurantoin monohydrate macrocrystalline cap 100 | | NOVOLIN 70/30 RELION..... | 34 |
| mg..... | 7 | NOVOLIN N..... | 33 |
| nitroglycerin oint 0.4%..... | 40 | NOVOLIN N FLEXPEN..... | 33 |
| nitroglycerin sl tab 0.3 mg, 0.4 mg, 0.6 | | NOVOLIN N FLEXPEN RELION..... | 33 |
| mg..... | 40 | NOVOLIN N RELION..... | 33 |
| nitroglycerin td patch 24hr 0.1 mg/hr, 0.2 mg/hr, 0.4 | | NOVOLIN R..... | 33 |
| mg/hr, 0.6 mg/hr..... | 40 | NOVOLIN R FLEXPEN..... | 33 |
| nizatidine cap 150 mg..... | 49 | NOVOLIN R FLEXPEN RELION..... | 33 |
| nizatidine cap 300 mg..... | 49 | NOVOLIN R RELION..... | 34 |
| nora-be - norethindrone tab 0.35 mg..... | 56 | NOVOLOG..... | 34 |
| norelgestromin-ethinyl estradiol td ptwk 150-35 | | NOVOLOG FLEXPEN..... | 34 |
| mcg/24hr..... | 56 | NOVOLOG FLEXPEN RELION..... | 34 |
| norethindrone & ethinyl estradiol-fe chew tab 0.4 | | NOVOLOG MIX 70/30..... | 34 |
| mg-35 mcg..... | 56 | NOVOLOG MIX 70/30 PREFILLED | |
| norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg, | | FLEXPEN..... | 34 |
| 0.5 mg-35 mcg..... | 56 | NOVOLOG MIX 70/30 PREFILLED FLEXPEN | |
| | | RELION..... | 34 |

| | | | |
|--|----|---|----|
| NOVOLOG MIX 70/30 RELION..... | 34 | olanzapine tab 2.5 mg, 5 mg, 7.5 mg, 10 mg..... | 25 |
| NOVOLOG PENFILL..... | 34 | olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg, 40-5-12.5 mg, 40-5-25 mg, 40-10-12.5 mg, 40-10-25 mg..... | 40 |
| NOVOLOG RELION..... | 34 | olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg, 40-12.5 mg, 40-25 mg..... | 40 |
| NOXAFIL..... | 14 | olmesartan medoxomil tab 20 mg, 40 mg..... | 40 |
| NUBEQA..... | 20 | olmesartan medoxomil tab 5 mg..... | 40 |
| NUDEXTA..... | 43 | omega-3-acid ethyl esters cap 1 gm..... | 40 |
| NUPLAZID..... | 25 | omeprazole cap delayed release 10 mg..... | 49 |
| NURTEC..... | 15 | omeprazole cap delayed release 20 mg, 40 mg..... | 49 |
| NUTRILIPID..... | 47 | OMNIPOD 5 DEXCOM G7G6 INTRO KIT (GEN 5)..... | 34 |
| <i>nyamyc - nystatin topical powder 100000 unit/gm.....</i> | 14 | OMNIPOD 5 DEXCOM G7G6 PODS (GEN 5)..... | 34 |
| <i>nylia 1/35 - norethindrone & ethinyl estradiol tab 1 mg-35 mcg.....</i> | 56 | OMNIPOD 5 LIBRE2 PLUS G6..... | 34 |
| <i>nylia 7/7/7 - norethindrone-eth estradiol tab 0.5-35/0.75-35/1-35 mg-mcg.....</i> | 56 | OMNIPOD 5 LIBRE2 PLUS G6 PODS..... | 34 |
| <i>nymyo - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg.....</i> | 56 | OMNITROPE..... | 51 |
| <i>nystatin cream 100000 unit/gm.....</i> | 14 | ondansetron hcl tab 4 mg, 8 mg..... | 13 |
| <i>nystatin oint 100000 unit/gm.....</i> | 14 | ondansetron orally disintegrating tab 4 mg, 8 mg..... | 13 |
| <i>nystatin susp 100000 unit/ml.....</i> | 14 | ONTRUZANT..... | 20 |
| <i>nystatin topical powder 100000 unit/gm.....</i> | 14 | ONUREG..... | 20 |
| <i>nystop - nystatin topical powder 100000 unit/gm.....</i> | 14 | OPIPZA..... | 26 |
| O | | OPSUMIT..... | 69 |
| <i>ocella - drospirenone-ethinyl estradiol tab 3-0.03 mg.....</i> | 56 | OPVEE..... | 3 |
| <i>octreotide acetate inj 500 mcg/ml (0.5 mg/ml).....</i> | 59 | <i>oralone dental paste - triamcinolone acetonide dental paste 0.1%.....</i> | 44 |
| <i>octreotide acetate inj 50 mcg/ml (0.05 mg/ml), 100 mcg/ml (0.1 mg/ml), 200 mcg/ml (0.2 mg/ml), 1000 mcg/ml (1 mg/ml).....</i> | 59 | ORENCIA..... | 63 |
| <i>octreotide acetate subcutaneous soln pref syr 100 mcg/ml.....</i> | 59 | ORENCIA CLICKJECT..... | 63 |
| <i>octreotide acetate subcutaneous soln pref syr 500 mcg/ml.....</i> | 59 | ORFADIN..... | 49 |
| <i>octreotide acetate subcutaneous soln pref syr 50 mcg/ml.....</i> | 59 | ORGOVYX..... | 20 |
| ODEFSEY..... | 29 | ORKAMBI..... | 70 |
| ODOMZO..... | 20 | ORSERDU..... | 20 |
| OFEV..... | 69 | <i>oseltamivir phosphate cap 30 mg (base equiv).....</i> | 29 |
| <i>ofloxacin ophth soln 0.3%.....</i> | 67 | <i>oseltamivir phosphate cap 45 mg (base equiv), 75 mg (base equiv).....</i> | 29 |
| <i>ofloxacin otic soln 0.3%.....</i> | 67 | <i>oseltamivir phosphate for susp 6 mg/ml (base equiv).....</i> | 29 |
| OGSIVEO..... | 20 | OTEZLA..... | 46 |
| OJEMDA..... | 20 | <i>oxcarbazepine susp 300 mg/5ml (60 mg/ml).....</i> | 9 |
| OJJAARA..... | 20 | <i>oxcarbazepine tab 150 mg, 300 mg, 600 mg.....</i> | 9 |
| <i>olanzapine for im inj 10 mg.....</i> | 25 | <i>oxybutynin chloride solution 5 mg/5ml.....</i> | 50 |
| <i>olanzapine orally disintegrating tab 5 mg, 10 mg, 15 mg, 20 mg.....</i> | 25 | <i>oxybutynin chloride tab 5 mg.....</i> | 50 |
| <i>olanzapine tab 15 mg, 20 mg.....</i> | 25 | <i>oxybutynin chloride tab er 24hr 10 mg.....</i> | 50 |

| | | | |
|--|----|--|----|
| <i>oxybutynin chloride tab er 24hr 15 mg</i> | 50 | <i>penicillin v potassium tab 250 mg, 500</i> | |
| <i>oxybutynin chloride tab er 24hr 5 mg</i> | 50 | <i>mg</i> | 7 |
| <i>oxycodone hcl tab 10 mg, 15 mg, 20 mg, 30</i> | | PENTACEL..... | 63 |
| <i>mg</i> | 2 | <i>pentamidine isethionate for inj soln 300</i> | |
| <i>oxycodone hcl tab 5 mg</i> | 2 | <i>mg</i> | 23 |
| <i>oxycodone w/ acetaminophen tab 10-325</i> | | <i>pentamidine isethionate for nebulization soln 300</i> | |
| <i>mg</i> | 2 | <i>mg</i> | 23 |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg, 5-325</i> | | <i>pentoxifylline tab er 400 mg</i> | 40 |
| <i>mg</i> | 2 | <i>perindopril erbumine tab 2 mg</i> | 40 |
| <i>oxycodone w/ acetaminophen tab 7.5-325</i> | | <i>perindopril erbumine tab 4 mg</i> | 40 |
| <i>mg</i> | 2 | <i>perindopril erbumine tab 8 mg</i> | 40 |
| OZEMPIC..... | 34 | <i>perio gard - chlorhexidine gluconate soln</i> | |
| P | | <i>0.12%</i> | 44 |
| <i>pacerone - amiodarone hcl tab 100 mg</i> | 40 | <i>permethrin cream 5%</i> | 46 |
| <i>pacerone - amiodarone hcl tab 200 mg</i> | 40 | <i>perphenazine tab 2 mg, 4 mg, 8 mg, 16</i> | |
| <i>paliperidone tab er 24hr 1.5 mg, 3 mg, 9</i> | | <i>mg</i> | 13 |
| <i>mg</i> | 26 | PERSERIS..... | 26 |
| <i>paliperidone tab er 24hr 6 mg</i> | 26 | <i>phenelzine sulfate tab 15 mg</i> | 12 |
| PANRETIN..... | 20 | <i>phenobarbital elixir 20 mg/5ml</i> | 9 |
| <i>pantoprazole sodium ec tab 20 mg (base</i> | | <i>phenobarbital tab 15 mg, 16.2 mg, 30 mg, 32.4 mg,</i> | |
| <i>equiv)</i> | 49 | <i>60 mg, 64.8 mg, 97.2 mg, 100 mg</i> | 9 |
| <i>pantoprazole sodium ec tab 40 mg (base</i> | | <i>phenoxybenzamine hcl cap 10 mg</i> | 40 |
| <i>equiv)</i> | 49 | <i>phenytek - phenytoin sodium extended cap 200 mg,</i> | |
| <i>paricalcitol cap 1 mcg, 2 mcg, 4 mcg</i> | 65 | <i>300 mg</i> | 9 |
| <i>paroxetine hcl oral susp 10 mg/5ml (base</i> | | <i>phenytoin chew tab 50 mg</i> | 9 |
| <i>equiv)</i> | 12 | <i>phenytoin infatabs - phenytoin chew tab 50</i> | |
| <i>paroxetine hcl tab 10 mg, 40 mg</i> | 12 | <i>mg</i> | 9 |
| <i>paroxetine hcl tab 20 mg</i> | 12 | <i>phenytoin sodium extended cap 100 mg</i> | 9 |
| <i>paroxetine hcl tab 30 mg</i> | 12 | <i>phenytoin sodium extended cap 200 mg, 300</i> | |
| PAXLOVID..... | 29 | <i>mg</i> | 9 |
| <i>pazopanib hcl tab 200 mg (base</i> | | <i>phenytoin susp 125 mg/5ml</i> | 9 |
| <i>equiv)</i> | 20 | <i>philith - norethindrone & ethinyl estradiol tab 0.4</i> | |
| PEDIARIX..... | 63 | <i>mg-35 mcg</i> | 57 |
| PEDVAX HIB..... | 63 | PIFELTRO..... | 29 |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236</i> | | <i>pilocarpine hcl ophth soln 1%, 2%, 4%</i> | 67 |
| <i>gm</i> | 49 | <i>pilocarpine hcl tab 5 mg, 7.5 mg</i> | 44 |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420</i> | | PIMOZIDE..... | 26 |
| <i>gm</i> | 49 | <i>pimtree - desogest-eth estrad & eth estrad tab</i> | |
| PEGASYS..... | 63 | <i>0.15-0.02/0.01 mg(21/5)</i> | 57 |
| PEMAZYRE..... | 20 | <i>pindolol tab 5 mg, 10 mg</i> | 40 |
| PENBRAYA..... | 63 | <i>pioglitazone hcl-glimepiride tab 30-2 mg, 30-4</i> | |
| <i>penicillamine tab 250 mg</i> | 50 | <i>mg</i> | 34 |
| <i>penicillin g potassium for inj 5000000 unit, 20000000</i> | | <i>pioglitazone hcl-metformin hcl tab 15-500 mg,</i> | |
| <i>unit</i> | 7 | <i>15-850 mg</i> | 34 |
| PENICILLIN G POTASSIUM IN ISO-OSMOTIC | | <i>pioglitazone hcl tab 15 mg (base</i> | |
| DEXTROSE..... | 7 | <i>equiv)</i> | 34 |
| <i>penicillin v potassium for soln 125</i> | | <i>pioglitazone hcl tab 30 mg (base equiv), 45 mg</i> | |
| <i>mg/5ml</i> | 7 | <i>(base equiv)</i> | 34 |
| <i>penicillin v potassium for soln 250</i> | | <i>piperacillin sod-tazobactam na for inj 3.375 gm</i> | |
| <i>mg/5ml</i> | 7 | <i>(3-0.375 gm)</i> | 7 |
| | | <i>piperacillin sod-tazobactam sod for inj 2.25 gm</i> | |
| | | <i>(2-0.25 gm), 4.5 gm (4-0.5 gm)</i> | 7 |

| | | | |
|--|----|--|----|
| PIQRAY 200MG DAILY DOSE..... | 20 | <i>prednisolone sod phosph oral soln 6.7 mg/5ml (5 mg/5ml base).....</i> | 51 |
| PIQRAY 250MG DAILY DOSE..... | 20 | <i>prednisolone soln 15 mg/5ml.....</i> | 51 |
| PIQRAY 300MG DAILY DOSE..... | 20 | <i>prednisone oral soln 5 mg/5ml.....</i> | 51 |
| <i>pirfenidone cap 267 mg.....</i> | 70 | <i>prednisone tab 1 mg.....</i> | 51 |
| <i>pirfenidone tab 267 mg.....</i> | 70 | <i>prednisone tab 2.5 mg, 5 mg, 10 mg, 20 mg, 50 mg.....</i> | 51 |
| <i>pirfenidone tab 801 mg.....</i> | 70 | <i>prednisone tab therapy pack 5 mg (21), 5 mg (48), 10 mg (21), 10 mg (48).....</i> | 51 |
| <i>piroxicam cap 10 mg.....</i> | 2 | <i>pregabalin cap 225 mg, 300 mg.....</i> | 10 |
| <i>piroxicam cap 20 mg.....</i> | 2 | <i>pregabalin cap 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg.....</i> | 9 |
| PLEGRIDY..... | 43 | <i>pregabalin soln 20 mg/ml.....</i> | 10 |
| PLEGRIDY STARTER PACK..... | 43 | PREGNYL..... | 51 |
| <i>podofilox soln 0.5%.....</i> | 46 | PREGNYL W/DILUENT BENZYL ALCOHOL/ NACL..... | 51 |
| <i>polycin - bacitracin-polymyxin b ophth oint.....</i> | 67 | PREMARIN..... | 57 |
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%.....</i> | 67 | <i>prevalite - cholestyramine light powder 4 gm/dose.....</i> | 40 |
| POMALYST..... | 20 | <i>prevalite - cholestyramine light powder packets 4 gm.....</i> | 40 |
| <i>portia-28 - levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg.....</i> | 57 | PREVYMIS..... | 29 |
| <i>posaconazole iv soln 300 mg/16.7ml (18 mg/ml).....</i> | 14 | PREZCOBIX..... | 29 |
| <i>posaconazole susp 40 mg/ml.....</i> | 14 | PREZISTA..... | 29 |
| <i>posaconazole tab delayed release 100 mg.....</i> | 14 | PRIFTIN..... | 15 |
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj.....</i> | 47 | <i>primaquine phosphate tab 26.3 mg (15 mg base).....</i> | 23 |
| <i>potassium chloride cap er 8 meq, 10 meq.....</i> | 47 | PRIMIDONE..... | 10 |
| <i>potassium chloride inj 2 meq/ml.....</i> | 47 | <i>primidone tab 50 mg, 250 mg.....</i> | 10 |
| <i>potassium chloride microencapsulated crys er tab 10 meq, 15 meq, 20 meq.....</i> | 47 | PRIORIX..... | 63 |
| <i>potassium chloride oral soln 10% (20 meq/15ml), 20% (40 meq/15ml).....</i> | 47 | <i>probenecid tab 500 mg.....</i> | 15 |
| <i>potassium chloride tab er 8 meq (600 mg), 10 meq, 20 meq (1500 mg).....</i> | 47 | <i>prochlorperazine maleate tab 5 mg (base equivalent), 10 mg (base equivalent).....</i> | 13 |
| <i>potassium citrate tab er 5 meq (540 mg), 10 meq (1080 mg), 15 meq (1620 mg).....</i> | 47 | <i>prochlorperazine suppos 25 mg.....</i> | 13 |
| <i>pramipexole dihydrochloride tab 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg.....</i> | 23 | PROCRIT..... | 36 |
| <i>prasugrel hcl tab 5 mg (base equiv), 10 mg (base equiv).....</i> | 36 | <i>proctocort - hydrocortisone perianal cream 1%.....</i> | 65 |
| <i>pravastatin sodium tab 10 mg, 20 mg, 40 mg.....</i> | 40 | <i>procto-med hc - hydrocortisone perianal cream 2.5%.....</i> | 65 |
| <i>pravastatin sodium tab 80 mg.....</i> | 40 | <i>proctosol hc - hydrocortisone perianal cream 2.5%.....</i> | 65 |
| <i>praziquantel tab 600 mg.....</i> | 23 | <i>proctozone-hc - hydrocortisone perianal cream 2.5%.....</i> | 65 |
| <i>prazosin hcl cap 1 mg, 2 mg, 5 mg.....</i> | 40 | <i>progesterone cap 100 mg, 200 mg.....</i> | 57 |
| <i>prednisolone acetate ophth susp 1%.....</i> | 67 | PROGRAF..... | 63 |
| <i>prednisolone sodium phosphate ophth soln 1%.....</i> | 67 | PROLASTIN-C..... | 49 |
| <i>prednisolone sodium phosphate oral soln 25 mg/5ml (base eq).....</i> | 51 | PROLIA..... | 65 |
| <i>prednisolone sod phosph oral soln 15 mg/5ml (base equiv).....</i> | 51 | PROMACTA..... | 36 |
| | | <i>promethazine hcl tab 12.5 mg, 25 mg, 50 mg.....</i> | 13 |
| | | <i>propafenone hcl cap er 12hr 225 mg, 325 mg, 425 mg.....</i> | 40 |

| | | | |
|---|----|---|----|
| <i>propafenone hcl tab 150 mg, 225 mg, 300 mg</i> | 40 | RELENZA DISKHALER..... | 29 |
| <i>propranolol hcl cap er 24hr 60 mg, 80 mg, 120 mg, 160 mg</i> | 40 | RENFLXIS..... | 63 |
| <i>propranolol hcl oral soln 20 mg/5ml</i> | 40 | <i>repaglinide tab 0.5 mg</i> | 34 |
| <i>propranolol hcl oral soln 40 mg/5ml</i> | 40 | <i>repaglinide tab 1 mg</i> | 34 |
| <i>propranolol hcl tab 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 40 | <i>repaglinide tab 2 mg</i> | 34 |
| <i>propylthiouracil tab 50 mg</i> | 60 | REPATHA..... | 41 |
| PROQUAD..... | 63 | REPATHA PUSHTRONEX SYSTEM..... | 41 |
| <i>protriptyline hcl tab 5 mg, 10 mg</i> | 12 | REPATHA SURECLICK..... | 41 |
| PULMOZYME..... | 70 | RESTASIS..... | 67 |
| PURIXAN..... | 20 | RESTASIS MULTIDOSE..... | 67 |
| <i>pyrazinamide tab 500 mg</i> | 15 | RETACRIT..... | 36 |
| <i>pyridostigmine bromide tab 60 mg</i> | 15 | RETEVMO..... | 20 |
| <i>pyrimethamine tab 25 mg</i> | 23 | REVCIVI..... | 50 |
| Q | | REVUFORJ..... | 20 |
| QINLOCK..... | 20 | REXULTI..... | 26 |
| QUADRACEL..... | 63 | REYATAZ..... | 29 |
| QUETIAPINE FUMARATE..... | 26 | REZLIDHIA..... | 20 |
| <i>quetiapine fumarate tab 25 mg, 50 mg, 100 mg, 200 mg</i> | 26 | REZUROCK..... | 63 |
| <i>quetiapine fumarate tab 300 mg, 400 mg</i> | 26 | RIABNI..... | 21 |
| <i>quetiapine fumarate tab er 24hr 150 mg, 200 mg</i> | 26 | <i>ribavirin cap 200 mg</i> | 29 |
| <i>quetiapine fumarate tab er 24hr 50 mg, 300 mg, 400 mg</i> | 26 | <i>ribavirin tab 200 mg</i> | 29 |
| <i>quinapril hcl tab 5 mg, 10 mg, 20 mg, 40 mg</i> | 40 | <i>rifabutin cap 150 mg</i> | 16 |
| <i>quinapril-hydrochlorothiazide tab 10-12.5 mg, 20-12.5 mg</i> | 40 | <i>rifampin cap 150 mg, 300 mg</i> | 16 |
| <i>quinapril-hydrochlorothiazide tab 20-25 mg</i> | 40 | <i>rifampin for inj 600 mg</i> | 16 |
| <i>quinidine sulfate tab 200 mg</i> | 40 | <i>riluzole tab 50 mg</i> | 43 |
| <i>quinidine sulfate tab 300 mg</i> | 40 | RINVOQ..... | 63 |
| <i>quinine sulfate cap 324 mg</i> | 23 | RINVOQ LQ..... | 64 |
| R | | <i>risedronate sodium tab 150 mg</i> | 66 |
| RABAVERT..... | 63 | <i>risedronate sodium tab 35 mg</i> | 66 |
| <i>rabeprazole sodium ec tab 20 mg</i> | 49 | <i>risedronate sodium tab 5 mg, 30 mg</i> | 66 |
| <i>raloxifene hcl tab 60 mg</i> | 57 | <i>risedronate sodium tab delayed release 35 mg</i> | 66 |
| <i>ramelteon tab 8 mg</i> | 71 | <i>risperidone microspheres for im extended rel susp 12.5 mg, 25 mg, 37.5 mg</i> | 26 |
| <i>ramipril cap 1.25 mg, 2.5 mg, 5 mg, 10 mg</i> | 40 | <i>risperidone microspheres for im extended rel susp 50 mg</i> | 26 |
| <i>ranolazine tab er 12hr 500 mg, 1000 mg</i> | 40 | RISPERIDONE ODT..... | 26 |
| <i>rasagiline mesylate tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 24 | <i>risperidone orally disintegrating tab 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 26 |
| <i>reclipsen - desogestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 57 | <i>risperidone orally disintegrating tab 4 mg</i> | 26 |
| RECOMBIVAX HB..... | 63 | <i>risperidone soln 1 mg/ml</i> | 26 |
| | | <i>risperidone tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 26 |
| | | <i>risperidone tab 4 mg</i> | 26 |
| | | <i>ritonavir tab 100 mg</i> | 29 |
| | | <i>rivastigmine tartrate cap 1.5 mg (base equivalent), 3 mg (base equivalent), 4.5 mg (base equivalent), 6 mg (base equivalent)</i> | 11 |
| | | <i>rivastigmine td patch 24hr 4.6 mg/24hr, 9.5 mg/24hr, 13.3 mg/24hr</i> | 11 |

| | | | |
|---|----|---|----|
| <i>rizatriptan benzoate oral disintegrating tab 5 mg (base eq), 10 mg (base eq)</i> | 15 | SIMLANDI 2-PEN KIT..... | 64 |
| <i>rizatriptan benzoate tab 5 mg (base equivalent), 10 mg (base equivalent)</i> | 15 | <i>simliya - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 57 |
| <i>roflumilast tab 250 mcg, 500 mcg</i> | 70 | <i>simvastatin tab 20 mg</i> | 41 |
| <i>ropinirole hydrochloride tab 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 24 | <i>simvastatin tab 5 mg, 10 mg, 40 mg</i> | 41 |
| <i>rosuvastatin calcium tab 40 mg</i> | 41 | <i>simvastatin tab 80 mg</i> | 41 |
| <i>rosuvastatin calcium tab 5 mg, 10 mg, 20 mg</i> | 41 | <i>sirolimus oral soln 1 mg/ml</i> | 64 |
| ROTARIX..... | 64 | <i>sirolimus tab 0.5 mg, 1 mg, 2 mg</i> | 64 |
| ROTATEQ..... | 64 | SIRTURO..... | 16 |
| <i>roweepra - levetiracetam tab 500 mg</i> | 10 | SIVEXTRO..... | 7 |
| ROZLYTREK..... | 21 | SKYLA..... | 50 |
| RUBRACA..... | 21 | SKYRIZI..... | 64 |
| <i>rufinamide susp 40 mg/ml</i> | 10 | SKYRIZI PEN..... | 64 |
| <i>rufinamide tab 200 mg</i> | 10 | <i>sodium chloride iv soln 0.45%, 0.9%</i> | 47 |
| <i>rufinamide tab 400 mg</i> | 10 | <i>sodium chloride preservative free (pf) inj 0.9%</i> | 48 |
| RUKOBIA..... | 29 | SODIUM OXYBATE..... | 71 |
| RUXIENCE..... | 21 | <i>sodium phenylbutyrate oral powder 3 gm/teaspoonful</i> | 50 |
| RYBELSUS..... | 34 | <i>sodium phenylbutyrate tab 500 mg</i> | 50 |
| RYDAPT..... | 21 | <i>sodium polystyrene sulfonate powder</i> | 48 |
| S | | <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml</i> | 49 |
| <i>sajazir - icatibant acetate subcutaneous soln pref syr 30 mg/3ml</i> | 64 | <i>solifenacin succinate tab 5 mg, 10 mg</i> | 50 |
| SANTYL..... | 46 | SOLQUA 100/33..... | 34 |
| <i>sapropterin dihydrochloride powder packet 100 mg, 500 mg</i> | 50 | SOLTAMOX..... | 21 |
| <i>sapropterin dihydrochloride tab 100 mg</i> | 50 | SOMATULINE DEPOT..... | 60 |
| SCSEMBLIX..... | 21 | SOMAVERT..... | 60 |
| <i>scopolamine td patch 72hr 1 mg/3days</i> | 13 | <i>sorafenib tosylate tab 200 mg (base equivalent)</i> | 21 |
| SECUADO..... | 26 | <i>sorine - sotalol hcl tab 120 mg, 160 mg</i> | 41 |
| <i>selegiline hcl cap 5 mg</i> | 24 | <i>sotalol hcl (afib/af) tab 80 mg, 120 mg, 160 mg</i> | 41 |
| <i>selegiline hcl tab 5 mg</i> | 24 | <i>sotalol hcl tab 80 mg, 120 mg, 160 mg, 240 mg</i> | 41 |
| <i>selenium sulfide lotion 2.5%</i> | 46 | SPIRIVA RESPIMAT..... | 70 |
| SELZENTRY..... | 29 | <i>spironolactone & hydrochlorothiazide tab 25-25 mg</i> | 41 |
| SEREVENT DISKUS..... | 70 | <i>spironolactone tab 25 mg, 50 mg, 100 mg</i> | 41 |
| <i>sertraline hcl oral concentrate for solution 20 mg/ml</i> | 12 | <i>sprintec 28 - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 57 |
| <i>sertraline hcl tab 100 mg</i> | 12 | SPRITAM..... | 10 |
| <i>sertraline hcl tab 25 mg, 50 mg</i> | 12 | SPS..... | 48 |
| <i>setlakin - levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 57 | <i>sps - sodium polystyrene sulfonate susp 15 gm/60ml</i> | 48 |
| <i>sharobel - norethindrone tab 0.35 mg</i> | 57 | <i>sronyx - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 57 |
| SHINGRIX..... | 64 | <i>ssd - silver sulfadiazine cream 1%</i> | 46 |
| SIGNIFOR..... | 60 | STAMARIL..... | 64 |
| <i>sildenafil citrate tab 20 mg</i> | 70 | STELARA..... | 64 |
| <i>silver sulfadiazine cream 1%</i> | 46 | | |
| SIMLANDI..... | 64 | | |
| SIMLANDI 1-PEN KIT..... | 64 | | |

| | |
|---|----|
| STIOLTO RESPIMAT..... | 70 |
| STIVARGA..... | 21 |
| STRENSIQ..... | 50 |
| STREPTOMYCIN SULFATE..... | 7 |
| STRIBILD..... | 29 |
| SUBLOCADE..... | 3 |
| subvenite - lamotrigine tab 25 mg, 100 mg, 150 mg, 200 mg..... | 10 |
| sucralfate tab 1 gm..... | 49 |
| sulfacetamide sodium lotion 10% (acne)..... | 46 |
| sulfacetamide sodium ophth soln 10%..... | 67 |
| sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%..... | 67 |
| sulfadiazine tab 500 mg..... | 7 |
| sulfamethoxazole-trimethoprim susp 200-40 mg/5ml..... | 7 |
| sulfamethoxazole-trimethoprim tab 400-80 mg, 800-160 mg..... | 7 |
| sulfasalazine tab 500 mg..... | 65 |
| sulfasalazine tab delayed release 500 mg..... | 65 |
| sulindac tab 150 mg, 200 mg..... | 2 |
| sumatriptan nasal spray 5 mg/act, 20 mg/ act..... | 15 |
| sumatriptan succinate inj 6 mg/0.5ml..... | 15 |
| sumatriptan succinate solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml..... | 15 |
| sumatriptan succinate solution cartridge 4 mg/0.5ml..... | 15 |
| sumatriptan succinate solution cartridge 6 mg/0.5ml..... | 15 |
| sumatriptan succinate tab 25 mg, 50 mg, 100 mg..... | 15 |
| sunitinib malate cap 12.5 mg (base equivalent)..... | 21 |
| sunitinib malate cap 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent)..... | 21 |
| SUNLENCA..... | 29 |
| SUTAB..... | 49 |
| syeda - drospirenone-ethinyl estradiol tab 3-0.03 mg..... | 57 |
| SYMLINPEN 120..... | 35 |
| SYMLINPEN 60..... | 35 |
| SYMPAZAN..... | 10 |
| SYMTUZA..... | 29 |
| SYNAREL..... | 60 |
| SYNJARDY..... | 35 |
| SYNJARDY XR..... | 35 |
| SYNTHROID..... | 59 |

T

| | |
|--|----|
| TABRECTA..... | 21 |
| tacrolimus cap 0.5 mg, 1 mg, 5 mg..... | 64 |
| tacrolimus oint 0.03%, 0.1%..... | 46 |
| tadalafil tab 2.5 mg, 5 mg..... | 50 |
| tadalafil tab 20 mg (pah)..... | 70 |
| TAFINLAR..... | 21 |
| TAGRISSO..... | 21 |
| TALZENNA..... | 21 |
| tamoxifen citrate tab 10 mg (base equivalent), 20 mg (base equivalent)..... | 21 |
| tamsulosin hcl cap 0.4 mg..... | 50 |
| tarina 24 fe - norethindrone ace-ethinyl estradiol-fe tab 1mg-20 mcg (24)..... | 57 |
| tarina fe 1/20 eq - norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg..... | 57 |
| TASIGNA..... | 21 |
| tasimelteon capsule 20 mg..... | 71 |
| tazarotene cream 0.05%, 0.1%..... | 46 |
| tazicef - ceftazidime for inj 1 gm..... | 7 |
| tazicef - ceftazidime for iv soln 1 gm..... | 7 |
| tazicef - ceftazidime for iv soln 2 gm..... | 7 |
| tazicef - ceftazidime for iv soln 6 gm..... | 7 |
| TAZORAC..... | 46 |
| taztia xt - diltiazem hcl extended release beads cap er 24hr 120 mg..... | 41 |
| taztia xt - diltiazem hcl extended release beads cap er 24hr 180 mg..... | 41 |
| taztia xt - diltiazem hcl extended release beads cap er 24hr 240 mg..... | 41 |
| taztia xt - diltiazem hcl extended release beads cap er 24hr 300 mg..... | 41 |
| taztia xt - diltiazem hcl extended release beads cap er 24hr 360 mg..... | 41 |
| TAZVERIK..... | 21 |
| TDVAX..... | 64 |
| TEFLARO..... | 7 |
| telmisartan-amlodipine tab 40-10 mg..... | 41 |
| telmisartan-amlodipine tab 40-5 mg..... | 41 |
| telmisartan-amlodipine tab 80-10 mg..... | 41 |
| telmisartan-amlodipine tab 80-5 mg..... | 41 |
| telmisartan-hydrochlorothiazide tab 40-12.5 mg, 80-25 mg..... | 41 |
| telmisartan-hydrochlorothiazide tab 80-12.5 mg..... | 41 |
| telmisartan tab 20 mg, 40 mg, 80 mg..... | 41 |
| temazepam cap 15 mg, 30 mg..... | 71 |
| TENIVAC..... | 64 |
| tenofovir disoproxil fumarate tab 300 mg..... | 29 |
| TEPMETKO..... | 21 |

| | | | |
|--|----|--|----|
| terazosin hcl cap 1 mg (base equivalent)..... | 41 | tilia fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg..... | 57 |
| terazosin hcl cap 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)..... | 41 | timolol maleate ophth gel forming soln 0.25%, 0.5%..... | 67 |
| terbinafine hcl tab 250 mg..... | 14 | timolol maleate ophth soln 0.25%, 0.5%..... | 67 |
| terconazole vaginal cream 0.4%, 0.8%..... | 14 | timolol maleate tab 5 mg, 10 mg, 20 mg..... | 42 |
| terconazole vaginal suppos 80 mg..... | 14 | tinidazole tab 250 mg, 500 mg..... | 7 |
| TERIPARATIDE..... | 66 | tiotropium bromide monohydrate inhal cap 18 mcg (base equiv)..... | 70 |
| testosterone cypionate im inj in oil 100 mg/ml, 200 mg/ml..... | 57 | TIVICAY..... | 29 |
| TESTOSTERONE ENANTHATE..... | 57 | TIVICAY PD..... | 30 |
| testosterone td gel 12.5 mg/act (1%)..... | 57 | tizanidine hcl tab 2 mg (base equivalent), 4 mg (base equivalent)..... | 27 |
| testosterone td gel 20.25 mg/1.25gm (1.62%)..... | 57 | tobramycin-dexamethasone ophth susp 0.3-0.1%..... | 67 |
| testosterone td gel 20.25 mg/act (1.62%)..... | 57 | tobramycin nebu soln 300 mg/5ml..... | 70 |
| testosterone td gel 25 mg/2.5gm (1%)..... | 57 | tobramycin ophth soln 0.3%..... | 67 |
| testosterone td gel 40.5 mg/2.5gm (1.62%)..... | 57 | TOBRAMYCIN SULFATE..... | 8 |
| testosterone td gel 50 mg/5gm (1%)..... | 57 | tobramycin sulfate for inj 1.2 gm..... | 8 |
| tetrabenazine tab 12.5 mg..... | 43 | tobramycin sulfate inj 2 gm/50ml (40 mg/ml) (base equiv)..... | 8 |
| tetrabenazine tab 25 mg..... | 44 | tobramycin sulfate inj 80 mg/2ml (40 mg/ml) (base equiv), 1.2 gm/30ml (40 mg/ml) (base equiv)..... | 8 |
| tetracycline hcl cap 250 mg, 500 mg..... | 7 | tolterodine tartrate cap er 24hr 2 mg, 4 mg..... | 50 |
| THALOMID..... | 21 | tolterodine tartrate tab 1 mg, 2 mg..... | 50 |
| theophylline tab er 12hr 300 mg, 450 mg..... | 70 | topiramate sprinkle cap 15 mg, 25 mg..... | 10 |
| theophylline tab er 24hr 400 mg, 600 mg..... | 70 | topiramate tab 25 mg, 50 mg, 100 mg, 200 mg..... | 10 |
| thioridazine hcl tab 10 mg, 25 mg, 50 mg, 100 mg..... | 26 | toremifene citrate tab 60 mg (base equivalent)..... | 21 |
| thiothixene cap 1 mg, 2 mg, 5 mg, 10 mg..... | 26 | torpenz - everolimus tab 2.5 mg, 7.5 mg, 10 mg..... | 22 |
| THYMOGLOBULIN..... | 64 | torpenz - everolimus tab 5 mg..... | 22 |
| tiadylt er - diltiazem hcl extended release beads cap er 24hr 120 mg..... | 41 | torse mide tab 5 mg, 10 mg, 20 mg, 100 mg..... | 42 |
| tiadylt er - diltiazem hcl extended release beads cap er 24hr 180 mg..... | 41 | TOUJEO MAX SOLOSTAR..... | 35 |
| tiadylt er - diltiazem hcl extended release beads cap er 24hr 240 mg..... | 41 | TOUJEO SOLOSTAR..... | 35 |
| tiadylt er - diltiazem hcl extended release beads cap er 24hr 300 mg..... | 41 | TRACLEER..... | 70 |
| tiadylt er - diltiazem hcl extended release beads cap er 24hr 360 mg..... | 41 | TRADJENTA..... | 35 |
| tiadylt er - diltiazem hcl extended release beads cap er 24hr 420 mg..... | 42 | tramadol-acetaminophen tab 37.5-325 mg..... | 2 |
| tiagabine hcl tab 2 mg, 4 mg, 12 mg, 16 mg..... | 10 | tramadol hcl tab 50 mg..... | 2 |
| TIBSOVO..... | 21 | tramadol hcl tab er 24hr 100 mg, 200 mg, 300 mg..... | 2 |
| TICOVAC..... | 64 | trandolapril tab 1 mg, 2 mg, 4 mg..... | 42 |
| tigecycline for iv soln 50 mg..... | 7 | trandolapril-verapamil hcl tab er 1-240 mg..... | 42 |

| | | | |
|--|----|--|----|
| <i>trandolapril-verapamil hcl tab er 2-180 mg</i> | 42 | <i>tri-lo-estarylla - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 57 |
| <i>trandolapril-verapamil hcl tab er 2-240 mg</i> | 42 | <i>tri-lo-marzia - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 57 |
| <i>trandolapril-verapamil hcl tab er 4-240 mg</i> | 42 | <i>tri-lo-mili - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 58 |
| <i>tranexamic acid tab 650 mg</i> | 36 | <i>tri-lo-sprintec - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 58 |
| <i>tranylcypromine sulfate tab 10 mg</i> | 12 | <i>trimethoprim tab 100 mg</i> | 8 |
| TRAVASOL..... | 48 | <i>tri-mili - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 58 |
| <i>travoprost ophth soln 0.004% (benzalkonium free) (bak free)</i> | 67 | <i>trimipramine maleate cap 25 mg, 50 mg, 100 mg</i> | 13 |
| TRAZIMERA..... | 22 | TRINTELLIX..... | 13 |
| <i>trazodone hcl tab 300 mg</i> | 12 | <i>tri-nymyo - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 58 |
| <i>trazodone hcl tab 50 mg, 100 mg, 150 mg</i> | 12 | <i>tri-sprintec - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 58 |
| TRECATOR..... | 16 | TRIUMEQ..... | 30 |
| TRELEGY ELLIPTA..... | 70 | TRIUMEQ PD..... | 30 |
| TRELSTAR MIXJECT..... | 60 | <i>trivora-28 - levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 58 |
| TREMFYA..... | 64 | <i>tri-vylibra lo - norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 58 |
| <i>tretinoin cap 10 mg</i> | 22 | <i>tri-vylibra - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 58 |
| <i>tretinoin cream 0.025%, 0.05%, 0.1%</i> | 46 | TROPHAMINE..... | 48 |
| <i>tretinoin gel 0.01%, 0.025%</i> | 46 | TRULICITY..... | 35 |
| <i>triamcinolone acetonide cream 0.025%, 0.1%, 0.5%</i> | 46 | TRUMENBA..... | 64 |
| <i>triamcinolone acetonide dental paste 0.1%</i> | 44 | TRUQAP..... | 22 |
| <i>triamcinolone acetonide lotion 0.025%, 0.1%</i> | 46 | TUKYSA..... | 22 |
| <i>triamcinolone acetonide oint 0.025%, 0.1%</i> | 46 | TURALIO..... | 22 |
| <i>triamcinolone acetonide oint 0.5%</i> | 46 | <i>turqoz - norgestrel & ethinyl estradiol tab 0.3 mg-30 mcg</i> | 58 |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 42 | TWINRIX..... | 64 |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg, 75-50 mg</i> | 42 | TYBOST..... | 30 |
| <i>tridacaine iii - lidocaine patch 5%</i> | 3 | TYMLOS..... | 66 |
| <i>tridacaine ii - lidocaine patch 5%</i> | 3 | TYPHIM VI..... | 64 |
| <i>triderm - triamcinolone acetonide cream 0.5%</i> | 46 | U | |
| <i>trientine hcl cap 250 mg</i> | 48 | <i>unithroid - levothyroxine sodium tab 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg</i> | 59 |
| <i>tri-estarylla - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 57 | <i>ursodiol cap 300 mg</i> | 49 |
| <i>trifluoperazine hcl tab 1 mg (base equivalent), 2 mg (base equivalent), 5 mg (base equivalent), 10 mg (base equivalent)</i> | 26 | <i>ursodiol tab 250 mg, 500 mg</i> | 49 |
| TRIFLURIDINE..... | 67 | UZEDY..... | 27 |
| TRIKAFTA..... | 70 | V | |
| <i>tri-legest fe - norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 57 | <i>valacyclovir hcl tab 500 mg, 1 gm</i> | 30 |
| <i>tri-linyah - norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 57 | VALCHLOR..... | 22 |
| | | <i>valganciclovir hcl for soln 50 mg/ml (base equiv)</i> | 30 |

| | | | |
|---|----|---|----|
| <i>valganciclovir hcl tab 450 mg (base equivalent)</i> | 30 | VENTOLIN HFA..... | 70 |
| <i>valproate sodium oral soln 250 mg/5ml (base equiv)</i> | 10 | VEOZAH..... | 44 |
| <i>valproic acid cap 250 mg</i> | 10 | <i>verapamil hcl cap er 24hr 120 mg, 180 mg, 240 mg</i> | 42 |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg, 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg</i> | 42 | <i>verapamil hcl cap er 24hr 360 mg</i> | 42 |
| <i>valsartan tab 320 mg</i> | 42 | <i>verapamil hcl tab 40 mg, 80 mg, 120 mg</i> | 42 |
| <i>valsartan tab 40 mg, 80 mg, 160 mg</i> | 42 | <i>verapamil hcl tab er 120 mg, 180 mg, 240 mg</i> | 42 |
| VALTOCO 10 MG DOSE..... | 10 | VERQUVO..... | 42 |
| VALTOCO 15 MG DOSE..... | 10 | VERSACLOZ..... | 27 |
| VALTOCO 20 MG DOSE..... | 10 | VERZENIO..... | 22 |
| VALTOCO 5 MG DOSE..... | 10 | <i>vestura - drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 58 |
| <i>vancomycin hcl cap 125 mg (base equivalent)</i> | 8 | <i>vienva - levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 58 |
| <i>vancomycin hcl cap 250 mg (base equivalent)</i> | 8 | <i>vigabatrin powd pack 500 mg</i> | 10 |
| <i>vancomycin hcl for iv soln 100 gm (base equivalent)</i> | 8 | <i>vigabatrin tab 500 mg</i> | 10 |
| <i>vancomycin hcl for iv soln 500 mg (base equivalent), 750 mg (base equivalent), 1 gm (base equivalent), 10 gm (base equivalent)</i> | 8 | <i>vigadrone - vigabatrin powd pack 500 mg</i> | 10 |
| <i>vancomycin hcl for iv soln 5 gm (base equivalent)</i> | 8 | <i>vigadrone - vigabatrin tab 500 mg</i> | 10 |
| VANCOMYCIN HYDROCHLORIDE..... | 8 | VIGAFYDE..... | 10 |
| VANFLYTA..... | 22 | <i>vigpoder - vigabatrin powd pack 500 mg</i> | 10 |
| VAQTA..... | 65 | <i>vilazodone hcl tab 10 mg, 20 mg, 40 mg</i> | 13 |
| <i>varenicline tartrate tab 0.5 mg (base equiv), 1 mg (base equiv)</i> | 3 | <i>viorele - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 58 |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 3 | VIRACEPT..... | 30 |
| VARIVAX..... | 65 | VIREAD..... | 30 |
| VASCEPA..... | 42 | VITRAKVI..... | 22 |
| VAXCHORA..... | 65 | VIZIMPRO..... | 22 |
| <i>velivet - desogest-ethin est tab 0.1-0.025/0.125-0.025/0.15- 0.025mg-mg</i> | 58 | <i>volnea - desogest-eth estrad & eth estrad tab 0.15-0.02/0.01 mg(21/5)</i> | 58 |
| VELTASSA..... | 48 | VONJO..... | 22 |
| VENCLEXTA..... | 22 | VORANIGO..... | 22 |
| VENCLEXTA STARTING PACK..... | 22 | <i>voriconazole for inj 200 mg</i> | 14 |
| VENLAFAXINE BESYLATE ER..... | 13 | <i>voriconazole for susp 40 mg/ml</i> | 14 |
| <i>venlafaxine hcl cap er 24hr 150 mg (base equivalent)</i> | 13 | <i>voriconazole tab 50 mg, 200 mg</i> | 14 |
| <i>venlafaxine hcl cap er 24hr 37.5 mg (base equivalent)</i> | 13 | VOWST..... | 49 |
| <i>venlafaxine hcl cap er 24hr 75 mg (base equivalent)</i> | 13 | VPRIV..... | 50 |
| <i>venlafaxine hcl tab 25 mg (base equivalent), 37.5 mg (base equivalent), 50 mg (base equivalent), 75 mg (base equivalent), 100 mg (base equivalent)</i> | 13 | VRAYLAR..... | 27 |
| | | VUMERITY..... | 44 |
| | | <i>vyfemla - norethindrone & ethinyl estradiol tab 0.4 mg-35 mcg</i> | 58 |
| | | <i>vylibra - norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 58 |
| | | VYNDAMAX..... | 50 |
| | | VYNDAQEL..... | 50 |

W

| | |
|--|----|
| warfarin sodium tab 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg..... | 36 |
| WELIREG..... | 50 |
| wera - norethindrone & ethinyl estradiol tab 0.5 mg-35 mcg..... | 58 |
| wixela inhub - fluticasone-salmeterol aer powder ba 100-50 mcg/act..... | 70 |
| wixela inhub - fluticasone-salmeterol aer powder ba 250-50 mcg/act..... | 70 |
| wixela inhub - fluticasone-salmeterol aer powder ba 500-50 mcg/act..... | 70 |
| wymzya fe - norethindrone & ethinyl estradiol-fe chew tab 0.4 mg-35 mcg..... | 58 |

X

| | |
|--|----|
| XALKORI..... | 22 |
| XARELTO..... | 36 |
| XARELTO STARTER PACK..... | 36 |
| XATMEP..... | 65 |
| XCOPRI..... | 10 |
| XDEMVI..... | 67 |
| XERMELO..... | 49 |
| XGEVA..... | 66 |
| XIFAXAN..... | 49 |
| XIGDUO XR..... | 35 |
| XOFLUZA..... | 30 |
| XOLAIR..... | 65 |
| XOSPATA..... | 22 |
| XPOVIO..... | 22 |
| XPOVIO 60 MG TWICE WEEKLY..... | 22 |
| XPOVIO 80 MG TWICE WEEKLY..... | 22 |
| XTANDI..... | 22 |
| xulane - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr..... | 58 |

Y

| | |
|--|----|
| yargesa - miglustat cap 100 mg..... | 50 |
| YF-VAX..... | 65 |
| yuvaferm - estradiol vaginal tab 10 mcg..... | 58 |

Z

| | |
|--|----|
| zafemy - norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr..... | 58 |
| zafirlukast tab 10 mg, 20 mg..... | 70 |
| zaleplon cap 10 mg..... | 71 |
| zaleplon cap 5 mg..... | 71 |
| ZEJULA..... | 23 |
| ZELBORAF..... | 23 |
| zenatane - isotretinoin cap 10 mg, 20 mg, 30 mg, 40 mg..... | 46 |
| ZENPEP..... | 50 |

| | |
|---|----|
| zenzedi - dextroamphetamine sulfate tab 10 mg..... | 44 |
| zenzedi - dextroamphetamine sulfate tab 5 mg..... | 44 |
| zidovudine cap 100 mg..... | 30 |
| zidovudine syrup 10 mg/ml..... | 30 |
| zidovudine tab 300 mg..... | 30 |
| ziprasidone hcl cap 20 mg, 40 mg..... | 27 |
| ziprasidone hcl cap 60 mg, 80 mg..... | 27 |
| ziprasidone mesylate for inj 20 mg (base equivalent)..... | 27 |
| ZIRABEV..... | 23 |
| ZOLINZA..... | 23 |
| zolpidem tartrate tab 5 mg, 10 mg..... | 71 |
| ZONISADE..... | 11 |
| zonisamide cap 25 mg, 50 mg, 100 mg..... | 11 |
| zovia 1/35 - ethynodiol diacetate & ethinyl estradiol tab 1mg-35 mcg..... | 58 |
| ZTALMY..... | 11 |
| zumandimine - drospirenone-ethinyl estradiol tab 3-0.03 mg..... | 58 |
| ZURZUVAE..... | 13 |
| ZYDELIG..... | 23 |
| ZYKADIA..... | 23 |

Intentionally Left Blank

Intentionally Left Blank

Intentionally Left Blank

This formulary was updated on 02/03/2025. For more recent information or other questions, please contact **Blue Advantage (PPO) Member Services at 1-888-950-0705** or, for TTY users, **711**, Monday - Friday, 8 a.m. – 8 p.m. CST. From October 1 to March 31, the hours of operation are Monday - Sunday, 8 a.m. – 8 p.m. CST. You may be required to leave a message for calls made after hours, weekends and holidays. Calls will be returned the next business day, or visit **www.PatriusHealth.com**.

**Blue Advantage is a PPO with a Medicare contract.
Enrollment in Blue Advantage (PPO) depends on contract renewal.**



Patrius Health is an independent licensee of the Blue Cross and Blue Shield Association.